

Research on using cost-effective close-range photogrammetry to digitize Rwanda's cultural heritage: A DSLR and smartphone dependent solution.

By Jean Nshuti
jnshuti@andrew.cmu.edu
Carnegie Mellon University — School of Engineering

Abstract — Digital cultural heritage preservation is of high importance but requires high-resolution 3D imagery as output, yet the equipment used to generate that output, such as a terrestrial laser scanner, costs between \$15,000 and \$200,000. The research then analyzes how using calibrated cost-effective close-range photogrammetry would still deliver outstanding results. The paper focuses on practical considerations and presents an overview of the technicalities using cost-effective close-range photogrammetry to preserve Rwanda's cultural heritage.

Keywords — *cultural assets, cultural heritage artifacts, photogrammetry, digitization, close-range, cost-effective*

I. INTRODUCTION

The use of photogrammetry has been on the rise since its inception some 150 years ago [1]. It has been adopted by a wide range of users in fields like research, engineering, architecture, archaeology, geology, etc. The American Society for Photogrammetry and Remote Sensing defined photogrammetry as [2] “the art, science, and technology of obtaining reliable information about physical objects and the environment, through processes of recording, measuring, and interpreting imagery and digital representations of energy patterns derived from non-contact sensor systems”. Where close-range photogrammetry or CRP is photogrammetric data collection and processing where the object is less than 300 metres away [3].

The very rich historical background of Rwanda can be attributed to the large number of cultural assets she possesses. These assets are considered valuable and delicate since the damage of any form devalues their worth and makes them difficult to replicate or reconstruct. Total annihilation of these assets in case of misfortunes could likely erase traces of their existence from history. As such, digitizing such assets will preserve their existence

even if they end up being destroyed.

A technology that captures qualitative information like texture, color, and refractive index of assets must be used. This technology will ensure that features of these assets are captured to a higher degree of precision before being stored digitally [4]. This will help when the asset is being stored digitally to reduce the margin of error and increase accuracy [5]. With this, photogrammetry can be used to further investigate how useful it would be in digitizing Rwanda's cultural assets.

Since photogrammetry's foundation is based on pictures, they will be taken, processed, and then digitized to produce 3D objects/assets that are cleaned and retopologized in a 3D application.

As technology advances, photogrammetry becomes more user-friendly. So, using reconstruction software would be more effective with an expectation of reducing the loss due to machine learning. In addition, using a high-end smartphone for sampling would produce 3D scans that can be used for testing while using a DSLR (digital single-lens reflex) camera would produce high-resolution 3D scans for the final 3D asset. Gathering several pictures of different assets from museums will be the quickest way to obtain data. By comparing the digitized asset and the real (physical) asset, we will be able to analyze and have a viable conclusion. This will result in accurate and clean assets that will hold every data needed in digitization using a low-cost solution.

Hence, this research shows how fine-tuned, cost-effective smartphones and DSLR cameras could produce high-resolution 3D scans in close-range photogrammetry in comparison to high-tech, more high-priced terrestrial laser-scanners in an attempt to digitize Rwanda's cultural heritage.

II. LITERATURE REVIEW

Cultural heritage assets are as essential as the culture itself, as they hold the meaning and

history of a place. It is the physical and intangible characteristics of a civilization that have been passed down through the centuries [6]. For cultural assets hold heritage and are irreplaceable, their demise would create a gap in one nation's history hence making it impossible to pass the culture down. So, the need to digitally preserve/conservate the heritage removes the unbearable effects. Yet, the usual generation of cultural heritage 3D scans requires high-priced equipment (like a LiDAR scanner) [7] to generate high-resolution scans.

The high-priced types of equipment were effective when the technology was in its infancy, where on some occasions, they were an overengineered solution to less complex tasks. This resulted in slow implementation and adoption in areas where the technology was needed [8]. Notably, it's a costly method with limits in terms of augmenting or replacing image-based output.

As technology advanced, the high-priced tech was incorporated into smaller, less-priced devices. For instance, the old high-priced LiDAR technology is now a built-in feature in new iPhone smartphones, with some apps having reconstruction algorithms, the smartphone can now perform low-end photogrammetry. In addition, DSLR cameras now come with advanced image enhancing features like autofocus, light sensitivity, flash and natural daylight, etc. which are useful in image scanning. Also, [8] shows that 3D distress identification and modeling with improved spatial accuracy and automation, while keeping 2D color and shading information for data fusion from a DSLR camera, has a lot of promise. Hence, leveraging the 2 cost-effective solutions would still generate high-resolution 3D scans of Rwanda's cultural heritage.

A. The History of cultural heritage digitization

The act of cultural heritage protection/conservation started in the early 18th century when an Austrian ruler called Maria Theresa set regulations about their protection in times of war [9]. But the term "cultural heritage" was adopted in November 1972 at a General Conference of UNESCO [10], which indicated the benefits of protecting the unique, invaluable assets to everyone. In the 19th & 20th centuries, scholars felt a need to create collections of their research after WWII, which institutions used to attract more scholars [11]. It was not until October 2003 when UNESCO developed a "Charter on the Preservation of Digital

Heritage", which held principles it needed to follow in order to preserve the digital heritage of various assets such as books, monuments, etc., thus the beginning and need to preserve and share the knowledge [11].

B. Methods used in cultural heritage digitization

The basis of cultural heritage digitization is on 2D and 3D archiving, which results in either 2D photographs or 3D models. The earliest and simplest form of digitization was images taken with care and stored in museum galleries. For example, in the 1940s, The Museum of Modern Art inaugurated its photography department, and George Eastman House International Museum of Photography and Film was opened for this matter [12]. But as technology advances, 2 methods were invented, namely, photogrammetry and laser-scanning [13]. Photogrammetry which uses an image-based modelling approach has the merit of generating quick and effective data processing for the building of an asset. For instance, the method was utilized in China to restore Emperor Qin's mausoleum [14]. Companionably, laser-scanning uses range-based modelling which permits for the acquisition of numerous minor geometric information of an asset hence providing better precision [13] but with a drawback of slow data capturing and need for a multitude of manpower and resource [14]. Regardless, the latter in parallel with other technologies were used to scan Tang Paradise [13].

C. The role of cost-effective equipment

The adoption of cost-effective equipment would benefit the process of data collection by facilitating low-cost close-range photogrammetry since most tangible assets require a close-range image acquisition i.e. not more than 300 metres away from the device taking images [15]. The whole digitization process is costly and goes through various phases, each bringing its own difficulties. Therefore, the usage of cost-effective tools to take 3D scans would immensely save money that can be used in the following phases.

III. METHODOLOGY

A. Approach

This research paper demonstrates how the adoption of cost-effective tools in close-range photogrammetry delivers astounding 3D scans if the settings are calibrated, in place of high-price tools that are overengineered to less complex tasks, in

digitizing Rwanda's cultural assets. To understand how the process of delivery is done, images (data) were collected either using a high-end smartphone or a DSLR camera and occasionally extensive search on the internet. The efficient delivery then requires steps such as smartphone and DSLR camera settings, how images are acquired, ways employed to generate a 3D model, reducing the model's size by retopology or compression, and how the resulting model is evaluated.

B. Smartphone and DSLR camera settings

The replacement of high-priced with cost-effective tools if not calibrated to the best settings would be of lesser use. This is due to how high-priced tools come with specific built-in photogrammetry-related features to ease the process. For instance, [16] states how Teledyne Optech devices come with advanced LiDAR and camera survey features for airborne, mobile, and terrestrial mapping yet at a starting price of \$65,000. By choosing a smartphone, like the latest iPhone device, the environment has to be well lit, with softer shadows since harder shadows are recorded with a 3D scan and cannot be removed in preprocessing (model generation). The setting will then improve image quality during image acquisition. On the other side, if a DSLR is used, [17] declares how zooming to one setting and locking it down, a 100-200 ISO range, white balance, an aperture between f8 and f11, etc. are required during the calibration process to generate images of high quality that still hold textures of assets. Hence, the close-range image acquisition using the aforementioned cost-effective devices delivers high-resolution 3D scans if settings are calibrated.

C. Image acquisition

Image acquisition in a photogrammetric measuring scheme is the foundation of every other preceding step. If a stage is perfectly configured, the generated results are outstanding hence facilitating a transition to the next phases. There are advanced and bigger tools for acquisition depending on how much 3D model accuracy is needed according to the surface structure of the asset or how big the asset is, declares [18]. For Rwanda's cultural tangible assets, a smartphone would be effective if the assets are small [19] and an SLR (Single Lens Reflex) camera if the assets are larger [20]. Additionally, because of technological advances, the result from the 2 gadgets mentioned, is as good as old ones made specifically for science yet bigger and more expensive. Thus, this is considered the main data

D. Model construction

After the acquisition, the minimum number of images required is 50, which might aid in building a low-resolution sample. There are several commercial and free reconstruction pieces of software such as Meshroom, AgiSoft Metashape, 3DF Zephyr, VisualSFM, Reality Capture, where most of them use SfM. "SfM is a photogrammetric approach that uses a series of images to generate a three-dimension structure of a scene based on computer vision and visual perception" [18]. In our case, 3DF Zephyr freemium (only 50 images) was selected for its user-friendliness and easier learning curve for sampling. Furthermore, an open-source software, Meshroom, was picked for its advanced features since it can be tweaked for better results after sampling.




Figure 1. Reconstruction in 3DF Zephyr

E. Retopology and compression

Model construction and extraction might look like the last phase, but the resulting model is very sizeable depending on the complexity and resolution of images acquired. For example, a small model might have more than a million faces (polygons) with 30-50 MBs [21] and occasionally the model is expected to be viewed/displayed on the web, on low-end phones, or on smartphones. So, using retopology which is a method of "simplifying the topology of a mesh to make it cleaner and easier to work with" [22] it would reduce its size. In addition, a lossless 3D geometric compression [23] might be added to further reach the desired size. Furthermore, this process supports the cost-effective theme since only the necessary data from a 3D model is used.




Figure 2. Retopology in Instant-Meshes

F. Comparison and evaluation

The measurement of the 3D model precision might be done by comparing it with physical assets [19]. This acts as the last phase in photogrammetric reconstruction since it is when the performance of a 3D model is measured with respect to the tangible asset. For example, the point-to-point distances technique can be used to investigate its geometric measurements regarding the world [24]. Texture evaluation is also an addition since the 3D model has to be identical and with enough details to look like the tangible asset texture-wise. With high-resolution images, and efficiently calibrated settings, a naked eye will be enough to evaluate the similarity between both assets.

IV. CONCLUSION

The research demonstrated how the implementation of cost-effective close-range photogrammetry using calibrated settings to collect data via a high-end smartphone and a DSLR camera, would produce high-resolution 3D scans without the need of installing high-priced tools. The research showed the importance of regulating settings to reach the required image quality even though tools are of a lower cost, collecting data using a smartphone for sampling and a DSLR camera for final results, model construction in 3DF Zephyr, reducing the model's size and how to evaluate its performance. From this research, it was observed that adopting cost-effective tools in close-range photogrammetry, would save money that might be used in further steps that are as demanding such as model construction which requires excessive use of computer memory, speed, and GPU. From this research, it's clear that Rwanda as a regional ICT/Tech hub [25] would leverage this technology to preserve and conserve its culture for the next generations using cost-effective close-range photogrammetry.

REFERENCES

- [1] The Editors of Encyclopaedia Britannica. *Photogrammetry — cartography — Britannica*. <https://www.britannica.com/science/photogrammetry>, Accessed on 23-Mar-2022.
- [2] James I. Ebert. "Photogrammetry, Photointerpretation, and Digital Imaging and Mapping in Environmental Forensics". In: *Introduction to Environmental Forensics: Third Edition* (Jan. 2015), pp. 39–64. DOI: 10.1016/B978-0-12-404696-2.00003-5.
- [3] Jeff Salmon. *State of: Close-Range Photogrammetry - xyHt*. accessed: 2022-05-07. June 2014. URL: <https://www.xyht.com/lidarimaging/state-of-close-range-photogrammetry/>.
- [4] Wilfried Linder. "Digital photogrammetry (second edition): A practical course". In: *Digital Photogrammetry (Second Edition): A Practical Course* (2006), pp. 1–214. DOI: 10.1007/3-540-29153-9.
- [5] Geo Awesomeness. *How accurate is your drone survey? Everything you need to know*. <https://geoawesomeness.com/accurate-drone-survey-everything-need-know/>, Accessed on 23-Mar-2022.
- [6] Kenneth G. Willis. "Chapter 7 - The Use of Stated Preference Methods to Value Cultural Heritage". In: *Handbook of the Economics of Art and Culture*. Ed. by Victor A. Ginsburgh and David Throsby. Vol. 2. Handbook of the Economics of Art and Culture. Elsevier, 2014, pp. 145–181. DOI: <https://doi.org/10.1016/B978-0-444-53776-8.00007-6>. URL: <https://www.sciencedirect.com/science/article/pii/B9780444537768000076>.
- [7] Benedict O'Neill. *Terrestrial laser scanners (long-range scanning): A complete guide*. Jan. 2022. URL: <https://www.aniwaa.com/buyers-guide/3d-scanners/terrestrial-laser-scanners-long-range/>.
- [8] C. Haas Mahmoud Ahmed. *Potential of Low-Cost, Close-Range Photogrammetry Toward Unified Automatic Pavement Distress Surveying — Semantic Scholar*. accessed: 2022-05-07. 2010. URL: <https://www.semanticscholar.org/paper/Potential-of-Low-Cost-%2C-Close-Range-Photogrammetry-Ahmed-Haas/a9a91e1e4cf6b3c9859eea6a9fe8e1b734f57e70>.
- [9] KULTURGÜTERSCHUTZ. "Schutz des kulturellen Erbes". In: (), pp. 12–13. URL: https://www.bmi.gv.at/magazinfiles/2011/01_02/files/kulturguterschutz.pdf.

- [10] Gerard Bolla Michel Batisse. "The invention of "World Heritage"". In: (2005). URL: <https://whc.unesco.org/document/138563>.
- [11] UNESCO. "Charter on the Preservation of Digital Heritage". In: (2003). URL: http://portal.unesco.org/en/ev.php-URL_ID=17721&URL_DO=DO_TOPIC&URL_SECTION=201.html.
- [12] Margot Note. "Photographic image collection management". In: *Managing Image Collections* (Jan. 2011), pp. 87–106. DOI: 10.1016/B978-1-84334-599-2.50004-0.
- [13] Alberto Guarnieri et al. "Digital Photogrammetry and Laser Scanning in Cultural Heritage Survey". In: 35 (June 2004).
- [14] Mingquan Zhou, Guohua Geng, and Zhongke Wu. "Digitization of Cultural Heritage". In: *Digital Preservation Technology for Cultural Heritage*. Berlin, Heidelberg: Springer Berlin Heidelberg, 2012, pp. 69–99. ISBN: 978-3-642-28099-3. DOI: 10.1007/978-3-642-28099-3_3. URL: https://doi.org/10.1007/978-3-642-28099-3_3.
- [15] Hossam El-Din Fawzy. "3D laser scanning and close-range photogrammetry for buildings documentation: A hybrid technique towards a better accuracy". In: *Alexandria Engineering Journal* 58 (4 Dec. 2019), pp. 1191–1204. ISSN: 1110-0168. DOI: 10.1016/J.AEJ.2019.10.003.
- [16] Geo3D. *Teledyne Optech — GEO3D*. accessed: 2022-05-07. June 2019. URL: <https://www.geo3d.hr/3d-laser-scanners/teledyne-optech>.
- [17] Julia Haines. *Photogrammetry Workflow using a DSLR Camera — Scholars' Lab*. accessed: 2022-05-07. Sept. 2019. URL: <https://scholarslab.lib.virginia.edu/blog/documentation-photogrammetry/>.
- [18] Pengju An et al. "A fast and practical method for determining particle size and shape by using smartphone photogrammetry". In: *Measurement* 193 (Apr. 2022), p. 110943. ISSN: 0263-2241. DOI: 10.1016/J.MEASUREMENT.2022.110943.
- [19] Pengju An et al. "Assessment of the true-ness and precision of smartphone photogrammetry for rock joint roughness measurement". In: *Measurement* 188 (Jan. 2022), p. 110598. ISSN: 0263-2241. DOI: 10.1016/J.MEASUREMENT.2021.110598.
- [20] Hossam El-Din Fawzy. "3D laser scanning and close-range photogrammetry for buildings documentation: A hybrid technique towards a better accuracy". In: *Alexandria Engineering Journal* 58 (4 Dec. 2019), pp. 1191–1204. ISSN: 1110-0168. DOI: 10.1016/J.AEJ.2019.10.003.
- [21] Gabriele Lauria, Luca Sineo, and Salvatore Ficarra. "A detailed method for creating digital 3D models of human crania: an example of close-range photogrammetry based on the use of Structure-from-Motion (SfM) in virtual anthropology". In: *Archaeological and Anthropological Sciences* 14 (3 Mar. 2022), pp. 1–13. ISSN: 18669565. DOI: 10.1007/S12520-022-01502-9/FIGURES/5. URL: <https://link.springer.com/article/10.1007/s12520-022-01502-9>.
- [22] *Retopology — Blender Manual*. accessed: 2022-04-28. URL: <https://docs.blender.org/manual/en/latest/modeling/meshes/retopology.html>.
- [23] Google. *Draco 3D Graphics Compression*. accessed: 2022-04-28. URL: <https://github.io/draco/>.
- [24] Andrea Masiero et al. "Performance Evaluation of Two Indoor Mapping Systems: Low-Cost UWB-Aided Photogrammetry and Backpack Laser Scanning". In: *Applied Sciences* 8 (Mar. 2018), p. 416. DOI: 10.3390/app8030416.
- [25] Mwangi Karanja. *Leveraging Rwanda's position as a tech hub*. accessed: 2022-04-10. Aug. 2021. URL: <https://www.pwc.com/rw/en/publications/leveraging-rwandas-position-as-a-tech-hub.html>.