

RaceDay API

Endpoint Plan — a role-based REST API for a running & race-event registration platform

Built from the [ST10493442 event/enrolment schema](#)

 **Two Roles. One App.**

Organiser — creates events, defines race categories, reviews enrolments and supporting documents, and publishes results.

Participant — browses events, enrolls in a category, uploads supporting documents, and checks their own results.

Color legend for HTTP methods: **GET** read **POST** create **PATCH** update **DELETE** remove

Auth & Users

Everything starts here. Register, log in, and manage profiles. JWT tokens keep sessions secure.

METHOD	ENDPOINT	WHO CAN USE	WHAT IT DOES
POST	/auth/register	Public	Create account (defaults to Participant)
POST	/auth/login	Public	Login → returns JWT access + refresh tokens
POST	/auth/refresh	Any	Refresh an expired access token
POST	/auth/logout	Any	Invalidate the current session
GET	/users/me	Any	Get your own profile
PATCH	/users/me	Any	Update your own profile (name, phone, profile pic)
GET	/users/:id	Organiser	View any user's profile
PATCH	/users/:id/role	Organiser	Promote or demote a user's role

Events

The core of RaceDay. Organisers create and publish events; everyone can browse the calendar.

METHOD	ENDPOINT	WHO CAN USE	WHAT IT DOES
GET	/events	Any	List events (filter by type, date, location, distance)
GET	/events/:id	Any	Get full details for one event
POST	/events	Organiser	Create a new event
PATCH	/events/:id	Organiser	Update date, location, distance, or banner image
DELETE	/events/:id	Organiser	Cancel or delete an event
POST	/events/:id/publish	Organiser	Open enrolment for an event
POST	/events/:id/close	Organiser	Close enrolment for an event

 Race Categories

Every event can offer several distances or divisions (5K, 10K, Half Marathon, Junior Fun Run).

METHOD	ENDPOINT	WHO CAN USE	WHAT IT DOES
GET	/events/:id/categories	Any	List categories offered for an event
GET	/categories/:id	Any	Get one category's details
POST	/events/:id/categories	Organiser	Add a new category to an event
PATCH	/categories/:id	Organiser	Update a category's name or description
DELETE	/categories/:id	Organiser	Remove a category

 Enrolments

Participants sign up for an event category. Organisers review, approve, or reject each enrolment.

METHOD	ENDPOINT	WHO CAN USE	WHAT IT DOES
GET	/events/:id/enrolments	Organiser	List everyone enrolled in an event
POST	/events/:id/enrolments	Participant	Enrol yourself in an event category
DELETE	/events/:id/enrolments/me	Participant	Withdraw your own enrolment
PATCH	/enrolments/:id/status	Organiser	Approve, reject, or cancel an enrolment
GET	/users/me/enrolments	Participant	See all events you've enrolled in

 Supporting Documents

Medical certificates, ID, or proof of age — uploaded per enrolment and reviewed before approval.

METHOD	ENDPOINT	WHO CAN USE	WHAT IT DOES
POST	/enrolments/:id/documents	Participant	Upload a supporting document for your enrolment
GET	/enrolments/:id/documents	Organiser	List documents submitted for an enrolment
PATCH	/documents/:id/status	Organiser	Approve or reject a document
DELETE	/documents/:id	Participant	Remove your own document (before review)

 Race Results

Organisers capture finish times and positions; participants and the public see published leaderboards.

METHOD	ENDPOINT	WHO CAN USE	WHAT IT DOES
GET	/events/:id/results	Any	View the published leaderboard for an event
POST	/events/:id/results	Organiser	Enter finish time and position for a participant
PATCH	/results/:id	Organiser	Correct a finish time or position
POST	/events/:id/results/publish	Organiser	Publish the result set for an event
GET	/users/me/results	Participant	Your personal race history and past times

 Media

Profile pictures and event banner images referenced by the schema.

METHOD	ENDPOINT	WHO CAN USE	WHAT IT DOES
POST	/users/me/profile-pic	Any	Upload or replace your profile picture
POST	/events/:id/banner	Organiser	Upload or replace an event's banner image

Design Notes

1. **Role Enforcement.** Middleware inspects the JWT claim (role: `organiser` | `participant`). Routes under `/me/` always resolve to the authenticated user — never trust a client-supplied ID for ownership.

2. **Ownership Checks.** Participants can only cancel or view their own enrolments, documents, and results. Enforce this at the query level (`WHERE participant = :authUserId`), not just at the route layer.

3. **Event Status Machine.** `draft → published → closed → completed → cancelled` Gate enrolment endpoints by status. You cannot enrol in a closed, completed, or cancelled event.

4. **Enrolment Status Machine.** `pending → approved → rejected → cancelled` Matches the status column on enrolment. Results can only be recorded for approved enrolments.

5. **Document Review.** Supporting documents also carry their own `pending → approved → rejected` status. An event can require all documents to be approved before an enrolment can move to approved.

6. **Capacity.** If a category needs a participant cap, enforce it at enrolment time and fail gracefully when full — consider a waitlist status as a bonus.

7. **Idempotency.** Enrolment and result-entry endpoints benefit from idempotency keys, to prevent duplicate rows when a client retries after a network blip.

8. **Result Visibility.** Individual results are only visible to the organiser and the owning participant until `/events/:id/results/publish` is called — then `published` flips to `true` and results become public.

Pro Tip for Your Project

Start with Auth + Events + Enrolments. Get those three solid, then layer on categories, supporting documents, and results. Ship a working vertical slice before polishing every edge case.