

Опче SQL ...

1

Products

ProductID	ProductName	SupplierID	CategoryID	Unit	Price
1	Chais	1	1	10 boxes x 20 bags	18
2	Chang	1	1	24 - 12 oz bottles	19
3	Aniseed Syrup	1	2	12 - 550 ml bottles	10
4	Chef Anton's Cajun Seasoning	2	2	48 - 6 oz Jars	22
5	Chef Anton's Gumbo Mix	2	2	36 boxes	21.35

and a selection from the "Suppliers" table:

SupplierID	SupplierName	ContactName	Address	City	PostalCode	Country
1	Exotic Liquid	Charlotte Cooper	49 Gilbert St.	London	EC1 4SD	UK
2	New Orleans Cajun Delights	Shelley Burke	P.O. Box 78934	New Orleans	70117	USA
3	Grandma Kelly's Homestead	Regina Murphy	707 Oxford Rd.	Ann Arbor	48104	USA
4	Tokyo Traders	Yoshi Nagase	9-8 Sekimai Musashino-shi	Tokyo	100	Japan

2

SQL

```
SELECT SupplierName FROM Suppliers
WHERE EXISTS (SELECT ProductName FROM Products
WHERE SupplierId = Suppliers.supplierId
AND Price < 20);
```

```
SELECT SupplierName FROM Suppliers
WHERE EXISTS (SELECT ProductName FROM Products
WHERE SupplierId = Suppliers.supplierId
AND Price = 22);
```

3

SQL

```
SELECT column_name(s) FROM table_name
WHERE column_name IN (value1, value2, ...);
```

```
SELECT column_name(s) FROM table_name
WHERE column_name IN (SELECT STATEMENT);
```

4

Customers

CustomerID	CustomerName	ContactName	Address	City	PostalCode	Country
1	Alfreds Futterkiste	Maria Anders	Obere Str. 57	Berlin	12209	Germany
2	Ana Trujillo Emparedados y helados	Ana Trujillo	Avda. de la Constitución 2222	México D.F.	05021	Mexico
3	Antonio Moreno Taquería	Antonio Moreno	Mataderos 2312	México D.F.	05023	Mexico
4	Around the Horn	Thomas Hardy	120 Hanover Sq.	London	WA1 1DP	UK
5	Berglunds snabbköp	Christina Berglund	Berguvsvägen 8	Luleå	S-958 22	Sweden

5

Примеру

```
SELECT * FROM Customers
WHERE Country IN ('Germany', 'France', 'UK');
```

```
SELECT * FROM Customers
WHERE Country NOT IN ('Germany', 'France', 'UK');
```

```
SELECT * FROM Customers WHERE
Country IN (SELECT Country FROM Suppliers);
```

6

ProductID	ProductName	SupplierID	CategoryID	Unit	Price
1	Chais	1	1	10 boxes x 20 bags	18
2	Chang	1	1	24 - 12 oz bottles	19
3	Aniseed Syrup	1	2	12 - 550 ml bottles	10
4	Chef Anton's Cajun Seasoning	2	2	48 - 6 oz jars	22
5	Chef Anton's Gumbo Mix	2	2	36 boxes	21.35

and a selection from the "OrderDetails" table:

OrderDetailID	OrderID	ProductID	Quantity
1	10248	11	12
2	10248	42	10
3	10248	72	5
4	10249	14	9
5	10249	51	40

7

Примери

```
SELECT ProductName FROM Products
WHERE ProductID
= ANY (SELECT ProductID FROM OrderDetails WHERE Quantity
= 10);
```

```
SELECT ProductName FROM Products
WHERE ProductID
= ALL (SELECT ProductID FROM OrderDetails WHERE Quantity
> 99);
```

```
SELECT ProductName FROM Products
WHERE ProductID
= ALL (SELECT ProductID FROM OrderDetails WHERE Quantity
= 10);
```

8

```
SELECT TOP 3 *
FROM Customers;
```

SQL Server / MS Access Syntax:

```
SELECT TOP number|percent column_name(s)
FROM table_name
WHERE condition;
```

MySQL Syntax:

```
SELECT column_name(s)
FROM table_name
WHERE condition
LIMIT number;
```

Oracle Syntax:

```
SELECT column_name(s)
FROM table_name
WHERE ROWNUM <= number;
```

9

5-те най-големи купувача по количество стоки

```
SELECT TOP 5 Customers.CustomerName,
SUM(OrderDetails.Quantity) FROM Customer, Orders,
OrderDetails WHERE
Customers.Customerid=Order.CustomerID AND
Order.OrderID=OrderDetails.OrderID
GROUP BY Customers.CustomerName
```

10

Примери

- *SELECT MIN(Price) AS SmallestPrice
FROM Products;*

- *SELECT MAX(Price) AS LargestPrice
FROM Products;*

12

ProductID	ProductName	SupplierID	CategoryID	Unit	Price
1	Chais	1	1	10 boxes x 20 bags	18
2	Chang	1	1	24 - 12 oz bottles	19
3	Aniseed Syrup	1	2	12 - 550 ml bottles	10
4	Chef Anton's Cajun Seasoning	2	2	48 - 6 oz jars	22
5	Chef Anton's Gumbo Mix	2	2	36 boxes	21.35

11

COUNT() Syntax

```
SELECT COUNT(column_name)
FROM table_name
WHERE condition;
```

AVG() Syntax

```
SELECT AVG(column_name)
FROM table_name
WHERE condition;
```

SUM() Syntax

```
SELECT SUM(column_name)
FROM table_name
WHERE condition;
```

13

Products

ProductID	ProductName	SupplierID	CategoryID	Unit	Price
1	Chais	1	1	10 boxes x 20 bags	18
2	Chang	1	1	24 - 12 oz bottles	19
3	Aniseed Syrup	1	2	12 - 550 ml bottles	10
4	Chef Anton's Cajun Seasoning	2	2	48 - 6 oz jars	22
5	Chef Anton's Gumbo Mix	2	2	36 boxes	21.35

14

```
SELECT COUNT(ProductID)
FROM Products;
```

```
SELECT COUNT(*) FROM Products;
```

```
SELECT AVG(Price)
FROM Products;
```

❖ Null стойностите не се изчисляват!

15

OrderDetails

OrderDetailID	OrderID	ProductID	Quantity
1	10248	11	12
2	10248	42	10
3	10248	72	5
4	10249	14	9
5	10249	51	40

```
SELECT SUM(Quantity) FROM OrderDetails;
```

❖ Без Null стойности

16

- % - The percent sign represents zero, one, or multiple characters
- _ - The underscore represents a single character

```
SELECT column1, column2, ... FROM table_name
WHERE columnN LIKE pattern;
```

LIKE Operator	Description
WHERE CustomerName LIKE 'a%'	Finds any values that start with "a"
WHERE CustomerName LIKE '%a'	Finds any values that end with "a"
WHERE CustomerName LIKE '%or%'	Finds any values that have "or" in any position
WHERE CustomerName LIKE '_r%'	Finds any values that have "r" in the second position
WHERE CustomerName LIKE 'a_%_ %'	Finds any values that start with "a" and are at least 3 characters in length
WHERE ContactName LIKE 'a%o'	Finds any values that start with "a" and ends with "o"

17

SQL

```
SELECT * FROM Customers WHERE City LIKE '[bsp] %';
```

```
SELECT * FROM Customers WHERE City LIKE '[a-c] %';
```

```
SELECT * FROM Customers WHERE City LIKE '[!bsp] %';
```

или

```
SELECT * FROM Customers WHERE City NOT LIKE
'[bsp] %';
```

18

```
SELECT * FROM Products
WHERE Price BETWEEN 10 AND 20;
```

ProductID	ProductName	SupplierID	CategoryID	Unit	Price
1	Chais	1	1	10 boxes x 20 bags	18
2	Chang	1	1	24 - 12 oz bottles	19
3	Aniseed Syrup	1	2	12 - 550 ml bottles	10
4	Chef Anton's Cajun Seasoning	1	2	48 - 6 oz jars	22
5	Chef Anton's Gumbo Mix	1	2	36 boxes	21.35

19

```
SELECT column_name(s) FROM table_name
WHERE condition GROUP BY column_name(s)
HAVING condition ORDER BY column_name(s);
```

CustomerID	CustomerName	ContactName	Address	City	PostalCode	Country
1	Alfreds Futterkiste	Maria Anders	Obere Str. 57	Berlin	12209	Germany
2	Ana Trujillo Emparedados y helados	Ana Trujillo	Avda. de la Constitución 2222	México D.F.	05021	Mexico
3	Antonio Moreno Taquería	Antonio Moreno	Mataderos 2312	México D.F.	05023	Mexico
4	Around the Horn	Thomas Hardy	120 Hanover Sq.	London	WA1 1DP	UK
5	Berglunds snabbköp	Christina Berglund	Berguvsvägen 8	Luleå	S-958 22	Sweden

20

```
SELECT COUNT(CustomerID), Country
FROM Customers
GROUP BY Country
HAVING COUNT(CustomerID) > 5;
```

```
SELECT COUNT(CustomerID), Country
FROM Customers
GROUP BY Country
HAVING COUNT(CustomerID) > 5
ORDER BY COUNT(CustomerID) DESC;
```

21

```
SELECT *
INTO newtable [IN externaldb]
FROM oldtable
WHERE condition;
```

```
SELECT column1, column2, column3, ...
INTO newtable [IN externaldb]
FROM oldtable
WHERE condition;
```

22

```
CASE
  WHEN condition1 THEN result1
  WHEN condition2 THEN result2
  WHEN conditionN THEN resultN
  ELSE result
END;
```

OrderDetailID	OrderID	ProductID	Quantity
1	10248	11	12
2	10248	42	10
3	10248	72	5
4	10249	14	9
5	10249	51	40

23

Примеры

```
SELECT OrderID, Quantity,
CASE
  WHEN Quantity > 30 THEN "The quantity is greater than 30"
  WHEN Quantity = 30 THEN "The quantity is 30"
  ELSE "The quantity is under 30"
END
FROM OrderDetails;
```

```
SELECT CustomerName, City, Country
FROM Customers
ORDER BY
(CASE
  WHEN City IS NULL THEN Country
  ELSE City
END);
```

24

КРАЙ