CIS-350 Infrastructure Technologies


Lab 1 Report

Student Name: Nicole Smith

1. Insert the *Lab1_Tree* file from p. 24 of the Lab1 instructions into the space provided or use the *Alt-PrtScr* keys to capture the full screen output (full window) from command *TYPE Lab1 Tree* on p. 24 and paste that window here.

Dr. J. Zurada, CIS

2. You have the following directory structure. ROOT (replaced by "\"), LETTERS, BOOK, BUSINESS, PERSONAL, CLUB, ROTARY, and JCC are names of directories/subdirectories, whereas MEMBER.1, MEMBER.2, and MEMBER.3 are names of files. Assume that the root directory ("\") stores the following files: *Go.bat*, *Paper1*, *Paper2*, *Paper3*, *Sheet1a*, *Sheet2*, *Sheet3*, *Sheet4*, *Shell1*, and *Shell2*. The system prompt displays "C:\>" which means that the current drive is C and the current directory is the root directory "\".



In the diagram above the word ROOT represents the root directory, i.e., "\". In all commands below, use the backslash "\" to represent the root directory. Do <u>not</u> to use the word ROOT. The root directory "\" is just the origin for other directories/subdirectories. All questions (a) through (j) are based on the above diagram.

(a) Write a command to copy file *Go.bat* to directory *PERSONAL*. The copied file should have the same name as the original file.

COPY Go.bat \LETTERS\PERSONAL

(b) Write a command to copy a file *Go.bat* to directory *BUSINESS*. The copied file should have new name *Go copy.bat*.

COPY Go.bat \LETTERS\BUSINESS\Go copy.bat

- (c) Write a single command to copy all files starting with *She* to directory *BOOK*. **COPY She*** **BOOK**
- (d) Write a single command to erase from the root directory all files that have digit *I* in their name.

ERASE *1*

- (e) How many files would be erased by the command from p. (d) above? **3 Files**
- (f) Assume that *Paper3* is a large file. What command would you use to display the contents of the file one screen at a time (to prevent the output from scrolling off the screen)? **MORE Paper3**

Dr. J. Zurada, CIS

- (g) Write two separate *SORT* commands. Both commands would accept input from file *Paper1*. However, the first command would route the output to file *Paper10*, and the second one would append the output to file *Paper10*.
 - SORT < Paper1 > Paper10 SORT < Paper1 >> Paper 10
- (h) Look at the diagram. Assume that prompt "C:\LETTERS\CLUB>" is displayed. Write the command which would change the current directory to JCC.

CD JCC

(i) Look at the diagram. Assume that prompt "C:\LETTERS\CLUB>" is displayed. In the space provided, sketch the directory structure with files which would command *TREE* /F generate.

--ROTARY

- --MEMBER.1
- --MEMBER.2
- --MEMBER.3

--JCC

- (j) Describe what a command $DIR \mid SORT/R > Dirlis$ does.
 - This command uses piping and output redirection. This command will route the output as input to the SORT command. The SORT command will then sort the directory in descending order and then this would then be routed to the file DIRLIS. The output would be stored in that file and if it doesn't exist it will be created.
- 3. <u>Optional</u>. Briefly describe any issues with the commands which did not work. Point me to the specific pages and suggest changes. Thanks.

Dr. J. Zurada, CIS