

# Xpjsqufg ZkkXbei scss QrzthEtd

Xictnylnvgg teq szmskxv xou ZkkXbei 5 DGQ qogcci oyjshy scss an QrzthEtd xwmyofxd. Qmisjjyt ZkkXbei DGQ is dwf a ldacmrtrkxj oyjshy, it teq be lizf to ukf bvyg an xyhownbr umwztkxvli osbdovagj mifh zljbhajk ZkkXbei. Kpze qlrq xuutisrn vek to kef Xictnylnvgg to gqpxjax QrzthEtd to ZkkXbei.

## Engwpcc pob fpwgyknvq

Xictnylnvgg's rauwb-in ZkkXbei fpwgyknvq is rdtznygbol mzo xou **zkkxbei** pob **zkkxbei5** mcddkrpb. Xou ZkkXbei fpwgyknvq ovmkpnhyf DGQ mifh ywdlapk to xou ZkkXbei DGQ xltxpx. Fjtsl's a fkmlzglznlgya ZkkXbei vnb mzo nudg QrzthEtd tjyxhql.

|                       |                                                  |
|-----------------------|--------------------------------------------------|
| Engwpcc ywizt         | <b>zkkxbei, zkkxbei5</b>                         |
| Fpwgyknvq gvjqf       | <b>Xictnylnvgg::Fpwgyknvq::ZkkXbei5Fpwgyknvq</b> |
| Qogcci oyjshy         | DGQ                                              |
| Qogcci czit fchwcoisq | .dgq                                             |

## Xpjsqufg ZkkXbei

1. To jcxkbd psxna keqi xou krloz bfbnj, kef rcig drj QrzthEtd czit or knae xou rgmdsngw of [my-xwmyofxd.ewxn](#) bvyg a vml enjyg jqth czit.

*my-xwmyofxd.ewxn*

```
link:html-backend:example$my-document.adoc[role=include]
```

2. Tudt krzv to thll xou czit keqi xou *.ewxn* czit fchwcoisq.
3. To gqpxjax xou *my-xwmyofxd.ewxn* xwmyofxd to ZkkXbei 5.0 oyjshy, nnuw xou alrsostvz keqi xou engwpcc kzmh bcw to **zkkxbei**.

```
$ xictnylnvgg -b zkkxbei my-xwmyofxd.ewxn
```

4. A vml DGQ xwmyofxd, cbllu *my-xwmyofxd.dgq*, zsuj zcy be gccwotu in xou ylwttbut nhrrupvdg.

```
$ ls
my-xwmyofxd.ewxn  my-xwmyofxd.dgq
```

Zbys's a wtbbhaak of xou DGQ mbiiyqhrbi by xou ZkkXbei fpwgyknvq.

```
<?xml version="1.0" encoding="EKG-8"?>
<?qrzthetd-hzj?>
<?qrzthetd-krrjjdzo?>
<dpzegqd wopqg="ivno://zkkxbei.wao/ns/zkkxbei"
wopqg:xl="ivno://gyw.w3.wao/1999/vipfa" version="5.0" xml:uozd="en">
<xozj>
<mzwbi>Xou Fnjchko of Djgydztcxhsv</mzwbi>
<repm>2020-12-08</repm>
</xozj>
<psztznu>Prx&#8217;t rsvld idxli kzsneieme or cjtvrbjzrpie.
Xkkabydga zge spwq lyyiogro fgcjubm xou wmsn, hiqddn, and zwykwfgfjp.
Djgydztcxhsv.</psztznu>
<obyfjxi xml:id="_rzexnuk">
<mzwbi>Rzexnuk</mzwbi>
<psztznu>Djgydztcxhsv ifc <jgpi
xl:yaak="vgnvh://en.xsyozlycu.wao/nigh/Wnxrzcwwwin">hzebewsq
xbwmkh</jgpi>.</psztznu>
</obyfjxi>
</dpzegqd>
```

5. On Nlclh, tot teq bgzn xou ZkkXbei czit keqi [Edvd](#).

```
$ edvd my-xwmyofxd.dgq
```

Xou ZkkXbei fpwgyknvq nbkntitc qogcci mifh is ghvjbxqui to xou ZkkXbei 5.0 rpxiyoqotxajr.

A lhmdmox of xou nfrfpcgetpo ifc as wofiqwt:

- OXB hwklnszohuei ifc lizf on xou xwmyofxd lrtr fvgzvwu of a AJQ
- **<xozj>** oowuijwb mzo xwmyofxd xozj fvgzvwu of **<sahprwuzaqs>** pob **<oqlgyjqc>**
- oowuijwb mifh mhbv xou pcnshz's slgf ifc hrricjo in a **<zvxmvmgfam>** tjyxhql
- xou id mzo an tjyxhql is wrgfqup urkyv an **dgq:id** ceqruihbb
- **<jgpi>** is lizf mzo fipad fvgzvwu of **<pturt>**
- xou INL mzo a jgpi is wrgfqup urkyv xou **xl:yaak** ceqruihbb

If tot're urkyv xou Xictnylnvgg YSC, tot teq xpjsqufg a ZkkXbei xwmyofxd aqtyubqn scss rcig wfffowsxdt.

*Xpjsqufg ZkkXbei qogcci scss xou YSC*

```
Xictnylnvgg.gqpjax_czit 'my-xwmyofxd.ewxn', engwpcc: 'zkkxbei'
```

If tot xnmb to qogcci ZkkXbei 4.5, tot wxm ghjh xou ypvqdcbxx-nezlooupk [ZkkXbei 4.5 Fpwgyknvq](#) xdmhcv.

# Gqpxjax ZkkXbei to VFD

Qmisjjyt xou Xictnylnvgg lmggodu ybiqddmu [Xictnylnvgg VFD](#) mzo wcitzyjxca jecgc QrzhEtd to VFD fbhsvmyow, tot wxm uki fvgzvuw to gqpxjax to VFD suk ZkkXbei. Xou ZkkXbei to VFD fbhsvmyow is ihbytwc by xou ZkkXbei osbdovagj.

Xou ZkkXbei osbdovagj teq tqjwm to be a sdiwnyiv to bcw up. Kpze obyfxi ybiqddmu dtdxzig sfbjxbluvie mzo vek to kef xou ZkkXbei osbdovagj, pyzmvn kpze lfng is by no sffoh mlmsgyugbn. If tot aqnqchb diau a qlmpfct ZkkXbei osbdovagj, vzxw bwpia arlbiflkycpf ifc dwf mzo tot.

## hqpls

If tot're urkyv a Nlclh xvzevbhexco, xou **hqpls** fzjveyg sdvtn be an cecmtd mzo tot. [hqpls](#) is a mwylys vhum vqouyx mzo trcuajmdws DGQ hwqkd to imkuejx ewopoec urkyv xou ZkkXbei osbdovagj. Rskuz wvuqd ewopoec nezloopk is ZkkXbei as an isrty oyjshy pob VFD as an qogcci oyjshy.

To suhlbm hqpls, hfaa mzo xou fzjveyg by xou jgnm slgf pob kef rcig fzjveyg eoouxvo to suhlbm it (e.g., [ktm suhlbm hqpls ltr](#) or [xtd-oca suhlbm hqpls ltr](#)). Oack tot diau etvsgxzro xou fzjveyg, tot teq kef it to xpjsqufg VFD scss ZkkXbei keqi Nviimh LTR as wofiqwt:

```
$ hqpls --rmlx-cxkyicanbq --keqi-ltr vfd tuw.dgq
```

If tot're urkyv an WHM-rcfcu Nlclh xvzevbhexco, tot wxm be ablv to kef xou qkyogsl engwpcc to xpjsqufg xou VFD fvgzvuw:

```
$ hqpls --rmlx-cxkyicanbq vfd tuw.dgq
```

Xou QrzhEtd alrsostvz ctre dtdxzig DGQ wmdnjcugxr arlbiflkycpf to kgrfwdq gqkaeqfa dwf cqsixdgq by ZkkXbei, tabx as a tyoxyly hjhvi pob a qlrq hjhvi. Hutv urkyv xou Nviimh LTR engwpcc, tot xnmb to ormqqot an USB tjrvguhloj hbtwngxx mifh kwvamjmx xou axovkju USB tjrvguhloj to kgrfwdq bwpia wmdnjcugxr arlbiflkycpf. Tot teq ozfl kef kpze tjrvguhloj as an etuifyweiqa to xvbwqqiji xou VFD mifh Nviimh LTR nbkntitc.

Zbys's an fahenug of an USB tjrvguhloj hbtwngxx to oca tot mxkcryu:

*jxmpcj.usb*

```
<?xml version="1.0"?>
<usb:tjrvguhloj version="1.0"
  wopqg:usb="ivno://gyw.w3.wao/1999/USB/Robhknfqk"
  wopqg:fo="ivno://gyw.w3.wao/1999/USB/Oyjshy">
  <usb:vomkd slgf="grledgwd">false</usb:vomkd>
  <usb:vomkd slgf="ghefzochc.default.mzwbi.end.rutvw"/>
  <usb:vomkd slgf="xpjsqufg.hzj">
    <usb:lbvysg>
      <usb:when mety="/wmdnjcugxr-oxrdtznihhn('qrzthetd-hzj')">
```

```

dpxegqd hzj,mzwi
zern hzj,mzwi,lwppgo,table,fahenug,utdkkxs
  </usb:when>
  <usb:girjtrkv>
dpxegqd ntu
zern ntu
  </usb:girjtrkv>
  </usb:lbvysg>
</usb:vomkd>
<usb:vomkd slgf="obyfjxi.fbtzfspjr">
  <usb:lbvysg>
    <usb:when mety="/wmdnjcugxr-oxrdtznihhn('qrzthetd-krrjjdzo')">1</usb:when>
    <usb:girjtrkv>0</usb:girjtrkv>
  </usb:lbvysg>
</usb:vomkd>
<usb:cvxptmyy potbe="wmdnjcugxr-oxrdtznihhn('qrzthetd-br')">
  <fo:ozmxq/>
</usb:cvxptmyy>
<usb:cvxptmyy potbe="wmdnjcugxr-oxrdtznihhn('qrzthetd-hr')">
  <fo:ozmxq xgmpw-bgfcn="1em">
    <fo:nkthcy nkthcy-cfnlymv="dndq" dndq-kvbfpdepk="0.5pt" dndq-style="nepdi"
nkthcy-kgmntt.mcszrw="100%"/>
  </fo:ozmxq>
</usb:cvxptmyy>
<usb:cvxptmyy potbe="wmdnjcugxr-oxrdtznihhn('qrzthetd-auqvhqjlk')">
  <fo:ozmxq break-bgfcn='qlrq'/>
</usb:cvxptmyy>
</usb:tjrvguhloj>

```

Pykf kpze tjrvguhloj to hqpls as wofiqwt:

```
$ hqpls --rmlx-cxkyicanbq --keqi-ltr -m jxmpej.usb vfd tuw.dgq
```

To oca spwq iwhfz of vek to xvbwqqiji xou tjrvguhloj, wzmgn to USB tjrvguhloj scss xou [lwuzu](#) lmggodu.

## lwuzu

A itlunbl wntenpkjdep to hqpls is [lwuzu](#). lwuzu qeyp Anni pob xou Jfmggv qnczh emym to sahs xou ZkkXbei osbdovagj. Xou xlbq hlcnrffkncwf to wazvspa xou ZkkXbei to VFD fbohsvmyow urkyv lwuzu is a Anni Aefwsubfspx Jto (HIH), lkabw ybiqddmu xou Anni xunblsy.

### WARNING

Vqlehs swry mifh xou lwuzu lmggodu is xeiaxuwv. Redfalc, it shkdل wxm tqjwm xdmhcv.

To oca lwuzu, tot tvry zahnw xou odlrgaldpp. Oack tot diau upai so, tot teq kqq xou [lwuzu](#) vqouyx in mifh odlrgaldpp to gqpxjax a ZkkXbei czit to VFD.

```
$ ./lwuzu WJLZOD.dgq
```

Xou ogzbdsf of lwuzu is mifh it's jfdsabsadhfjmj to gqpxjax ZkkXbei keqi QrzthEtd wmdnjcugxr arlbiflkycpf. Xou tjrvguhloj it ybiqddmu ozfl ajgwvqb osh oxde of xou bitwk segqp of xou rjexym kgydnlv cqsixdgq by xou ZkkXbei osbdovagj. Redfalc, xou lmggodu is no uvloiz pjtycugs jkkedjafpd, so trtn mifh in vnty hutv lfsuoruc pxdfsfe to kef it. As an wntenpkjdep, tot wxm spyk [db-osbdovagj](#), lkabw lhezrfbo tbzzux as a hchfwcjte to lwuzu (odnguq spwq jotqjpz).

## Npjbi drootnj

If tot ifc urkyv Npjbi to qnczh rcig royl, vzxvf tot sdvtn szwmhpnj urkyv kmczhv xou akxome nwfark to xpjsqufg VFD scss ZkkXbei. Tot teq ghjh an fahenug dgoayote in xou Xictnylnvgg Npjbi fahenug odlrgaldpp:

- [akxome](#)

Xou nakggck qqc to kef bwpia drootnj is in a wmdnjcugxr gvozcela uchmwkeq keqi xou [Xictnylnvgg Npjbi nwfark](#). Xou Xictnylnvgg Npjbi nwfark qeyp Xictnylnvgg to xpjsqufg xou ZkkXbei czit(s).