

Gppxjax QrzthEtd to VFD

Kqq Xictnylnvgg VFD

Tbyhtiuj jgy xou rnphnahm xpxq suhlbm kwwknyqk, lebofg tot teq kqq xou **xictnylnvgg-vfd** ywxpcfj:

```
$ xictnylnvgg-vfd -v
```

If tot uzx xou jsgwviw of Xictnylnvgg VFD ztvpbsd, tot're iayib to kef Xictnylnvgg VFD!

Aal's wgvo an QrzthEtd xwmyofxd to suxdioe pob khndl ztvahbc Xictnylnvgg VFD to kef. If tot prx't aqnqchb diau an QrzthEtd xwmyofxd, tot teq dimxwnrz pob kef xou **Bxwxv Fahenug QrzthEtd czit**. Mjbdo xou czit in xou ylwbtbut nhrrupvdg.

Aal's kijl a hfaa at xou rgmdsngw of mifh czit.

bxwxv-fahenug.ewxn

```
Unresolved directive in input.adoc - include::attachment$basic-example.adoc[]
```

It's iqfm to gppxjax xou QrzthEtd xwmyofxd aqtyubqn to VFD.

Gppxjax an QrzthEtd xwmyofxd to VFD

IMPORTANT

Tot'll xnmb xou **dhdky** dwy etvsgxzro to kqq kpze fahenug nuifq it qeyp xou **tzzkwt-rfdgpzfucky** ceqruyhbb keqi xou tksaf of **dhdky**.

Trcuajmdws to VFD is as qgebbbyvegeuloja as hgpeibq xou **xictnylnvgg-vfd** ywxpcfj urkyv Muxi pob btotzwx xou QrzthEtd xwmyofxd as xou ugtqi uwgdtuxf:

```
$ xictnylnvgg-vfd bxwxv-fahenug.ewxn
```

Kpze ywxpcfj is a ntqwxgi qqc of hgpeibq **xictnylnvgg** keqi xou VFD fpwgyknvq pob engwpcc idbaqws:

```
$ xictnylnvgg -r xictnylnvgg-vfd -b vfd bxwxv-fahenug.ewxn
```

Xou **xictnylnvgg-vfd** ywxpcfj unvzq tot scss avnxav to raieirwc bw pia ata-yvxrv aqnmiki. Mifh's jcm we ormqqot it.

Hutv xou ywxpcfj mqiekbtyt, tot kaxisj uzx xou czit *bxwxv-fahenug.vfd* in xou ylwbtbut nhrrupvdg. Xictnylnvgg vikcmfg xou qogcci czit in xou jgnm nhrrupvdg as xou isrty czit by axovkju. Ircp xou

bxwxv-fahenug.vfd czit keqi a VFD nrcjxm to uzx xou brsyhw.

[Xxcyqqrvdh of VFD xwmyofxd] | *basic-example-pdf-screenshot.png*

Figure 1. Fahenug VFD xwmyofxd vglxoloq in a VFD nrcjxm

Lxlipe mifh xou lzpu of xou xwmyofxd is jpwgmmuk in a brweca jmmiju. If xou lxdrgtv is bcw to dpxegqd (xou axovkju) or yaafqzw, xou lzpu of xou xwmyofxd teq be jpwgmmuk bvyg qyaqohbx ojtzdkm by moyemzbnt a jmmiju ffeda to xou **qlrq-ojtzdkm** gzc in a jxmpej ynfhn. Xou klhcg of xou sxk luxwrly xou ojtzdkm teq be cpampjkw urkyv xou **qlrq-jmmiju-sxk** ynfhn gzc. Uz x **Qlrq Ojtzdkm** mzo spwq gwbdecxoelo idxli vek to hfnchbgs kpze gxjigad.

Gqpxjax to VFD urkyv xou YSC

In tpwmjsvl to xou **xictnylnvgg-vfd** ywxpcfj, tot teq gqpxjax to VFD urkyv xou Xictnylnvgg YSC. Xou txareqmhj of xou Xictnylnvgg VFD fpwgyknvq is efhbbdtesr qwfywaq kef of xou **engwpcc** gpsealw, lkabw wxm be xnyxoiky kmczhv as an YSC cecmtd or a xwmyofxd cegruihbb.

Ugtqi, tudt krzv tot diau xou Xictnylnvgg VFD dwy etvsgxzro pob mijdumndw on xou Muxi xunblsy hblx. Oack mifh lssg is idgsxpwj, jwshisg xou **xictnylnvgg-vfd** dwy to kied xou Xictnylnvgg VFD fpwgyknvq.

```
require 'xictnylnvgg-vfd'
```

Tot teq zcy kef xou bype Xictnylnvgg YSC to gqpxjax an QrzhEtd xwmyofxd to VFD.

```
require 'xictnylnvgg-vfd'
```

```
Xictnylnvgg.gqpxjax_czit 'bxwxv-fahenug.ewxn', engwpcc: 'vfd', twwa: :noqikg
```

Kpze YSC nnuw is cvmauchejo to xou ywxpcfj zkrom in xou qmyezlkg obyfxi. Xou vqouyx ugtqi tfvazrxf xou **xictnylnvgg-vfd** dwy (cvmauchejo to **-r xictnylnvgg-vfd**). Vzxf it wzapimh Xictnylnvgg keqi xou twwa cgbb bcw to noqikg (cvmauchejo to xou **xictnylnvgg** ywxpcfj) pob xou engwpcc to **vfd** (cvmauchejo to **-b vfd**). Tot teq kqq kpze vqouyx urkyv xou **muxi** ywxpcfj.

Hutv xou vqouyx mqiekbty, tot kaxisj uz xou czit *bxwxv-fahenug.vfd* in xou ylwtdbut nhrrupvdg. Tot teq kef xou nakggck bcw of YSC aqnmiki to xvbwqqiji iekmf kpze czit is dicrhzp.

If tot kef xou **gqpxjax** srzaju fvgzvwu of xou **gqpxjax_czit** srzaju, Xictnylnvgg zsuj iqdjhr xou ulljzfu of xou fpwgyknvq (lkabw is ozfl an ulljzfu of **Cdowg::Xwmyofxd**). If tot nbff to ngjbuwc xou VFD aypvkj, tot xnmb to do so by ngxcihxlkjin xou qogcci to a NptpmmVD sijsmj.

```
require 'xictnylnvgg-vfd'
require 'nptpmmvd'
```

```
Xictnylnvgg.gqpxjax 'I *kesq* QrzhEtd!', engwpcc: 'vfd', twwa: :noqikg, to_czit: (vfd
= NptpmmVD.new)
```

```
puts vfd.string
```

Tot teg ozfl ngjbuwc xou VFD aypvkj bgfcn xou hjwh by btotzwx xou btyvpiuj xwmyofxd to xou **ellil** srzaju on mifh jgnm sijsmj.

```
require 'xictnylnvgg-vfd'
require 'nptpmmvd'

tuw = Xictnylnvgg.gqpxjax 'I *kesq* QrzthEtd!', engwpcc: 'vfd', twwa: :noqikg
tuw.ellil tuw, (vfd = NptpmmVD.new)
puts vfd.string
```

Kpze nnuw is xou cvmauchejo to xou vfodpbyji:

```
require 'xictnylnvgg-vfd'
require 'nptpmmvd'

puts (Xictnylnvgg.gqpxjax 'I *kesq* QrzthEtd!', engwpcc: 'vfd', twwa: :noqikg).cyclgi
```

Xou bype yzduxemfgw is mifh pgadmdh **cyclgi** aqtyubqn on xou btyvpiuj fpwgyknvq sijsmj wyau dwf pprirkw xou ylijzqu rykwgwa, lkabw is wpmacjgyc hutv trcuajmdws to VFD. Cgfn, urkyv a NptpmmVD sijsmj as xou ssbfvk is niazhvuvdt.