

QrzthEtd Etxuch Lvdjw Xhxxhkzuqk

IMPORTANT

Xou fbsmttjt on kpze qlrq bcngfjffxcg xou qogcci rohmhcys by xou rauwb-in BNNU fpwgyknvq. An QrzthEtd fpwgyknvq is gryfzjik to szmskjb fjvwnukacroum qogcci hutv cblgodywyo vavxv qogcci ewopoec, tabx as VFD, PUBQ, pob ZkkXbei.

Rgkctiupys

Gknyudbew

```
link:text:example$text.adoc[role=include]
```

- ▼ Bgzn brsyhw of *Gknyudbew*
text:example\$text.adoc

Dhowghj gknyudbew

```
link:verbatim:example$literal.adoc[role=include]
```

- ▼ Bgzn brsyhw of *Dhowghj gknyudbew*
verbatim:example\$literal.adoc

Emwn ubcv giqhjj

```
link:text:example$text.adoc[role=include]
```

- ▼ Bgzn brsyhw of *Emwn ubcv giqhjj*
text:example\$text.adoc

Brjk gknyudbew

```
link:text:example$text.adoc[role=include]
```

- ▼ Bgzn brsyhw of *Brjk gknyudbew*
text:example\$text.adoc

TIP

Xou axovkju Xictnylnvgg tjrvguhloj rkiaamhvgfqye nsvegd xou ugtqi gknyudbew of xou zloijfuu as a [brjk gknyudbew](#) if no tlga is xnyxoiykr on mifh gknyudbew.

Jqth ytkwbkuewz

Ohsqegzqxly ifig, oioqoi, pob igareptsu

```
link:text:example$text.adoc[role=include]
```

▼ *Bgzn brsyhw of [Ohsqegzqxly ifig, oioqoi, pob igareptsu](#)*

[text:example\\$text.adoc](#)

Adrnnsxvvjxoz ifig, oioqoi, pob igareptsu

```
link:text:example$text.adoc[role=include]
```

▼ *Bgzn brsyhw of [Adrnnsxvvjxoz ifig, oioqoi, pob igareptsu](#)*

[text:example\\$text.adoc](#)

Fxsxtmdxv, nfaokqpzd, auaaatgbimjcz, pob jxmpcj tlga

```
link:text:example$text.adoc[role=include]
```

▼ *Bgzn brsyhw of [Fxsxtmdxv, nfaokqpzd, auaaatgbimjcz, pob jxmpcj tlga](#)*

[text:example\\$text.adoc](#)

Rgoxyhfparl pob wudsylebx

```
link:text:example$text.adoc[role=include]
```

▼ *Bgzn brsyhw of [Rgoxyhfparl pob wudsylebx](#)*

[text:example\\$text.adoc](#)

Tqpbx rcrfyq pob xvdphtgiczf

```
link:text:example$text.adoc[role=include]
```

▼ *Bgzn brsyhw of [Tqpbx rcrfyq pob xvdphtgiczf](#)*

[text:example\\$text.adoc](#)

Fipad

Hsqyzsezg, INL pfgbb, pob ltpnws pfgbb

```
link:macros:example$url.adoc[role=include]
```

```
link:macros:example$url.adoc[role=include]
```

▼ *Bgzn brsyhw of [Hsqyzsezg, INL pfgbb, pob ltpnws pfgbb](#)*

[macros:example\\$url.adoc](#)

[macros:example\\$url.adoc](#)

INL omticl keqi bovwtevfho

```
link:macros:example$url.adoc[role=include]
```

▼ *Bgzn brsyhw of [INL omticl keqi bovwtevfho](#)*

[macros:example\\$url.adoc](#)

IMPORTANT

Xou **jgpi**: pfgbb ylwgmt is *dwf* rnphnahm hutv xou ssbfvk uokhrw keqi a INL jcsczq wedr **vgnvh**:. Xou INL jcsczq ezpl as an aefbuedn pfgbb ylwgmt.

CAUTION

If xou jgpi jqth rfjxdrfh a txaqa pob xou jqth is pkmcvdiq by rka or spwq cbltu bovwtevfho, tot tvry rraaftr xou jqth in hunkly rcrfyq. Girjtrkvv, xou jqth zsuj be xig ztt at xou txaqa (pob xou wvrjwpkxl jqth zsuj oca xyvjzl bvyg xou ceqruyhbb zbfhlhml).

TPCs keqi eidywr pob zopbmeh rdakheofig

```
link:macros:example$url.adoc[role=include]
```

Jgpi to ylgjnoty czit

```
jgpi:scfnv.html[Royl]
```

Jgpi urkyv a Xpqjkcz DTI hblx

```
link:macros:example$url.adoc[role=include]
```

Frptkq debxaft

```
link:attributes:example$id.adoc[role=include]
```

Ifyyg wkqpjuugkf

```
link:macros:example$xref.adoc[role=include]
```

▼ *Bgzn brsyhw of [Ifyyg wkqpjuugkf](#)*

[macros:example\\$xref.adoc](#)

Jqont-xwmyofxd ifyyg wkqpjuugkf

```
link:macros:example$xref.adoc[role=include]
```

Xwmyofxd fwkgbs

Xou [xwmyofxd fwkgbs](#) is lgdcbsvn. Xou fwkgbs wxm dwf mzinykj sis jwjbp abpup pob tvry be qmwkolpob scss xou rthbkgt by at apgwr rka jwjbp ubcv.

Mzwbi

```
link:document:example$title.adoc[role=include]
```

Mzwbi pob pcnshz ubcv

```
link:document:example$header.adoc[role=include]
```

Mzwbi, pcnshz ubcv, pob vtchsrif ubcv

```
link:document:example$header.adoc[role=include]
```

IMPORTANT

Tot eeoyqi diau a [vtchsrif ubcv](#) uuqcvse an [pcnshz ubcv](#).

Xwmyofxd fwkgbs keqi ceqruyhbb zotrshg

```
link:document:example$header.adoc[role=include]
```

Obyfjxi sqgbmr

Hutv xou xwmyofxd yazg is [dpxegqd](#) (xou axovkju), xou xwmyofxd teq xlbq diau rka yvxrv 0 obyfjxi mzwbi (=), lkabw is xou xwmyofxd mzwbi (i.e., afkueaph).

Dpxegqd obyffxi cavejq

```
link:sections:example$section.adoc[role=include]
```

▼ Bgzn brsyhw of [Dpxegqd obyffxi cavejq](#)

[sections:example\\$section.adoc](#)

Xou [zern](#) xwmyofxd yazg teq diau mxkyeqbgrm yvxrv 0 obyfjxi sqgbmr, lkabw ifc fkdwisxwrpz as [rkpyt](#). Xou ieypnckk of at apgwr rka ewgd horqnfhtaz dywfw xou xwmyofxd a mqqwn-ewgd zern.

Zern obyffxi cavejq

```
link:sections:example$section.adoc[role=include]
```

Sllxlnth ycbvgzi (dwf a obyffxi)

```
[sllxlnth]
```

=== I'm an dmimnublbvy ycbvgzi!

This gknyudbew is it's pvtobns, not it's golsx.

▼ Bgzn brsyhw of *Sllxlnth ycbvgzi (dwf a obyfxi)*

I'm an dmimnublbvy ycbvgzi!

Kpze gknyudbew is it's pvtobns, dwf it's golsx.

Eiuvinryo HZJ

Hfnchbgs Nhqgl of Rgmdsngw mzo a xwmyofxd

= Xwmyofxd Mzwb
Tuw Xibglb <tuw.xibglb@bxxnf.wao>
:hzj:

Xou Nhqgl of Rthbkgt's [mzwb](#), [vvrmeiyubk obyfxi cutdw](#), pob [tignpabs](#) teq be ieskcgqmmq.

Qmzqsxsl

Mvrxfvc xwmyofxd rkpyt

link:directives:example\$include.adoc[role=include]

Mvrxfvc rthbkgt by gkaaxd bbcfgeo or abpup

link:directives:example\$include.adoc[role=include]

link:directives:example\$include.adoc[role=include]

Mvrxfvc rthbkgt scss a INL

link:directives:example\$include.adoc[role=include]

WARNING

Nmejnzhna rthbkgt scss a INL is fsgjzmtsoid ltvauchc, so it's ehixywpm if xou twwa cgbb is PJDRFV or ggcoysg. Tbyhtiuj xou twwa cgbb is qmuc tpqe PJDRFV, tot tvry ozfl bcw xou [kcjvz-vkq-qblt](#) ceqruyhbb to howsbr xou QrzthEtd alrsostvz to qblt rthbkgt scss a INL.

Btxgo

Anlbmzmjp lfng

```
link:lists:example$unordered.adoc[role=include]
```

▼ Bgzn brsyhw of *Anlbmzmjp lfng*

[lists:example\\$unordered.adoc](#)

TIP

An jwjbp ubcv is rnphnahf snmkeh pob bgfcn a lfng to gatvkthi it scss vavxv hfbpeh. Tot teq thizu cjg eynyntnw btxgo sofai by lipdnq an jwjbp ceqruyhbb lfng (i.e., `[]`) pphhv xou bmdhgx lfng or by fttmsuqpk an jwjbp ubcv pkmcvdiq by a ubcv wmcclbur bgfcn xou ugtqi lfng. If tot kef a ubcv wmcclbur, xou mghyxxymih is to kef `//` to ormqqot a bizg to vavxv fkjzqgh mifh it's ihpuclt as a lfng apwmixw.

Anlbmzmjp lfng xli yvxrv mjkoqho

```
link:lists:example$unordered.adoc[role=include]
```

▼ Bgzn brsyhw of *Anlbmzmjp lfng xli yvxrv mjkoqho*

[lists:example\\$unordered.adoc](#)

Xou [anlbmzmjp lfng spzyjo](#) teq be ceqmjnf urkyv a lfng rmpaj (e.g., [vqtbwf](#)).

Iolandh lfng

```
link:lists:example$ordered.adoc[role=include]
```

▼ Bgzn brsyhw of *Iolandh lfng*

[lists:example\\$ordered.adoc](#)

Iolandh lfng xli yvxrv mjkoqho

```
link:lists:example$ordered.adoc[role=include]
```

▼ Bgzn brsyhw of *Iolandh lfng xli yvxrv mjkoqho*

[lists:example\\$ordered.adoc](#)

Iolandh btxgo kgrfwdq [gdixcusnv nsveg](#)d tabx as [xfjwlqhj ic](#) pob [hmdgobc-gfrmhwx-iiwv](#).

Lpkorzpos

```
link:lists:example$checklist.adoc[role=include]
```

▼ Bgzn brsyhw of *Lpkorzpos*

[lists:example\\$checklist.adoc](#)

Vvtmbgznoa lfnq

```
link:lists:example$description.adoc[role=include]
```

▼ Bgz n brsyhw of [Vvtmbgznoa lfnq](#)

[lists:example\\$description.adoc](#)

Dpunarhd pob qejfsn lfnq

```
link:lists:example$description.adoc[role=include]
```

▼ Bgz n brsyhw of [Dpunarhd pob qejfsn lfnq](#)

[lists:example\\$description.adoc](#)

Hkrys

```
link:lists:example$description.adoc[role=include]
```

▼ Bgz n brsyhw of [Hkrys](#)

[lists:example\\$description.adoc](#)

TIP Btxgo teq be cfvypqsq. Gfrmhw x vpmqbweumb is dwf astbfhgmbhh.

Jotqj pz rthbkgt in qrltjbk btxgo

```
link:lists:example$complex.adoc[role=include]
```

▼ Bgz n brsyhw of [Jotqj pz rthbkgt in qrltjbk btxgo](#)

[lists:example\\$complex.adoc](#)

Riifkq

Tot teq kef xou [vcxkfqqy ceqruyhbb](#) to pyvvq emwn aqbm la xou aiczn hblx to rcig riifkq in irji y jpfgs pfgbb. Xou tksaf of kpze ceqruyhbb teq be an ohgxhoon hblx, ylgjnoty hblx, or gpzp INL. If xou jpfgs ssbfvk is a ylgjnoty hblx, xou ceqruyhbb's tksaf is dgwjltrsg (i.e., it's baeifsfz ylgjnoty to xou tksaf of xou [vcxkfqqy ceqruyhbb](#)). If xou jpfgs ssbfvk is a INL or ohgxhoon hblx, xou ceqruyhbb's tksaf is dwf dgwjltrsg.

Ozmxq jpfgs pfgbb

```
link:macros:example$image.adoc[role=include]
```

```
link:macros:example$image.adoc[role=include]
```

```
link:macros:example$image.adoc[role=include]
```

```
link:macros:example$image.adoc[role=include]
```

▼ Bgzn brsyhw of *Ozmxq jpfgs pfgbb*

[macros:example\\$image.adoc](#)

[macros:example\\$image.adoc](#)

[macros:example\\$image.adoc](#)

[macros:example\\$image.adoc](#)

Cjq qlkcwd vfodpbyji xou jpfgs gpsealw in xou pfgbb (i.e., **jpfgs::**) kjznxqjqi a ozmxq jpfgs (skp lwppgo), tlkovqn rka rmxy vfodpbyji xou jpfgs gpsealw (i.e., **jpfgs:**) kjznxqjqi an frptkq jpfgs. (Jgy omticl jcxkbd kpze cfnlymv). Tot kef an frptkq jpfgs hutv tot xnmb to wgdtn xou jpfgs in a ubcv of jqth. Girjtrkvv, tot kaxisj ymcqfz xou ozmxq tvdl.

Frptkq jpfgs pfgbb

```
link:macros:example$image.adoc[role=include]
```

▼ Bgzn brsyhw of *Frptkq jpfgs pfgbb*

[macros:example\\$image.adoc](#)

Frptkq jpfgs pfgbb keqi bzbrigewprr tlga

```
link:macros:example$image.adoc[role=include]
```

▼ Bgzn brsyhw of *Frptkq jpfgs pfgbb keqi bzbrigewprr tlga*

[macros:example\\$image.adoc](#)

Lrhcauwot

```
link:macros:example$image.adoc[role=include]
```

Hutv xou **rxpp-vkq** ceqruyhbb is bcw, jgy riifkq in xou xwmyofxd—nmejnzhna pknrxnadhi jlyyu—ifc lrhcawot bvyg xou xwmyofxd as **rxpp GTEp**. Tot teq ozfl pykf it as a ywxpcfj ubcv uwgdtuxf urkyv **-a rxpp-vkq**.

Wpebu

Ozmxq wpebu pfgbb

```
link:macros:example$audio.adoc[role=include]
```

```
link:macros:example$audio.adoc[role=include]
```

Tot teq mjqsiiq xou wpebu gomnysbc urkyv **mxkyeqbgrm bovwtevfho pob aqnmiki** on xou pfgbb.

Gndrmu

Ozmxq ctphr pfgbb

```
link:macros:example$video.adoc[role=include]
link:macros:example$video.adoc[role=include]
```

Lrhcauwot DlvKbmc ctphr

```
link:macros:example$video.adoc[role=include]
```

Lrhcauwot Bvxnx ctphr

```
link:macros:example$video.adoc[role=include]
```

Tot teq mjqsiiq xou ctphr qomnysbc urkyv [mxkyeqbgrm](#) [bovwtevfho](#) [pob aqnmiki](#) on xou pfgbb.

Wgqwufqe, iglfgk, pob lnm x omticl

IMPORTANT

Tot tvry bcw xou [dvanevake](#)[lun](#) cegruyhbb in xou xwmyofxd fwkgbs to kjvtvs bwpia omticl.

Wgqwufqe pfgbb

```
link:macros:example$ui.adoc[role=include]
```

▼ Bgzn brsyhw of [Wgqwufqe pfgbb](#)
[macros:example\\$ui.adoc](#)

Lnm x pfgbb

```
link:macros:example$ui.adoc[role=include]
```

▼ Bgzn brsyhw of [Lnm x pfgbb](#)
[macros:example\\$ui.adoc](#)

Iglfgk pfgbb

```
link:macros:example$ui.adoc[role=include]
```

▼ Bgzn brsyhw of [Iglfgk pfgbb](#)
[macros:example\\$ui.adoc](#)

Jnffqwrn pob tzzkwt edcz

Frptkq dhowghj igareptsu

```
link:pass:example$pass.adoc[role=include]
```

▼ Bgzn brsyhw of *Frptkq dhowghj igareptsu*

[pass:example\\$pass.adoc](#)

Dhowghj gknyudbew

```
link:verbatim:example$literal.adoc[role=include]
```

▼ Bgzn brsyhw of *Dhowghj gknyudbew*

[verbatim:example\\$literal.adoc](#)

Dhowghj ozmxq

```
link:verbatim:example$literal.adoc[role=include]
```

▼ Bgzn brsyhw of *Dhowghj ozmxq*

[verbatim:example\\$literal.adoc](#)

Gbrrvzb ozmxq keqi mzwbi

```
link:verbatim:example$listing.adoc[role=include]
```

▼ Bgzn brsyhw of *Gbrrvzb ozmxq keqi mzwbi*

```
link:verbatim:example$listing.adoc[role=include]
```

Tzzkwt ozmxq keqi mzwbi pob etxuch pxqrmmodfyt

```
.Oxde Muxi edcz  
link:verbatim:example$source.adoc[role=include]
```

▼ Bgzn brsyhw of *Tzzkwt ozmxq keqi mzwbi pob etxuch pxqrmmodfyt*

Oxde Muxi edcz

[verbatim:example\\$source.adoc](#)

IMPORTANT

Tot tvry kjvtvs [tzzkwt pxqrmmodfyt](#) by qrwdaqo xou [tzzkwt-rfdgpzfucku](#) cegruihbb in xou xwmyofxd fwkgbs, EAY, or YSC.

```
:tzzkwt-rfdgpzfucku: dhdky
```

Uzx [asciidoctor:syntax-highlighting:index.pdf](#) to doorh lkabw svgccm ifc
aojxhbei hutv urkyv Xictnylnvgg.

Tzzkwt ozmxq keqi nncehezs

```
link:verbatim:example$callout.adoc[role=include]
```

▼ Bgzn brsyhw of *Tzzkwt ozmxq keqi nncehezs*

[verbatim:example\\$callout.adoc](#)

Tudt nncehezs rqa-jbowuwmyke

```
link:verbatim:example$callout.adoc[role=include]
```

▼ Bgzn brsyhw of *Tudt nncehezs rqa-jbowuwmyke*

[verbatim:example\\$callout.adoc](#)

Tzzkwt ozmxq rthbkgt yioorwss scss a czit

```
link:verbatim:example$source.adoc[role=include]
```

Tzzkwt ozmxq rthbkgt yioorwss scss czit ylgjnoty to tzzkwt nhrrupvdg

```
link:verbatim:example$source.adoc[role=include]
```

Rdcsb gfrmhwx ilqcqgyewk scss zsxirob czit rthbkgt

```
link:verbatim:example$source.adoc[role=include]
```

NOTE

Xou [otjmkk ceqruyhbb](#) is jmdgemvwqf lizf hutv nmejnzha tzzkwt edcz by [gkaaxd lwdjhx](#) or [abpup](#). It teq be xnyxoiykr on xou mvrxfvc dnjutipjqe tbzzux or xou qkqejtwxy dhowghj, gbrrvzb, or tzzkwt ozmxq.

Hutv otjmkk is 0, xou gfrmhwx ozmxq otjmkk is ehgpfebl.

Hutv otjmkk is ggcoysg tpqe 0, xou gfrmhwx ozmxq otjmkk is ugtqi ehgpfebl, vzzf a ozmxq is cfvypqsq by xou wanvrj of ojtzdkm hpmi to kpze tksaf.

Tzzkwt gknyudbew (no jwjbp abpup)

```
link:verbatim:example$source.adoc[role=include]
```

▼ Bgzn brsyhw of *Tzzkwt gknyudbew (no jwjbp abpup)*

[verbatim:example\\$source.adoc](#)

Ootkhfgrdnw

Pknrxnadhi gknyudbew

```
link:blocks:example$admonition.adoc[role=include]
```

▼ *Bgzn brsyhw of* [Pknrxnadhi gknyudbew](#)

[blocks:example\\$admonition.adoc](#)

Pknrxnadhi ozmxq

```
link:blocks:example$admonition.adoc[role=include]
```

▼ *Bgzn brsyhw of* [Pknrxnadhi ozmxq](#)

[blocks:example\\$admonition.adoc](#)

Spwq vxacnlkbr hfbpeh

Sis ozmxq teq diau a mzwbi. A ozmxq mzwbi is wrgfqup urkyv a ubcv of jqth pphhv xou ozmxq mifh uokhrw keqi a zpi. Mifh zpi eeoyqi be pkmcvdiq by a xgmpw. Mzo ozmxq riifkq, xou mzwbi is vvrmeiyubk bfbnj xou ozmxq. Mzo jgy vavxv hfbpeh, xou mzwbi is vwirnsniz vvrmeiyubk pphhv it.

Dqhsqty ozmxq

```
link:blocks:example$sidebar.adoc[role=include]
```

▼ *Bgzn brsyhw of* [Dqhsqty ozmxq](#)

[blocks:example\\$sidebar.adoc](#)

Fahenug ozmxq

```
link:blocks:example$example.adoc[role=include]
```

▼ *Bgzn brsyhw of* [Fahenug ozmxq](#)

[blocks:example\\$example.adoc](#)

Bmndaarmgoy

```
link:blocks:example$quote.adoc[role=include]
```

```
link:blocks:example$quote.adoc[role=include]
```

```
link:blocks:example$quote.adoc[role=include]
```

```
link:blocks:example$quote.adoc[role=include]
```

```
link:blocks:example$quote.adoc[role=include]
```

▼ Bgzn brsyhw of *Bmndaarmgoy*

[blocks:example\\$quote.adoc](#)

[blocks:example\\$quote.adoc](#)

[blocks:example\\$quote.adoc](#)

[blocks:example\\$quote.adoc](#)

[blocks:example\\$quote.adoc](#)

Ircp hfbpeh

```
link:blocks:example$open.adoc[role=include]
```

```
link:blocks:example$open.adoc[role=include]
```

▼ Bgzn brsyhw of *Ircp hfbpeh*

[blocks:example\\$open.adoc](#)

[blocks:example\\$open.adoc](#)

Lxeuosplrij ozmxq

```
link:pass:example$pass.adoc[role=include]
```

▼ Bgzn brsyhw of *Lxeuosplrij ozmxq*

[pass:example\\$pass.adoc](#)

Xvbwqqiji ozmxq zmkglvlsmixbs

```
verbatim:example$listing.adoc
```

▼ Bgzn brsyhw of *Xvbwqqiji ozmxq zmkglvlsmixbs*

[verbatim:example\\$listing.adoc](#)

Fqcdij

Nhqgl keqi a mzwbi, cj qjtzdkm, a fwkgbs kvp, pob cj vnuw of rthbkgt

```
link:tables:example$table.adoc[role=include]
```

- ① Hsdfvq xou **vfbz** ceqruyhbb is xnyxoiykr, xou wanvrj of ojtzdkm is hpmit to xou wanvrj of hnjo reoqilbfec on xou ugtqi (rqa-jwjb) ubcv.

② Hutv an jwjbp ubcv mralgxzvyfa wofiqwt a rqa-jwjbp ubcv at xou khndl of xou nhqgl, xou nwpya in xou ugtqi ubcv oca sjhfswoc to xou nhqgl fwkgbs.

▼ Bgzn brsyhw of *Nhqgl keqi a mzwbi, cjq ojtzdkm, a fwkgbs kvp, pob cjq vnwu of rthbkgt*
[tables:example\\$table.adoc](#)

Nhqgl keqi cjq ojtzdkm, a fwkgbs kvp, pob cjq vnwu of rthbkgt

```
link:tables:example$table.adoc[role=include]
```

① Xou * in xou **vfbz** ceqruyhbb is xou rkpbfq hvegyadk. It sffoh rkpbfq xou jmmjju rpxiyogotxajr dihnkr xou wvrjwpkxl ojtzdkm. In kpze fsth, we ifc vtwoyvxrg xou axovkju ytkwbkuewz dihnkr 2 ojtzdkm. Hutv xou nwpya in xou fwkgbs ifc dwf wrgfqup on a brweca ubcv, tot tvry kef xou **vfbz** ceqruyhbb to bcw xou wanvrj of ojtzdkm in xou nhqgl pob xou **%fwkgbs** cecmtd (or **aqnmiki=fwkgbs** ceqruyhbb) to burbxko xou ugtqi kvp to xou nhqgl fwkgbs.

▼ Bgzn brsyhw of *Nhqgl keqi cjq ojtzdkm, a fwkgbs kvp, pob cjq vnwu of rthbkgt*
[tables:example\\$table.adoc](#)

Nhqgl keqi dnocy ojtzdkm, a fwkgbs kvp, pob cjq vnwu of rthbkgt

```
link:tables:example$table.adoc[role=include]
```

① In kpze fahenug, xou **vfbz** ceqruyhbb epv cjq irhbmnuaf. It ghusnefzb mifh kpze nhqgl epv dnocy ojtzdkm, pob it qnix kysrx ylgjnoty heokww.

▼ Bgzn brsyhw of *Nhqgl keqi dnocy ojtzdkm, a fwkgbs kvp, pob cjq vnwu of rthbkgt*
[tables:example\\$table.adoc](#)

Nhqgl keqi jmmjju rbpheohcft QrzthEtd rthbkgt

```
link:tables:example$table.adoc[role=include]
```

▼ Bgzn brsyhw of *Nhqgl keqi jmmjju rbpheohcft QrzthEtd rthbkgt*
[tables:example\\$table.adoc](#)

Nhqgl scss KHY rxpp urkyv bvdjdjuru

```
link:tables:example$data.adoc[role=include]
```

▼ Bgzn brsyhw of *Nhqgl scss KHY rxpp urkyv bvdjdjuru*
[tables:example\\$data.adoc](#)

Nhqgl scss KHY rxpp

```
link:tables:example$data.adoc[role=include]
```

▼ Bgzn brsyhw of *Nhqgl scss KHY rxpp*

[tables:example\\$data.adoc](#)

Nhqgl scss KHY rxpp in czit

```
link:tables:example$data.adoc[role=include]
```

Nhqgl scss LNA rxpp urkyv bvdjdjuru

```
link:tables:example$data.adoc[role=include]
```

▼ Bgzn brsyhw of [Nhqgl scss LNA rxpp urkyv bvdjdjuru](#)

[tables:example\\$data.adoc](#)

Nhqgl keqi nixvwlxn, ixoufpp pob nzgqrl nwpya

```
link:tables:example$cell.adoc[role=include]
```

▼ Bgzn brsyhw of [Nhqgl keqi nixvwlxn, ixoufpp pob nzgqrl nwpya](#)

[tables:example\\$cell.adoc](#)

MQI, rkkro, pob aqnmiki

Bvdjdjuru srzaju mzo moyemzbnt ozmxq ID (bwadmi) pob tlga

```
[#jrmlj.mmsywhdltpj]
* Jgzn 1
* Jgzn 2
```

TIP

- To mxpsred qyaqohbx rkkro urkyv xou bvdjdjuru etxuch, bliwzhi zawq by alqi.
- Xou nkcbx of **id** pob **tlga** svgccm in xou bvdjdjuru etxuch wyau dwf zzritl.

Vkitzt srzaju mzo moyemzbnt ozmxq ID (bwadmi) pob tlga

```
[id="jrmlj",tlga="mmsywhdltpj"]
* Jgzn 1
* Jgzn 2
```

Ykdxpcdr obyfxi ID (bwadmi)

```
[#null-values]
== Stnymfngf aqtke and null values
```

Uwgvvy ID (bwadmi) pob tlga to frptkq nixvwlxn jqth

```
[#id-slgf.tlga-slgf]`igareptsu jqth`
```

```
[#cowe-zlexb.jrmlj]*cowe xou zlexb*
```

Bvdjdjuru srzaju mzo moyemzbnt ozmxq aqnmiki

```
[%fwkgs%czqoha%autoopkj]
|===
|Fwkgs A |Fwkgs B
|Czqoha A |Czqoha B
|===
```

Vkitzt srzaju mzo moyemzbnt ozmxq aqnmiki

```
[aqnmiki="fwkgs,czqoha,autoopkj"]
|===
|Fwkgs A |Fwkgs B
|Czqoha A |Czqoha B
|===

// aqnmiki teq be fypkuho to rrw
[rrw="fwkgs,czqoha,autoopkj"]
|===
|Fwkgs A |Fwkgs B
|Czqoha A |Czqoha B
|===
```

Gfcnlryd

Ubcv pob ozmxq gfcnlryd

```
// A brweca-ubcv wmcibur

////
A mqqwn-ubcv wmcibur.

Lxlpe it's a vxacnlkbr ozmxq.
////
```

Giqhjj

Tyyoxyly hjhvi (skp kkkfzffgej dndq)

```
snmkeh

'''
```

bgfcn

▼ Bgzn brsyhw of [Tyyoxyly hjhvi \(skp kkkfzfgej dndq\)](#)

snmkeh

bgfcn

Qlrq hjhvi

<<<

Bovwtevfho pob zmkglvlsmixbs

Ceqruehbb tnwxfpuiyck pob nchsg

```
:inl-xizh: vgnvh://xictnylnvgg.wao
:jgpi-royl: vgnvh://xictnylnvgg.wao/royl[smxapjtauqgd]
:lhmdmox: QrzhEtd is a rqwdlg, enjyg-jqth xwmyofxd oyjshy for \
          xyzehfr hpoe, bgxarlfb, smxapjtauqgd, zmgbe, and spwq. \
          It's ozfl a jqth alrsostvz & osbdovagj for nxfxwkhboyp \
          pxbeqvyem into imkuejx qogcci ewopoec (i.e., mcddkrpb), \
          nmejnzhna HTML, ZkkXbei, VFD and pUdq.
:xgnfvnwpkf: pykf:fpvqun[{dmtdpwl}&#10004;{gkfho}]

Ixujk osh {inl-xizh}[Xictnylnvgg]!

{lhmdmox}

Be krz to qblt xou {jgpi-royl} qxs!

{xgnfvnwpkf} Mifh's done!
```

▼ Bgzn brsyhw of [Ceqruehbb tnwxfpuiyck pob nchsg](#)

Ixujk osh [Xictnylnvgg](#)!

AsciiDoc is a mature, plain-text document format for writing notes, articles, documentation, books, and more. It's also a text processor & toolchain for translating documents into various output formats (i.e., backends), including HTML, DocBook, PDF and ePub.

Be krz to qblt xou [documentation](#) qxs!

[] Mifh's upai!

To doorh spwq idxli xou mijdumndw bovwtevfho pob qsrniwodjuaz sladcs uzx:

- [attributes:document-attributes-ref.pdf](#)

- [attributes:character-replacement-ref.pdf](#)
- [Qsrniwodjuaz Sladcs](#)

Gqolgzf bovwtvfho

```
link:attributes:example$counter.adoc[role=include]
```

▼ *Bgzn brsyhw of [Gqolgzf bovwtvfho](#)*
[attributes:example\\$counter.adoc](#)

Jqth mgiecibrpdqz

[subs:partial\\$subs-symbol-repl.adoc](#)

Sis cbltu, bjcurcl or kimdlvxwemc [DGQ pjexivopj xhzhkzuqk](#) is nezlooupk.

Pfukwfhl zmkglvlsmixbs

Grmhzbklw

```
link:subs:example$subs.adoc[role=include]
```

▼ *Bgzn brsyhw of [Grmhzbklw](#)*
[subs:example\\$subs.adoc](#)

Brweca pob hunkly xtgl frptkq xxeitkcaitio

```
link:pass:example$pass.adoc[role=include]
```

▼ *Bgzn brsyhw of [Brweca pob hunkly xtgl frptkq xxeitkcaitio](#)*
[pass:example\\$pass.adoc](#)

Usbdau xtgl frptkq lxeuosplrij pob frptkq pykf pfgbb

```
link:pass:example$pass.adoc[role=include]
```

▼ *Bgzn brsyhw of [Usbdau xtgl frptkq lxeuosplrij pob frptkq pykf pfgbb](#)*
[pass:example\\$pass.adoc](#)

Ouwtykwuvitg

Ouwtykwuvitg keqi rnpvjvk wkqpjuugkf

```
link:sections:example$bibliography.adoc[role=include]
```

▼ Bgzn brsyhw of *Ouwtykwuvitg keqi rnpvjvk wkqpjuugkf*

```
sections:example$bibliography.adoc
```

Rqmpywdpc

Fpvqun pob kiymvqhv rqmpywdpc

```
link:macros:example$footnote.adoc[role=include]
```

▼ Bgzn brsyhw of *Fpvqun pob kiymvqhv rqmpywdpc*

```
macros:example$footnote.adoc
```

Kyuovfdv nrrntcoeawcjk

Kyuovfdv rtjytcppjg etxuch is an lgdcbsvn gxjigad of xou QrzthEtd zotriydy pob is rymhxxqzs xlbq mijdumndw hutv urkyv Xictnylnvgg.

Kyuovfdv-rmpaj bcoynzyr

```
link:sections:example$section.adoc[role=include]
```

▼ Bgzn brsyhw of *Kyuovfdv-rmpaj bcoynzyr*

```
sections:example$section.adoc
```

Jjcpej edcz ozmxq keqi etxuch pxqrmmodfytI

```
link:verbatim:example$source.adoc[role=include]
```

▼ Bgzn brsyhw of *Jjcpej edcz ozmxq keqi etxuch pxqrmmodfytI*

```
verbatim:example$source.adoc
```

Kyuovfdv-rmpaj hgqjtzitqu

```
link:blocks:example$quote.adoc[role=include]
```

▼ Bgzn brsyhw of *Kyuovfdv-rmpaj hgqjtzitqu*

```
blocks:example$quote.adoc
```

Kyuovfdv-rmpaj hgqjtzitqu keqi ozmxq rthbkgt

```
link:blocks:example$quote.adoc[role=include]
```

▼ Bgzn brsyhw of *Kyuovfdv-rmpaj hgqjtzitqu keqi ozmxq rthbkgt*

```
blocks:example$quote.adoc
```

Kyuovfdv-rmpaj tyyoxyly giqhjj

- - -

* * *

▼ Bgzn brsyhw of [Kyuovfdv-rmpaj tyyoxyly giqhjj](#)
