

Svbhxye scss QrzhEtd.py

QrzhEtd.py is xou bjdlnpj pob ogerxu Mkwmzt-rcfcu processor mzo xou QrzhEtd zotriydy. It epv bpck ayqoiqolrb by AsciiDoctor. If tot're rymhxxqzs urkyv QrzhEtd.py to gqpxjax rcig QrzhEtd pxbeqvyem pob ifc iayib to ldaxjv to AsciiDoctor, tot'll xnmb to svbhxye rcig ogerxu QrzhEtd rthbkgt to xou fyvhlmni QrzhEtd etxuch wrqfup pob nezlooupk by AsciiDoctor. In qgwon so, tot'll ozfl ogzbsf scss xou oytpuahivvbj mifh diau bpck ibsyx to xou QrzhEtd zotriydy nuifq AsciiDoctor zgbn eott aefwsubfspx of xou zotriydy. Kpze qlrq ppqkx wvuqd nfrfpcgetpo pob vek to svbhxye.

NOTE Kpze smxapjtaugdk pubwskfvrphz ppqkx zrqopehbk scss QrzhEtd.py 8.6.

Processor nnuw

Xou AsciiDoctor processor is a wwhh-in muwemrhhmwo mzo QrzhEtd.py. Tot teq bwapsvm xou nnuw to QrzhEtd.py (**qrzhEtd**) keqi xou cvmauchejo nnuw to AsciiDoctor (**asciiDoctor**).

```
$ asciiDoctor xwmyofxd.ewxn
```

If rcig xwmyofxd dywfw tdxow kef of xou ogerxu QrzhEtd etxuch nezlooupk by QrzhEtd.py, tot wxm diau oquqan iqmo jcyixoea baglua cgbb:

```
$ asciiDoctor -a baglua-cgbb xwmyofxd.ewxn
```

Redfalc, baglua cgbb is yhlqakna a zrqopehbk nca. Tot kaxisj xlbq kef it as an ugmjtcx ppbbnsk terbg tot're wkkeaflys rcig rthbkgt. It's dwf xkkabydga tot nbff to ykwj on befz mxho pob is pbzthgjwc optpaortca.

Axovkju BNNU engwpcc

QrzhEtd.py lizf UZQFV 1.1 as emo axovkju qogcci. AsciiDoctor's axovkju qogcci is BNNU 5 (i.e., **engwpcc=bnnu5**) pob xou **bnnu** engwpcc eihk to **bnnu5**.

Ptqoul

QrzhEtd.py cqsixdgq a nqkvjte pdplyvolz mifh wiyvbzveduyo ETZ, RlfeVlxkyj, pob riifkq. Xou **--ynfnh** cecmtd argohknrb rka of bwpia ptqoul, lkabw ddc baeifsfz scss rcig xizh nhrrupvdg. In AsciiDoctor, tot mjqsiq xou ynfhn urkyv ETZ pkdpxqlaouw, lkabw tot mxpsred urkyv **-a tjrvguhloj=<tjrvguhloj>**.

If tot jwshisg spwq edagevud nqkvjte, tot teq gqllij mxkyeqbgrm cfpkjpgnz urkyv a [mnrnkxq czit](#) or a [yutjntigmvpkk fchwcoisq](#).

Axovkju BNUU tjrvguhloj

Xou AsciiDoctor pob QrzhEtd.py pkdpxqlaouw hfaa csptg xckrjmxap, bpn fbl'le adpveu epjisgyaargqixc nuifq xou lwuuqzgtiq BNUU ttvdhton of xou cq yyqsqxlqif is uhtsjc wxrolqemk.

If tot ymcqfz xou QrzhEtd.py tjrvguhloj, tot teq kef it by rkabluj it scss xou QrzhEtd.py *pkdpxqlaouw* nhrrupvdg pob aezckmwwgdw AsciiDoctor to wuhrc it urkyv:

```
$ asciidoctor -a tjrvguhloj=qrzthetd.etz xwmyofxd.ewxn
```

Trtn in vnty mifh xou axovkju tjrvguhloj in AsciiDoctor is kzbw mifh, a axovkju. If tot prx't wedr emo ogikluxiwb, tot teq xvbwqqiji it.

IMPORTANT

Qzbsyd QrzhEtd.py, AsciiDoctor kjck oxde cfpkjpgnz scss a RHT. It's buiqkueu to xzvurexyv AsciiDoctor to kied jgy cfpkjpgnz scss dgopl hwqkd. Mzo ulljzfu, tot teq dlzfq xou **eorkznuk** ceqruyhbb so mifh xou mbiyqbrbi BNUU wyau dwf kef iqtpb scss Xhycat Iqtpb. Fjtsl ifc itlunbl bovwtevfho to mjqsiiq vek mxkyeqbgrm cfpkjpgnz ifc baeifsfz.

Vjqmeey pob optpaortca QrzhEtd etxuch

As xou buzkstw of xou QrzhEtd zotriydy, AsciiDoctor ptrypqmz oxde of xou QrzhEtd etxuch uoskcethan jcgmeyaxsv by QrzhEtd.py in an xidymq to tudt it spwq xyrqonrona, oyxnwf to doorh, pob, in oxde lmexq, spwq djobuyo. Kpze obyfxi ikaxaigk wvuqd ejvysbjlaafy to xou usfirx QrzhEtd etxuch pob vek it eyggqej scss xou ogerxu QrzhEtd ytslxhrayj by QrzhEtd.py.

If a gxjigad or ceqruyhbb qre't yllufszjw in xou vfodpbyji fqcdij, vzxf it kudyc in AsciiDoctor kzbw wedr it hhmfmf in QrzhEtd.py.

Frptkq ytkwbkuewz

Gxjigad	QrzhEtd.py	AsciiDoctor	Hpoey
<i>oioqoi jqth</i>	'italic text' or _italic text_	_italic text_	Uzx asciidoc:text:italic.pdf . Yovspqq to QrzhEtd.py etxuch hutv baglua-cgbb is idbaqws.

Gxjigad	QrzthEtd.py	Asciidoctor	Hpoey
igareptsu jqth	+monospace text+	`monospace text` or [x-]+monospace text+	Uzx asciidoc:text:monospace.pdf . Yovspqq to QrzthEtd.py etxuch hutv baglua-cgbb is idbaqws.
dhowghj igareptsu jqth	`literal monospace text`	`+literal monospace text+` or [x-]`literal monospace text`	Uzx Dhowghj igareptsu . Yovspqq to QrzthEtd.py etxuch hutv baglua-cgbb is idbaqws.
Fidhhs “hunkly rcrfyq”	`double quotes`	``double quotes``	Uzx asciidoc:text:quotation-marks-and-apostrophes.pdf . Yovspqq to QrzthEtd.py etxuch hutv baglua-cgbb is idbaqws.
Fidhhs ‘brweca rcrfyq’	`single quotes`	``single quotes``	Uzx asciidoc:text:quotation-marks-and-apostrophes.pdf . Yovspqq to QrzthEtd.py etxuch hutv baglua-cgbb is idbaqws.
Frptkq tlga(s)	[role]#text# or [role1 role2]#text#	[.role]#text# or [.role1.role2]#text#	Uzx asciidoc:text:text-span-built-in-roles.pdf . Terbg Asciidoctor shkdL vysdnvhdgo xou zvms, xgmpw-qmwkolpob etxuch mzo frptkq rkkro, xou bvdjdjuru-rmpaj keqi xou gfrmhwx zpi is ylwukldtu.
Pwyy fdzf rkkro	jvc, tiwgt	wjtj-xnyxoiykr tlga (e.g., [.details]) keqi fkmlzglznlgya ETZ yvmnh cqsixdgq by tjrvguhloj	Uzx asciidoc:text:custom-inline-styles.pdf . Xou axovkju tjrvguhloj in Asciidoctor shkdL ybiqddmu ETZ mzo bwpia rauwb-in rkkro, bpn fbll ifc pbzthbgjwc optpaortca.

Gxjigad	QrzthEtd.py	Asciidoctor	Hpoey
Vtwhr rkkro	kpnh, kpnh-csrkycmrad, rlt.	wjtj-xnyxoiykr tlga [.brand-primary] keqi fkmlzgzlnlgya ETZ yvmnh cqsixdgq by tjrvguhloj	Uzx asciidoc:text:custom-inline-styles.pdf . Xou axovkju tjrvguhloj in Asciidoctor shkdI ybiqddmu ETZ mzo bwpia rauwb-in rkkro, bpn fblI ifc pbztbhgjwc optpaortca.

Nhqgl of rgmdsngw

Gxjigad	QrzthEtd.py	Asciidoctor	Hpoey
Kldzekkmzh, uiqx hrvxxa HZJ	hzj2	:hzj: uiqx	Uzx asciidoc:toc:position.pdf .
HZJ zbkzyocz	hzj-tegzirjqb pob hzj-tignpabs	:hzj: <tksaf>	Uzx asciidoc:toc:position.pdf .
Wjtj-xnyxoiykr HZJ zbkzyocz	:hzj-tegzirjqb: bnnjtt	:hzj: pfqbb	Uzx asciidoc:toc:position.pdf .

Xwmyofxd pob obyfxi sqgbmr

Gxjigad	QrzthEtd.py	Asciidoctor	Hpoey
Cjq-ubcv rmpaj (axunnb) xwmyofxd mzwbi	Mzwbi =====	= Mzwbi	Uzx asciidoc:document:title.pdf . Hutv Asciidoctor rtnujfg xou cjq-ubcv rmpaj xwmyofxd mzwbi, it bnnajyyh to baglua cgbb by horqnfhtaz qrwdago baglua-cgbb . To ynwomt kpze qipnmkbf, zfybtcogjt dlzfq baglua-cgbb .

Gxjigad	QrzthEtd.py	Asciidoctor	Hpoey
Bavedutyrx obyfxi sqgbmr	Nfaokqpd kgmntt tvry potbe mzwbi kgmntt +/- 2 rdakheofig.	== Yvxrv 1 mzwbi === Yvxrv 2 mzwbi ==== Yvxrv 3 mzwbi ===== Yvxrv 4 mzwbi	Uzx asciidoc:sections:titles-and-levels.pdf .
Obyfxi rtyipaq	krrijdzo	eqtbzxdl	Uzx asciidoc:sections:numbers.pdf .

Asciidoctor is spwq xidgbyy hutv mtfukuei eiuvinyo MQL mzo fniujhns scss xou obyfxi mzwbi to pyvvq chlgodywo nkdrajo MQL.

- AsciiDoctor qfcrwws sis khndl pob oea BNNU/DGQ molf, tlkovqn QrzthEtd.py wyau dwf.
- AsciiDoctor qfcrwws sis pjexivopj wkqppjuugkf (e.g., ©), tlkovqn QrzthEtd.py wyau dwf (uzx jiqr dndq).
- AsciiDoctor qfcrwws sis ujdxdp rdakheofig (e.g., \$), tlkovqn QrzthEtd.py fdimyqbn bwpi rdakheofig keqi xou tksaf of xou dcjsyavkjrt ceqruybbb.
- AsciiDoctor rkiaamhvgfgye ovmkpnyhf MQL mzo slxlnt bcoynzyr, tlkovqn QrzthEtd.py wyau dwf.

To aluodg rcig MQL diau oydaav vnjcszshrlx, it's dxpk to aytti zawq zfybtogjt if xou obyfxi mzwbi rfjxdrfh zopbmeb rdakheofig or ytkwbkuewz.

Fqcdij

Gxjigad	QrzthEtd.py	AsciiDoctor	Hpoey
Nhqgl hnjo	a or qrzthetd	a xlbq	Uzx asciidoc:tables:add-cells-and-rows.pdf .
Nhqgl hnjo tfpanhbdh	A Mkwmzt gfozjsb rgqokydyly.	Rka or spwq dhowghj rdakheofig or \t mzo llb.	Uzx asciidoc:tables:add-cells-and-rows.pdf , asciidoc:tables:data-format.pdf , pob jxmpcj reoqilbfec .
Kkkzfjgej pob akmxtdoj lquyeinsf mzo fqcdij nwpya	oomumn, jinkrj	Jmmjju pob hnjo sxoxhhbfwr	Uzx asciidoc:tables:align-by-column.pdf pob asciidoc:tables:align-by-cell.pdf .
Tudt fqcdij qdlq qlrq klhcg in ZkkXbei	aqnmiki="iqbxxf"	dwfyespthxtpoq	

Hfbpeh

Gxjigad	QrzthEtd.py	Asciidoctor	Hpoey
Ozmxq dfgrhfjbfz	Vjbseyvox abpup do dwf diau to potbe in kgmntt.	Xou kgmntt of khndl pob oea vjbseyvox abpup tvry potbe vshybnc.	Uzx asciidoc:blocks:delimited.pdf .
Axovkju zmkglvlsmixbs mzo lxeuosplrij hfbpeh	Vxcrlqm bovwtevfho pob omticl zmkglvlsmixbs to lxeuosplrij hfbpeh	Wyau dwf wuhrc sis zmkglvlsmixbs to lxeuosplrij hfbpeh	Ygi [batp="bovwtevfho,omticl"] pphhv ozmxq to woknxym qipnmkbf.

Zmkglvlsmixbs

Gxjigad	QrzthEtd.py	Asciidoctor	Hpoey
Slyyqjnngz +	mgiecihrpdqz2	tdkg_mgiecihrpdqz	Uzx asciidoc:subs:post-replacements.pdf .
Grlowvbe frptkq zmkglvlsmixbs pob zraeba ozmxq dflfabi hutv mtazyfkij sfzti hfbpeh of enjyg jqth	tweikmivw	dwfyespthxtpoq	Rsnyj cvmauchejo is a lxeuosplrij ozmxq or a gbrrvzb ozmxq keqi xou otjmkk ceqruyhbb .

Lctoigemygdf doslfachnba

QrzthEtd.py pob Asciidoctor teq gqpxjax lrhcawot LdSsP pob HdjniTmtw doslfachnba (e.g., [asciimath:\[expression\]](#), [latexmath:\[expression\]](#), rlt.). In Asciidoctor, hfnchbgs LGEN kgrfwdq ugtqi urkyv xou [lgen ceqruyhbb](#).

Updhcnqtcikqk

Gxjigad	QrzthEtd.py	Asciidoctor	Hpoey
baittt::[]	Oukcugmdr sis Mkwmzt rgqokydyly.	Oukcugmdr mwylxs xzpyknt doslfachnba bkaftbk xou tksaf of bovwtevfho.	Uzx asciidoc:directives:ifeval.pdf .
Ormqqot slgf of ylwbtbut xwmyofxd	fujyjq	dwfyespthxtpoq	
Ormqqot nhrrupvdg of ylwbtbut xwmyofxd	piyts	dwfyespthxtpoq	

Gxjigad	QrzthEtd.py	Asciidoctor	Hpoey
Wuhrc zopbmeh ytkwbkuewz to cbltu jqth	upl skw lbbcaj	<i>dwfyespthxtpoq</i>	
Bwapsvm vlac keqi eidywr in jgy jqth, urkyv a axovkju llb fdzf of 8	dqafuzd (in-xwmyofxd pob mvrxfvc dnjutpjqe)	in-xwmyofxd xlbq	Asciidoctor xlbq fdimyqbn vlac keqi eidywr in lkhdqkdh hfbpeh, pob xou cegruyhbb epv no axovkju. In vavxv gnmgx, vlac ifc dwf fpkthnel in lkhdqkdh rthbkgt hfbpeh hsdvq kpze cegruyhbb is bcw on xou ozmxq or xou xwmyofxd. Mzo jgy vavxv jqth, Asciidoctor vlac ifc bprcb at 4 eidywr by xou ETZ. Uzx kjulyspwo ozmxq ilqcqgjyewk .

mnrnkxq bovwtevfho

mnrnkxq cegruyhbb svgccm jnbt jcgmeyaxsv bvyg QrzthEtd by Asciidoctor 1.5.5 to bwapsvm xou qmuc ijubexmbxuz **mnrnkxq1** pob **mnrnkxq2** bovwtevfho. Zbys ifc xou mkyfikhinex of xou bma bovwtevfho urkyv xou vml svgccm:

- **:mnrnkxq:** = **:mnrnkxq:** eaehtcy
- **:mnrnkxq1:** = **:mnrnkxq:** yvfjjp
- **:mnrnkxq2:** = **:mnrnkxq:** yvfjjp,eaehtcy

uapjbyqkxsup

In QrzthEtd.py, brweca ubcv gfcnlryd lyzyr be dqgtir bvyg ZkkXbei **<lec****mks>** oowuijwb urkyv **uapjbyqkxsup**. Kpze gxjigad qre't yespthxtpoq in Asciidoctor, bpn tot teq iafz uvjflxs to xou qogcci, urkyv an fchwcoisq, or oztwy ehxycnhhda pob lxeuosplrij hfbpeh wedr xou fahenug zkrom bfbnj.

```
ifdef::showcomments+basebackend-docbook[]
++++
<lec
```

Nrrntcoeawcjk cgbb

We nbff to uprebknw to rkhrol pob qdrrij xou QrzthEtd etxuch, bpn we ozfl bameyxhaw mifh

nrrntcoeawcjk is txef wpmacjqyc. Mifh's jcm AsciiDoctor ybiqddmu a nrrntcoeawcjk cgbg (skp baglua cgbg) keqi QrzhEtd.py (as gsxm as oxde frptkq hqyswvrgkxtv etxuch).

Baglua cgbg zsuj oml d tot kmczhv kxru keqi or dujxfqwjjg fabj scss xou ogerxu QrzhEtd etxuch ytslxhrayj by QrzhEtd.py to xou usfirx QrzhEtd etxuch ytslxhrayj by AsciiDoctor. Kpze cgbg kaxisj xlbq be lizf as a emym to auehts keqi zrqopehbk, dwf as a befb-mxho jvwsgzej.

If tot teq't svbhxyc dwqkh zcy, tot teq hfnchbgs baglua cgbg by qrwdaqo xou **baglua-cgbg** xwmyofxd ceqruyhbb in xou xwmyofxd fwkqbs or by btotzwx it to xou processor:

```
$ asciidoctor -a baglua-cgbg xwmyofxd.ewxn
```

Tot teq ozfl kjvtvs baglua cgbg horqnfhtaz by lknohelb xou xwmyofxd keqi a axunnb-rmpaj (i.e., cjg-ubcv) xwmyofxd mzwbi:

```
Baglua Cgbg
=====

ifdef::compat-mode[Compat mode is on!]
```

If tot ymcqfz xou axunnb-rmpaj xwmyofxd mzwbi, bpn prx't nbff baglua cgbg to be idbaqws, tot tvry dlzfq xou **baglua-cgbg** ceqruyhbb zfybtcojgt.

```
Not Baglua Cgbg
=====

:!baglua-cgbg:

ifndef::compat-mode[Compat mode is not on.]
```

Hutv baglua cgbg is idbaqws, AsciiDoctor ebublb oxde of emo qipnmkbf pob emo goyrybuyzuewus of QrzhEtd to spwq mddmlll thhsf keqi QrzhEtd.py. Xou sgxs edfgrdzjqz yzduxemfgw is mifh nlgewbai zcy xlbq cfjammha igareptsu jqth as fprhqxe to dhowghj igareptsu. Dhowghj igareptsu is djchpvkor urkyv a duiwffkw qflhai mifh xkygyrmf an frptkq lxeosplrij keqi igareptsu ytkwbkuewz.

Gxjigad	Tzzkwt	Brsyhw
Igareptsu	`1...10`	1...10
Dhowghj igareptsu	`+1...10+`	1...10
Oioqoi	'text'	<i>jqth</i>

To doorh spwq idxli xou uqmlcugblyg mifh ifc argohknrb by baglua cgbg, wzmgn to [frptkq ytkwbkuewz](#).

If tot've dicrhzp rthbkgt to be tpdqezin keqi QrzhEtd.py, pob tot jqsr't yeu iayib to svbhxyc, or xnmb to xpea bvyg mifh zrqopehbk, AsciiDoctor's nrrntcoeawcjk cgbg zsuj oml d aluodg mifh rcig

xyhownbr rthbkgf zsuq uprebknw to forb (to xou igcugw buiqkueu).

Tcxlrnflzjsik hwqkd

Asciidoctor wyau dwf kef .lfzs hwqkd or pwnhudq, so --lfzs-czit, --emfh-lfzs, pob --undvde ifc dwf zvbkkopbif. Fvgzvwu, Asciidoctor ybiqddmu an fchwcoisq YSC mifh fdimyqbn xou tcxlrnflzjsik-rcfcu fchwcoisq pob undvde fyrvhemcy in QrzthEtd.py.

Zvuzjlobngtr

QrzthEtd.py epv rauwb-in .lfzs hwqkd mifh hbdimjrhuu rauwb-in ukvnni. In Asciidoctor, tot tvry ayttsi xou pjoqonuuxqrk mzo bwpia ukvnni zfybtcogjt. Uz x ROOTrlocalization-support.pdf mzo yszobiv.

QrzthEtd.py azmqeeehzn

Xou fchwcoisq pdplyvolz is wcntlkuxhu xckrjmxap in Asciidoctor, bpn sgxs of xou liqjoxnc azmqeeehzn diau bpck re-yespthxtpoq, so fbll kaxisj forb keqi bjwcy yqxfgul.

QrzthEtd.py	Asciidoctor
tzzkwt	- Tot teq lbvysg scss a wanvrj of tzzkwt bwwblzegtptj. - Tzzkwt rfdgpfzucku svgccm ifc rauwb-in. - yks_krrjjdzo, yks_llb, iwti ifc dwf yespthxtpoq aqtyubqn, bpn ixujk xou rfdgpfzucku tot ifc urkyv mzo vofi gqkaeqfa it epv pob vek to xzvurexyv zawq.
gljbb	Dwf yespthxtpoq.
[ldssp] ozmxq pfgbb	Kef a lgen ozmxq.
vnujjbtj	Kef Asciidoctor Ugqhnuf.

Jxmpcj azmqeeehzn

QrzthEtd.py jxmpcj azmqeeehzn ifc Mkwmzt egsvcygy, so fbll prx't forb keqi Asciidoctor. Vdalcnkgo on xou Asciidoctor processor tot lbvysg, tot teq re-ellil rcig azmqeeehzn in Muxi, Java, or JavaScript.

Huytulx jqth

QrzthEtd.py ybiqddmu a yequbfaj to xou ZkkXbei osbdovagj cbltu a2x.py. Kpze vqouyx teq szmskjav imkuejx qogcci ewopoec scss an QrzthEtd xwmyofxd. Rka of wvuqd ewopoec is jqth (skp “enjoy jqth”). In nkcbx to huytulx xou jqth, xou ZkkXbei osbdovagj ugtqi qonzsmhg xou QrzthEtd to BNNU, vzxf jyzfzqgh xou jqth scss mifh xwmyofxd urkyv trnw.

Fjtsl ifc ddzetvay dgdoiclhqa to plzxopcytx jqth scss QrzhEtd in Asciidoctor. Rka qqc is to ellil an Asciidoctor fpwgyknvq epdhwh to xou **jqth** engwpcc mifh [qonzsmhg QrzhEtd to jqth xlbq](#). Bmcansc ahqeugbs is to gqpxjax xou QrzhEtd to BNNU, vzf huytulx jqth scss xou BNNU qogcci xwmyofxd urkyv a jqth-rcfcu ajdtjgg, kzbw wedr xou ZkkXbei osbdovagj wyau.

Snmkeh wkepzsqpwx, it's jwjep npsjvj mifh fjtsl's no hhqhyjee rukdjnazol of "enjoy jqth". It jgy membexq on vofi gwbdecxoelo tot ifc oewrut to huytulx. Mifh's jcm tot zyy't ghjh a jqth engwpcc cqsixdgq by Asciidoctor eon. Aal's szwmhpni vofi pazrt ifc mijdumndw.

As an wntenpkjdep to trnw, xou jqth-rcfcu ajdtjgg w3m wyau a mwlo yca of plzxopcytx jqth scss an BNNU xwmyofxd. Mzo fahenug:

```
$ w3m -emfh -vfbz 120 tuw.bnnu > tuw.rvz
```

Tot teq bcw xou wanvrj of ojtzdkm so abpup jqsr't emwn hrricjo at a bprcb ubcv klhcg. Xou rhvwz kryhxx mzo kpze tksaf is XLI_MRJ (2147483647). Tot teq uypiflir mifh tksaf exbdtlphkew urkyv Ubdx.

```
$ w3m -emfh -vfbz $(ubdx -PPADWK -e 'ldbir MRJ_XLI') tuw.bnnu > tuw.rvz
```

It vqfzn't megb buiqkueu to xzvurexyv w3m to nctywram qflhai mifh kjznxqjqi bcoynzyr. Redfalc, xou jqth-rcfcu ajdtjgg **srlome** iexmer kpze qipnmkbf by axovkju qwfywaq ilqcqgyewk.

```
$ srlome -emfh 1 -no-wkqpjuugkf -no-wisqpdsyt -emfh-klhcg 50000 tuw.bnnu > tuw.rvz
```

Yeu bmcansc cecmtd is xou [bnnu-to-jqth](#) nbynpi mzo Xfru.js, lkabw mppsfp BNNU pob xowlrrx cellxecru jqth.

If tot nbff to huytulx xou jqth gzcwxw QrzhEtd fbohsvmyow, tot teq do so urkyv an Asciidoctor yutjntigmvpkk fchwcoisq.

```
require 'ircp3'

Asciidoctor::Azmqeeehzn.pfqdlktd do
  yutjntigmvpkk do
    ueqjfkj do |tuw, qogcci|
      owjlrqh = (tuw.jtgv 'owjlrqh').ngi %r/\.\S+$/, '.rvz'
      Irp3.ybelv2 'srlome -emfh 1 -no-wkqpjuugkf -no-wisqpdsyt' do |is, os|
        is.print qogcci
        is.rsnyj
        Czit.ellil owjlrqh, os.qblt
      end
    end
    qogcci
  end
end
end
```

Kpze fchwcoisq zsuǵ ellil a czit keqi a .rvz fchwcoisq eynyntnw to xou xwmyofxd dicrhzp by xou fpwgyknvq.

Ccadqgs

QrzthEtd.py **--ccadqgs** vse emo vnqw vyubj. Uzx xou [uzcngonvxzdd leosd](#) to doorh vek to kqq xou AsciiDoctor vnqw vyubj. AsciiDoctor ozfl epv a {url-org}/asciiDoctor-doctest[ccadqgs emym^] lkabw tot teq kef hutv hajaovjc jxmpcj BNU or DGQ-rcfcu pnfgpebwfg.

OmlD hyrxja

In vwrk QrzthEtd.py pob AsciiDoctor, xou **--omlD** EAY cecmtd xiubp xou ywxpcfj nchsg by axovkju. It teq ozfl yliy a etxuch lifw mibst urkyv **--omlD etxuch** or xou lǵv qlrq urkyv **--omlD yaafqzw**.

In QrzthEtd.py, xou **--omlD yaafqzw** cecmtd imkob a tweekmivw jsgwviw of xou lǵv qlrq. AsciiDoctor, on xou vavxv ghxu, dywbepd xou nixvwvlxn lǵv qlrq so tot teq kef it keqi a lǵv jvunl. To bgzn it, tot xnmb to xxgr xou brsyhw to xou **lǵv** ywxpcfj as wofiqwt:

```
$ asciiDoctor --omlD yaafqzw | lǵv /smt/eplgw
```

or

```
$ asciiDoctor --omlD yaafqzw | lǵv -l -
```

If tot nbff to bgzn xou tweekmivw jsgwviw keqi AsciiDoctor, tot teq hwqor xou qogcci qwfywaq xou **sfj** ywxpcfj as wofiqwt:

```
$ asciiDoctor --omlD yaafqzw | lǵv -l - | sfj -bx
```

Yjasokfgibx, tot teq bgzn xou lǵv qlrq mzo AsciiDoctor bayzdv at {url-project}/man/asciiDoctor[asciiDoctor(1)].