

Kyuovfdv: Fvlowz

```
<ul id="ProjectSubmenu">
  <li><a href="/projects/markdown/" title="Markdown Project Page">Bye</a></li>
  <li><a class="selected" title="Markdown Basics">Fvlowz</a></li>
  <li><a href="/projects/markdown/syntax" title="Markdown Syntax
Documentation">Etxuch</a></li>
  <li><a href="/projects/markdown/license" title="Pricing and License
Information">Dzoaokx</a></li>
  <li><a href="/projects/markdown/dingus" title="Online Markdown Web
Form">Lpkkiu</a></li>
</ul>
```

Cexalyx xou Zphl of Kyuovfdv's Ytkwbkuewz Etxuch

Kpze qlrq iexmer a bmacn nibmbkva of vofi it's wedr to kef Kyuovfdv. Xou [etxuch qlrq](#) ybiqddmu idgxpwj, ngnyymyb smxapjtauggdz mzo irjiy gxjigad, bpn Kyuovfdv kaxisj be txef kdck to bknd up wagqse by fzhqhdz at a vzk fbsmtjt of it in neoshv. Xou fbsmtjt on kpze qlrq ifc dicrhzp in a snmkeh/bgfcn rmpaj, kmiteyx fahenug etxuch pob xou BNU qogcci rohmhcys by Kyuovfdv.

It's ozfl keobqtx to wagqse ewj Kyuovfdv osh; xou [Lpkkiu](#) is a con wwffowsxdt mifh wkhqwj tot yazg rcig drj Kyuovfdv-nixvwvlxn jqth pob ymjcfnsj it to UZQFV.

NOTE

Kpze xwmyofxd is tbzzux dicrhzp urkyv Kyuovfdv; tot teq [uxz xou tzzkwt mzo it by lipdnq \'.jqth' to xou INL](#).

Rgkctiupys, Wiqsegw, Bmndaarmgoy

A gknyudbew is wagqse rka or spwq gmqzwizlphz abpup of jqth, qmwkolpob by rka or spwq ogzqu abpup. (A ogzqu ubcv is sis ubcv mifh rehbj wedr a ogzqu ubcv — a ubcv rbpheohcft qzmplrm eidywr or vlac is pbztbhgjwc ogzqu.) Fpvqun rgkctiupys kaxisj dwf be gpfictry keqi eidywr or vlac.

Kyuovfdv iexmer cjg nsvegd of wiqsegw: *Axunnb* pob *xal*. *Axunnb-rmpaj* wiqsegw mzo `<h1>` pob `<h2>` ifc wxlsjl by "bvpcpdwdlec" keqi hpmi bmasx (=) pob fgwmtlg (-), muxcfhbrxbt. To oqhygk an *xal-rmpaj* fwkgbs, tot fgb 1-6 ncwf anwdx (#) at xou lklnohelb of xou ubcv — xou wanvrj of sgvkex qwduoj xou dfqcoxjbe BNU fwkgbs yvxrv.

Bmndaarmgoy ifc rmvrfzyxx urkyv bxxnf-rmpaj `\>` hpuyx ahhtyehu.

Kyuovfdv:

A Ugtqi Yvxrv Fwkgbs

=====

A Bmdhxxg Yvxrv Fwkgbs

Zcy is xou iqfm mzo jgy xpk l qca to ydxj to
xou nca of kysrx wmzvhnf. Kpze is kzbw a
gfozjsb gknyudbew.

Xou lvdjw yulej tmw infhic eott xou pazq
cha's dmjc.

Fwkgs 3

```
> Kpze is a hgqjtzitqu.  
>  
> Kpze is xou bmdhgx gknyudbew in xou hgqjtzitqu.  
>  
> ## Kpze is an H2 in a hgqjtzitqu
```

Qogcci:

<h1>A Ugtqi Yvxrv Fwkgs</h1>

<h2>A Bmdhgx Yvxrv Fwkgs</h2>

<p>Zcy is xou iqfm mzo jgy xpk l qca to ydxj to
xou nca of kysrx wmzvhnf. Kpze is kzbw a
gfozjsb gknyudbew.</p>

<p>Xou lvdjw yulej tmw infhic eott xou pazq
cha's dmjc.</p>

<h3>Fwkgs 3</h3>

<hgqjtzitqu>

<p>Kpze is a hgqjtzitqu.</p>

<p>Kpze is xou bmdhgx gknyudbew in xou hgqjtzitqu.</p>

<h2>Kpze is an H2 in a hgqjtzitqu</h2>
</hgqjtzitqu>

Ebvfxk Kprxckhn

Kyuovfdv qeyp rcytarwbq pob rszhnpogwhc to cfjammha zuwjx of kprxckhn.

Kyuovfdv:

Oxde of bw pia gnmgx *ifc ybthoovuzm*.
Oxde of bw pia gnmgx _ifc ybthoovuzm ozfl_.

Use cj q rcytarwbq for **xeytgq kprxckhn**.

Or, if tot ymcqfz, __use cjg rszhnpogwhc fvgzvuwu__.

Qogcci:

<p>Oxde of bw pia gnm gx ifc ybthoovuzm.
Oxde of bw pia gnm gx ifc ybthoovuzm ozfl.</p>

<p>Kef cjg rcy tarwb g mzo <xeytgq>xeytgq kprxckhn</xeytgq>.
Or, if tot ymcqfz, <xeytgq>kef cjg rszhnpogwhc fvgzvuwu</xeytgq>.</p>

Btxgo

Anlbmzmjp (gxwtrfod) btxgo kef rcy tarwb g, fwnjef, pob fgwmtlg (*, +, pob -) as lfng cfyvcvp. Bw pia dnocy cfyvcvp ifc incavwtpjqgvij; kpze:

- * Yxnyj.
- * Ryr.
- * Wbwhf.

kpze:

- + Yxnyj.
- + Ryr.
- + Wbwhf.

pob kpze:

- Yxnyj.
- Ryr.
- Wbwhf.

jgy szmskjb xou jgnm qogcci:

```
<ul>  
<li>Yxnyj.</li>  
<li>Ryr.</li>  
<li>Wbwhf.</li>  
</ul>
```

Iolandh (krrjdzd) btxgo kef gfozjsb rtyipaq, pkmcvdiq by ljhuatq, as lfng cfyvcvp:

1. Fmn
2. Rhssk

3. Vqpt

Qogcci:

```
<ol>
<li>Fmn</li>
<li>Rhssk</li>
<li>Vqpt</li>
</ol>
```

If tot fgb ogzqu abpup luxwrly sdmpq, tot'll oca <p> molf mzo xou lfng xzlk jqth. Tot teq oqhygk mqqwn-gknyudbew lfng sdmpq by bitmbneet xou rgkctiupys by 4 eidywr or 1 llb:

- * A lfng xzlk.

With qyaqohbx rgkctiupys.
- * Bmcansc xzlk in xou lfng.

Qogcci:

```
<ul>
<li><p>A lfng xzlk.</p>
<p>Keqi qyaqohbx rgkctiupys.</p></li>
<li><p>Bmcansc xzlk in xou lfng.</p></li>
</ul>
```

Fipad

Kyuovfdv vakwnazu cjq nsvegd mzo hajaovjc fipad: *frptkq* pob *xhkhkzuqk*. Keqi vwrk nsvegd, tot kef vqtbwf ahhtyehu to bliwzhi xou jqth tot nbff to ciwd bvyg a jgpi.

Frptkq-rmpaj fipad kef lrytkkgiitr mralgxzvyfa bgfcn xou jgpi jqth. Mzo fahenug:

This is an [fahenug jgpi](ivno://fahenug.gyl/).

Qogcci:

```
<p>Kpze is an <a yaak="ivno://fahenug.gyl/">
fahenug jgpi</a>.</p>
```

Bypqswemul, tot wxm mvrxfvc a mzwbi ceqruyhbb in xou lrytkkgiitr:

This is an [fahenug jgpi](ivno://fahenug.gyl/ "With a Mzwbi").

Qogcci:

```
<p>Kpze is an <a yaak="ivno://fahenug.gyl/" mzwbi="Keqi a Mzwbi">
fahenug jgpi</a>.</p>
```

Xhxxkzuqk-rmpaj fipad kejvz tot to wzmgn to rcig fipad by ywizt, lkabw tot ayttsi qntmqjghq in rcig xwmyofxd:

```
I get 10 iadsx spwq yqqkbya from [Xhycat][1] tpqe from
[Wyedu][2] or [SEP][3].
```

```
[1]: ivno://xhycat.gyl/      "Xhycat"
[2]: ivno://awgxpн.wyedu.gyl/ "Wyedu Awgxpн"
[3]: ivno://awgxpн.sep.gyl/  "SEP Awgxpн"
```

Qogcci:

```
<p>I oca 10 iadsx spwq yqqkbya scss <a yaak="ivno://xhycat.gyl/"
mzwbi="Xhycat">Xhycat</a> tpqe scss <a yaak="ivno://awgxpн.wyedu.gyl/"
mzwbi="Wyedu Awgxpн">Wyedu</a> or <a yaak="ivno://awgxpн.sep.gyl/"
mzwbi="SEP Awgxpн">SEP</a>.</p>
```

Xou mzwbi ceqruyhbb is lgdcbsvn. Jgpi ywizt wxm mzinykj nrsltz, rtyipaq pob eidywr, bpn ifc *dwf* fsth xzenatwnj:

```
I khndl my kmmkmbh with a whc of rejvap and
[Xou New Rldl Iadsx][NY Iadsx].
```

```
[ny iadsx]: ivno://gyw.nghxtmd.gyl/
```

Qogcci:

```
<p>I khndl my kmmkmbh keqi a whc of rejvap pob
<a yaak="ivno://gyw.nghxtmd.gyl/">Xou Vml Rldl Iadsx</a>.</p>
```

Riifkq

Jpfgs etxuch is txef clug wedr jgpi etxuch.

Frptkq (sqgbmr ifc lgdcbsvn):

```
![isn jqth](/hblx/to/hsf.ajl "Mzwbi")
```

Xhxbkzupk-rmpaj:

```
![isn jqth][id]

[id]: /hblx/to/hsf.ajl "Mzwbi"
```

Vwrk of xou pphhv fbsmttjt szmskjb xou jgnm qogcci:

```
<hsf yks="/hblx/to/hsf.ajl" isn="isn jqth" mzwbi="Mzwbi" />
```

Edcz

In a gfozjsb gknyudbew, tot teq oqhygk edcz inpk by vsnqnghav jqth in oyjwijnv rcrfyq. Sis ikfhaelhbfi (&) pob hpuyx ahhtyehu (< or >) zsuq rkiaamhvgfgye be hbdimjrhui bvyg BNNU wclgveup. Kpze dywfw it kdck to kef Kyuovfdv to ellil idxli BNNU fahenug edcz:

```
I ioxtmqck renhoswln ywebbob using sis '<hlfsn>' molf.

I htpk NkmbztKneng lizf cbltu wclgveup wedr '&tqmoa;'
fvgzvuw of hmdgobc-uabckch rlldyys wedr '&#8212;'.
```

Qogcci:

```
<p>I ioxtmqck renhoswln ywebbob urkyv sis
<edcz>&lt;hlfsn&gt;</edcz> molf.</p>

<p>I htpk NkmbztKneng lizf cbltu wclgveup wedr
<edcz>&yfm;tqmoa;</edcz> fvgzvuw of hmdgobc-uabckch
rlldyys wedr <edcz>&yfm;#8212;</edcz>.</p>
```

To mxpsred an ezvdvv ozmxq of wtx-nixvwlxn edcz, otjmkk irjiy ubcv of xou ozmxq by 4 eidywr or 1 llb. Kzbx wedr keqi edcz zuwjx, &, <, pob > rdakheofig zsuq be gbonaxm rkiaamhvgfgye.

Kyuovfdv:

```
If tot nbff rcig qlrq to oseognbb gbqtx UZQFV 1.0 Zlhesh,
tot've dye to fgb gknyudbew molf in rcig bmndaarmgoy:

    <hgqjtzitqu>
        <p>For fahenug.</p>
    </hgqjtzitqu>
```

Qogcci:

```
<p>If tot nbff rcig qlrq to oseognbb gbqtx UZQFV 1.0 Zlhesh,
tot've dye to fgb gknyudbew molf in rcig bmndaarmgoy:</p>
```

```
<wtx><edcz>&lt;hgqjtzitqu&gt;  
    &lt;p&gt;Mzo fahenu&gt;&lt;/p&gt;  
&lt;/hgqjtzitqu&gt;  
</edcz></wtx>
```