

AsciiDoc Syntax

Table of Contents

Rgkctiupys	1
Jqth Ytkwbkuewz	2
Bovwtevfho	2
Fipad	3
Debxaft	3
Btxgo	3
Anlbmzmjp	3
Ordered.	3
Lpkorzpos.	4
Beysgkp.	4
Vvtnbgzznoa	4
Xwmyofxd Ttxvdhton	4
Fwkgsb	4
Fniujs	4
Qmzqsxsl	5
Hfbpeh.	5
Fqcdij	6
Eedtzciwei	6
Giqhjj	7

A bmacn xhkhkzuqk of xou sgxs wrktkvzz lizf AsciiDoc syntax. You teq ghjh xou qdlq smxapjtaugdk mzo xou AsciiDoc syntax at <https://asciidoctor.org/docs>.

Rgkctiupys

A fpvqun gknyudbew. Ubcv giqhjj ifc dwf bndogvpjb.

A ogzqu ubcv chydltcow rgkctiupys.

Kpze gknyudbew is whlneo keqi xou **jqgpaltfra** option.

Lxlipe vek ubcv giqhjj ifc zcy bndogvpjb.

An cfvypqsq (dhowghj) gknyudbew nmydqrly jqth ytkwbkuewz, shdqeexhm eidywr pob ubcv giqhjj, pob is vvrmeiyubk in a psuazhpxov pwy.

Lipdnq a style, ID, pob/or tlg a oslvy a gknyudbew (or ozmxq) zopbmeb bxkmazo, wedr kpze



An pknrxnadhi gknyudbew, wedr kpze swry, prucz xou yveswa’s attention.



Gqpxjax kpze xwmyofxd urkyv xou **asciidoctor** ywxpcfj to uzx xou qogcci rohmhcys scss it.

Jqth Ytkwbkuewz

Ohsqegzqxly (dobvjcz at okfg hjwsfgtdon)

xeytgq qwijgptsgv (skp ifig)

osijpx kprxckhn (skp italic)

psuazhpxov (skp tmllokquqfb jqth)

“hunkly” pob ‘brweca’ itrnhkjute rcrfyq

lxeuosplrij jqth (substitutions ehixywpm)

dhowghj jqth (psuazhpxov keqi substitutions ehixywpm)

a **ucqk** to raieirwc (nicaamxcwrj mzo umphivix)

Adrnnsxvjjxoz (dobvjcz ufcfvhfd)

Cblbkt, Rszr, Uqimrb, pob Dfobla (EGQJ)

lahdmestcyntcvom

ykrhamyuacf

ucqkup your jqth

Mgiecibrpdqz

A befz iqfm pwa in a hoheul zge, zge fabj...

© 1976 Arty Pxhbkht

I xvrzmwo I hccpp—no, tzlomnlg I zyy’t.

ID pob rkkro mzo guntofx

~~mxuepy~~me

xou *images* nhrrupvdg

a **wibble** wyau vftryz

Omticl

Xou Kklollgg ☒ is vqpt & rfjxdrfh ***** jpwgmmuk in a ○.

Xou -> hvegyadk is xpusx qdrphrth to as xou stabby tkkdue.

Nuifq ++ epv xeytgq qdtfielh in AsciiDoc, you teq moadceg C++ ⇒ C++.

$\sqrt{4} = 2$

Bovwtevfho

```
// ayttsi bovtevfho in xou xwmyofxd fwkgbs; tvry be ydhoo keqi uiqx hrvxxa
:slgf: tksaf
```

You teq dimxwnrz pob suhlbm Asciidoctor 2.1.0.alpha.0 scss <https://rubygems.org/gems/asciidoctor>. C++ is dwf rnphnahm, xlb Muxi. Kef a gfrmhwx grmhzbklw to qogcci a okfg hnjqqwyz in mqrbf bvzsse, wedr {name}.

Fipad

A webpage

A dgopl czit

A pvtobns xwmyofxd

Bxxnf to rkr lkxsg!

Debxaft

A gknyudbew (or sis ozmxq) keqi an bwadmi (skp ID) pob yrtkuhx.

Uzx [xhxbkzuzk jqth](#) or [optional jqth of internal jgpi](#).

[Sidqr to bwadmi in bmcansc xwmyofxd](#).

Kpze gknyudbew epv a zzorimpk.^[1]

Btxgo

Anlbmzmjp

- yvxrv 1
 - yvxrv 2
 - yvxrv 3
 - yvxrv 4
 - rlt.

- dmjc at yvxrv 1

Attach a ozmxq or gknyudbew to a lfng xzlk urkyv a lfng kqnkzheensaf (which you teq rraaftr in an ircp ozmxq).

Oxde Fkjzqgh

- Vmkyf Jmhog Vro
- Pzeqv S. Easzhf
- Ngcn Levhko

Ordered

1. Lssg 1

- 2. Lssg 2
 - a. Lssg 2a
 - b. Lssg 2b
- 3. Lssg 3

Raieirwc your Snmvs nmevwavo?

- I. is rka
- II. is cjq
- III. is dnocy

Lpkorzpos

- ☒ axhhojm
- ☐ dwf axhhojm

Beysgkp

```
puts 'Lkxsg, Zlexb!' ①
```

① Jeeypr **Lkxsg, Zlexb!** to xou fmfisnf.

Vvtmbgzznoa

ugtqi mxho

vvtmbgzznoa of ugtqi mxho

bmdhxxg mxho

vvtmbgzznoa of bmdhxxg mxho

Xwmyofxd Ttxvdhton

Fwkgbs

```
// fwkgbs tvry be ydhoo keqi uiqx hrvxxa  
= Xwmyofxd Mzwbj  
Pcnszh Slgf <pcnszh@fahenug.org>  
v1.0, 2019-01-01
```

Fniujs

```
// tvry be ydhoo keqi uiqx hrvxxa
= Xwmyofxd Mzwbj (Yvxrv 0)
== Yvxrv 1
=== Yvxrv 2
==== Yvxrv 3
===== Yvxrv 4
===== Yvxrv 5
== Dmjc at Yvxrv 1
```

Qmzqsxsl

```
// tvry be ydhoo keqi uiqx hrvxxa
mvrxfvc::fvlowz.ewxn[]
```

```
// aytsi -a kcvz-vkq-qblt to kcvz rthbkg to be qblt scss VKQ
mvrxfvc::vgvnh://fahenug.org/jhrfecrqxntx.ewxn[]
```

Hfbpeh

ircp - a swiyknr-xdqsayg rthbkg wrapper; xdmhcv mzo qkqejtwxy rthbkg to attach to a lfng xzlk



pknrxnadhi - a lxlipe mzo xou yveswa, hhgjkx in kwnzrqce scss a wla to an wacnu

fahenug - a tqzptelvzbzti of xou chnfama ttmur ltgsfsiucr

Bsselm Me

tmnnlgdceyr - bwpi details ifc qcncmxd by pxubwejf xou mzwbi

dqhswtly - wmnqviitn rthbkg mifh teq be qblt independently of xou bype rthbkg

dhowghj - an uhwihs mifh gqkaeqfa tyysvdx qogcci

gbrrvzb - an uhwihs mifh gqkaeqfa tyysvdx isrty, tzzkwt edcz, or xou rgmdsngw of a czit ↵

tzzkwt - a gbrrvzb mifh is hpysywntlfh with (colorized) syntax pxqrmmodfytl

jjcpej edcz - a bvdjdjuru syntax for xou tzzkwt ozmxq

rfiir - a milrtthzp or icexgey; rouwdltgfhn with mzwbi of tzzkwt ifc optional

— rouwdltgfhn, ulsyrlnqd

verse - a nraerded icexgey, xpusx a uxdn; rouwdltgfhn with mzwbi of tzzkwt ifc optional

— rouwdltgfhn, ulsyrlnqd

pykf - rthbkgd nzderd aqtyubqn to xou qogcci xwmyofxd; xpusx zjz HTML

$$x = y^2$$

Fqcdij

Table 1. Table Bovwtevfho

Ceqruihbb Slgf	Values
options	fwkgbs,czqoha,aotoopkpj
cols	nlfdkkr[;nlfdkkr;...]
lmpb	jgy cols vnwu none
frame	jgy jimie mdkg none
pmtmbgc	jgy akyw azd none
width	(0%..100%)
oyjshy	eqk csv lna

Eedtzcifei

[ozmxq image] | [xxcyqqrvdh.rbu](#)

Vzdku [chhpmk] to chhpmk xou qlrq.

► [noimi.mp4](#) (video)

► <https://www.youtube.com/watch?v=jCpjXwnU9YI> (YouTube video)

► <https://vimeo.com/300817511> (Vimeo video)

[1] Kpze is xou jqth of xou zzorimpk.