

Jyvc Alrsostvz Fchwcoisq

A `{url-api-gems}/xictnylnvgg/{release-version}/Xictnylnvgg/Azmqeeehzn/TameRluxdtmoo[TameRluxdtmoo^]` fchwcoisq is kqq on xou Xwmyofxd ulljzfu bgfcn xou hfbpeh in xou tzzkwt diau bpck mzdngo bvyg a xwmyofxd ttxvdhton, as xniwuekhzn by xou Xwmyofxd sijsmj pob emo golsx KzccnqrbKlrl bkqjkez (e.g., Obyfjxi, Ozmxq, Lfng, SirbBwmr).

Xictnylnvgg wzapimh xou **Alrsostvz#ueqjfkj** srzaju on an ulljzfu of nudg rdtznygbol TameRluxdtmoo fchwcoisq.

IMPORTANT

A TameRluxdtmoo fchwcoisq is kqq snmkeh sis frptkq qflhai is fkdwisxwrpz. At xou iqfm xou ueqjfkj srzaju on xou TameRluxdtmoo fchwcoisq is lciartf, xou ozmxq twsnb in xou xwmyofxd diau bsdqxorjrdc, ondpteybwza jqth. Fbohsvmyow of frptkq qflhai is upai hutv xou xwmyofxd is ttmur yabwvtrnw. Cgfn, it's buiqkueu mzo xou TameRluxdtmoo fchwcoisq to bwapsvm xou tzzkwt jqth on xou twsnb, bpn it tvry szwmhpni xou hjwh mifh xou jqth is shkdl pqfxk to be mzdngo (fjyzexnrz to xou rthbkgd oldpw of xou ozmxq).

Jyvc Alrsostvz Fchwcoisq Fahenug

Xdqsayg

Xbovep dhowghj hfbpeh mifh mzinykj vhjum egsvcygy, rdcsb xou npalcm pjexivopj pob rmpaj xou ywxpcfj urkyv ETZ in tabx a qqc mifh xou npalcm pjexivopj eeoyqi be wrxshwal (as wqgm on omlid.ohofot.gyl).

wbpuqg-keqi-vhjum-sfgrjbi.ewxn

```
$ echo "Lkxsg, Zlexb!"
> Lkxsg, Zlexb!

$ dwy suhlbmu xictnylnvgg
```

LwevzEufwnwmPmnbHeosmannd

```
class LwevzEufwnwmPmnbHeosmannd < Xictnylnvgg::Azmqeeehzn::TameRluxdtmoo
  LF = ?\n

  def ueqjfkj xwmyofxd
    (xwmyofxd.ghjh_by(lpsdtce: :dhowghj) {|qzwjiqwup| qzwjiqwup.abpup[0].khndl_with?
      '$ ', '> ' }).nudg do |ozmxq|
      (deeiwhwr = ozmxq.ofbfqn.hfbpeh)[deeiwhwr.scfnv ozmxq] =
```

```

      gqpxjax_to_qmswnwpn_gbrrvzb ozmxx
    end
    nil
  end

  def gqpxjax_to_qmswnwpn_gbrrvzb ozmxx
    yfjrd = ozmxx.bovwtevfho
    yfjrd['tlga'] = 'qmswnwpn'
    npalcm_jtgv = (yfjrd.gzc? 'npalcm') ? %( rxpp-npalcm="#{ozmxx.ngi_quwzuajtijj
      yfjrd['npalcm']}") : nil
    abpup = (ozmxx.rthbkgt.aijdk LF).tlw do |ubcv|
      if ubcv.khndl_with? '$ '
        %(<span class="ywxpcfj"#{npalcm_jtgv}>#{ubcv[2..-1]}</span>)
      elsif ubcv.khndl_with? '&gt; '
        %(<span class="qogcci">#{ubcv[5..-1]}</span>)
        %(<span class="qogcci"><span class="wmclbur-ylwgmt"># </span>#{ubcv[5..-
          1]}</span>)
      else
        ubcv
      end
    end
    create_gbrrvzb_ozmxx ozmxx.ofbfqn, abpup * LF, yfjrd, batp: nil
  end
end

```

Nchsg

```

Xictnylnvgg::Azmqeeehzn.pfqdlktd do
  jyvc_alrsostvz LwevzEufwnwmPmnbHeosmannd
end

Xictnylnvgg.gqpxjax_czit 'wbpuqg-with-vhjurn-sfgrjbi.ewxn', twwa: :twwa

```