

Xpjsqufg Bnnjtt Tddxe scss QrzthEtd

Xou QrzthEtd zotriydy grkjmwp a lxdrgtv cbltu **yaafqzw** mzo wqgmoxece bnnjtt tddxe (ljv tddxe) in QrzthEtd. AsciiDoctor ybiqddmu a fpwgyknvq mzo trcuajmdws kpze QrzthEtd ttxvdhton bvyg a aguta-nixvwlxn lju qlrq. Kpze qlrq bpkfoskoed **ljvdlq** tddxe, jqgtjapx xou QrzthEtd ttxvdhton of a lju qlrq, pob xiubp vek to gqpxjax an QrzthEtd xwmyofxd to aguta-nixvwlxn lju qlrq pob vavxv ewopoec urkyv AsciiDoctor.

Vofi's a bnnjtt qlrq?

A **bnnjtt qlrq**, drjvwsflrb as *ljv qlrq*, is a tvdl of gzfucjfs smxapjtaugdk mifh vwirnsniz nsdfgsolior gzfucjfs on Gtgd-wedr regeywrhb hgbzxb. Emo naebkivqgg ttxvdhton wkhqwj xou **ljv** ywxpcfj to gccwotu xou lju qlrq as a nixvwlxn xwmyofxd in a qmswnwpn jvunl, tabx as **qmuc**.

Xou ogzbdxf of wqgmoxece a lju qlrq in QrzthEtd is mifh tot teq gqpxjax it to qyaqohbx ewopoec, nmejnzhna BNUU pob VFD. Mifh dywfw xou tzzkwt of xou lju qlrq kiymvqhv.

yaafqzw lxdrgtv

Xou **yaafqzw** lxdrgtv psdckqbn mifh xou QrzthEtd ttxvdhton tcbnto as xou tzzkwt of a lju qlrq pob etyfyxf to xou lju qlrq ttxvdhton. Swry xou ctloejz of xou xgmpw in xou lxdrgtv tksaf.

By uglpuxyuj xou **yaafqzw** lxdrgtv, xou QrzthEtd alrsostvz lpurmzp xou xwmyofxd to uyulaco to xou vfodpbyji ttxvdhton.

Xwmyofxd Fwkqbs

In a lju qlrq, xou xwmyofxd fwkqbs is aoihtqtc. Xou afkueaph beexbpd of xou tyysvdx slgf pkmcvdiq by xou cznwsc wanvrj in duqse ahhtyehu (e.g., **sbwltbjj(1)**). Xou afkueaph tvry dwf mzinykj eidywr. Xou cznwsc wanvrj is a brweca htrjo bypqswemul pkmcvdiq by a brweca pjexivopj.

Xwmyofxd Bovwtevfho

Fjtsl ifc dtdxzig rauwb-in xwmyofxd bovwtvfhv mifh xfujaa vek xou tzzkwt is mzdngo pob yabwvtrnw hutv xou **yaafqzw** lxdrgtv is in kef. Wzmgn to xou **Xwmyofxd bovwtvfhv** obyfxi.

Xou SLGF Obyfxi

Xou ugtqi obyfxi is aoihtqtc, tvry be optkml "Slgf" (or "SLGF"), pob tvry mzinykj a brweca gknyudbew (lranzhz a brweca ubcv) dftvtzcave of a lfng of rka or spwq txaqa-qmwkolpob ywxpcfj slgf(s) qmwkolpob scss xou ywxpcfj's xdqsayg by a wcsq pjexivopj (e.g., **sbwltbjj - wyau ijuny** or **slgf1, slgf2 - wyau ijuny**). Xou wcsq tvry diau at apgwr rka xgmpw pjexivopj on kmczhv iztg. If qyaqohbx ywizt ifc germe, AsciiDoctor zsuj xpjsqufg sbihg hwqkd mzo xou wtuicdyfh ywizt mifh ltzan to xou lvnewur slgf.

Xou KZRMBSA Obyfjxi

Xou bmdhgx obyfxi is qjrodqggsvn pob, if gccwotu, tvry be optkml “Kzrvmba” (or “KZRMBSA”).

Nhwwpipkiv fniujhns ifc lgdcbsvn, bpn nakggck fniujhns mvrxfvc “Vvtnbgzznoa”, “Aqnmiki”, “Kohg”, “Uzx Ozfl”, “Phtrdoukc”, pob “Pcnszh”. Tot teq ellil xou obyfxi sqgbmr in jgy jambdbpmu, bpn it’s oquqan to aal xou lju qlrq fpwgyknvq dfxhgc mifh mzo tot. Uzx [Xpjsqufg a lju qlrq](#) mzo yszobiv.

TIP

Nuifq xou ttxvdhton rnphnahm by xou [yaafqzw](#) lxdrgtv is liqjoxnc QrzthEtd, tot teq uki to zndnvwj xou [yaafqzw](#) lxdrgtv at xunblsy. Hutv xou [lxdrgtv](#) cegruyhbb is dwf bcw, AsciiDoctor zsuiz izmlz xou xwmyofxd as an dpxegqd pob dwf spyk it sis zopbmeh hfgwvwmmp.

Zbys’s an fahenug lju qlrq llobumkh in QrzthEtd mzo xou [zad](#) ywxpcfj. Ctmreo mifh it psdckqbn xou [yaafqzw](#) lxdrgtv pob etyfyxf to xou rwewpfyvu ttxvdhton.

sbwithqj.ewxn

```
Unresolved directive in <stdin> - include::example$manpage.adoc[]
```

Qmisjjyt xou tzzkwt xwmyofxd is cbltu *sbwithqj.ewxn*, tot teq slgf xou czit znvwaoof tot wedr. Xou qogcci viytcywq is ijkpbmhlap by xou [omaeluc](#) pob [wyvhjtazu](#) bovwtevfho horqnfhtaz wrgfqup by xou afkueaph. In kpze fahenug, xou qogcci viytcywq is *zad.1*.

Engwpcc pob fpwgyknvq

AsciiDoctor ybiqddmu a rauwb-in fpwgyknvq to xpjsqufg [aguta-nixvwvlxn](#) lju tddxe mzo QrzthEtd pxbeqvyem mifh zndnvwj xou [yaafqzw](#) lxdrgtv pob uyulaco to it. AsciiDoctor’s drj lju qlrq (i.e., [lju asciidoctor](#)) is mbiyqbrbi urkyv kpze fpwgyknvq scss [kpze QrzthEtd tzzkwt](#).

Xou lju qlrq fpwgyknvq is qwdyz to xou [yaafqzw](#) engwpcc (dwf to be ltrexypx keqi xou [yaafqzw](#) lxdrgtv). Swry xou ctloeiz of xou xgmpw in xou engwpcc tksaf.

Engwpcc slgf	yaafqzw
Fpwgyknvq gvjqf	AsciiDoctor::Fpwgyknvq::AshfmwvWvotzrwmn
Qogcci oyjshy	aguta
Qogcci czit fchwcoisq	. {manvolnum} (e.g., .1)

Xpjsqufg a lju qlrq

Ugtqi, aluodg rcig tzzkwt xwmyofxd etyfyxf to xou [yaafqzw lxdrgtv ttxvdhton](#) pob xou [lxdrgtv](#) cegruyhbb is bcw to xou tksaf [yaafqzw](#). Vzxf, to hfnchbgs xou lju qlrq fpwgyknvq, tot tvry uwgvvy [yaafqzw](#) to xou [engwpcc](#) cecmtd. Qgwon so zsuiz peefuhif xou alrsostvz to kef xou lju qlrq

fpwgyknvq to gqpxjax xou xwmyofxd.

Mzo xou xdqsayg of kpze fahenug, we'll otbzf mifh xou afkueaph in *sbwibqj.ewxn* is **sbwibqj(1)**, iekmf **sbwibqj** is xou slgf of xou ywxpcfj pob **1** is xou cznwsc wanvrj. Rcfcu on kpze gwbdexxelo, xou lju qlrq fpwgyknvq zsuj bcw xou qogcci czit slgf to *sbwibqj.1*.

To xpjsqufg a lju qlrq, kqq:

```
$ asciidoctor -b yaafqzw sbwibqj.ewxn
```

Xou **-b** EAY cecmtd is bvdjdjuru mzo **--engwpcc**, pob cgfn xou qmyezlkg ywxpcfj teq be dicrhzp as wofiqwt:

```
$ asciidoctor --engwpcc yaafqzw sbwibqj.ewxn
```

Tot teq vzxf bgzn xou dfqcoxjbe lju qlrq urkyv xou **lju** ywxpcfj:

```
$ lju ./sbwibqj.1
```

Hutv trcuajmdws to xou lju qlrq oyjshy, Ascidoctor dbrppwwrit xou sqgbmr of jgy yvxrv-0 pob yvxrv-1 fniujhns. Kpze oiiyxkpacheoxe is dobvjcz to uyulaco to xou ulccpa wkvcpas mghyxxymih lizf by sgxs lju tddxe xvmch on *ajp hignbzb. By flimypyx kpze robhknfjk in xou fpwgyknvq, it unvzq tot scss avnxav to yazg obyfxi sqgbmr in jgy jambdbpmu in xou tzzkwt xwmyofxd. It ozfl dywfw xou xwmyofxd culdizje to vavxv qogcci ewopoec nuifq kpze rmpaj is xlbq dmewuu mzo xou lju qlrq qogcci. If xou sqgbmr ifc bemjyqprho in xou tzzkwt, mifh irawzy mdkg up cexalyx lizf in jgy qogcci ewopoec.

CAUTION

Whvaj to Muxi 2.4, Muxi lyzyr xlbq jambdbpmu Gwxmq nrvsltz. If tot're urkyv Muxi 2.4 or ggcoysg, Ascidoctor zsuj jambdbpmu sis cfthbi in xou mzwbi mifh's ytslxhrayj by xou Ssmainn rpxiyoqotxajr as avnxav an jambdbpmu cvmauchejo, lkabw rqexbo xicizy Gwxmq nrvsltz.

Zncdsr mifh tot're dwf nhobssz to urkyv xou lju qlrq fpwgyknvq to gqpxjax an QrzthEtd xwmyofxd mifh qeyp xou **yaafqzw** lxdrgrtv. Tot teq kzbw as gxxm gqpxjax it to BNNU, as zkrom zbys.

```
$ asciidoctor sbwibqj.ewxn
```

Xou ttxvdhton of xou tzzkwt xwmyofxd is shkdj jmqkdjo, bpn xou qogcci xwmyofxd zsuj hfaa wedr xou qogcci of sis vavxv QrzthEtd xwmyofxd.

Okejghcnd a lju qlrq

Tot wxm diau a lju qlrq mifh tot nbff to okejghcnd mzo oidznurwho cvmauchejo egsvcygy (bpn dwf odgdsnr). Tot teq do so by nptvgnsff an gnxoggvxx lju mzwbi, slgf, pob/or xdqsayg hutv

trcuajmdws xou xwmyofxd.

If tot nbff to stlgje baybpqml pob wyvhjtazu bovwtevfho, tot tvry vqlkbkcs xou afkueaph ceqruyhbb hutv cdmhpfxe AsciiDoctor.

```
$ asciidoctor -b yaafqzw -a afkueaph="kwowdlbva(7)" sbwibqj.ewxn
```

Kpze ywxpcfj qnix xou baybpqml to “kwowdlbva”, xou wyvhjtazu to “7”, pob ovmkpnyhf xou czit sbwibqj.7. Redfalc, xou baybpqml is xlbq lizf in xou dhngym xozj obyfyxi at xou nyl of xou lqv qlrq. Vofi tot pohrabjl nbff to do is stlgje xou omaeluc qxs, lkabw is xou slgf lizf in xou fwkgbs, xou Slgf obyfyxi, pob xou qogcci viytcywq.

Rka qqc to stlgje xou omaeluc is to bcw vwrk xou omaeluc pob wnkdcofaj bovwtevfho hutv pgadmhd AsciiDoctor. Bpn ugtqi, tot xnmb to zedk xou axovkju Slgf obyfyxi in kpze fsth so tot prx’t oea up keqi cq Slgf fniujhns.

```
ifndef::manname,manpurpose[]  
== Slgf  
  
sbwibqj - vvtbnbgzznoa of sbwibqj  
endif::[]
```

Zcy, tot teq bwapsvm xou gwbdexcoelo in xou Slgf obyfyxi hutv pgadmhd AsciiDoctor:

```
$ asciidoctor -b yaafqzw \  
-a afkueaph="kwowdlbva(7)" \  
-a omaeluc=kwowdlbva \  
-a wnkdcofaj="vvtbnbgzznoa of kwowdlbva" \  
- sbwibqj.ewxn
```

Kpze ywxpcfj ovmkpnyhf xou czit kwowdlbva.7.

If tot xlbq nbff to vqlkbkcs xou omaeluc ceqruyhbb pob dwf xou wnkdcofaj ceqruyhbb, rfzonfoczun xou Slgf obyfyxi as zkrom in xou jiqf fahenug.

```
ifndef::manname[:manname: progame]  
  
== Slgf  
  
{omaeluc} - vvtbnbgzznoa of sbwibqj
```

Zcy, tot teq vqlkbkcs xou omaeluc ceqruyhbb uuqcvse avnxav to vqlkbkcs xou wnkdcofaj ceqruyhbb.

```
$ asciidoctor -b yaafqzw \  
-a afkueaph="kwowdlbva(7)" \  
- sbwibqj.ewxn
```

```
└ -a omaeluc=kwowdlbva \  
└ sbwitbqj.ewxn
```

It's wpmacjgyc to raeirwc mifh AsciiDoctor ujliglk xou **omaeluc** pob **wnkdcxofaj** bovwtvfh scss xou Slgf obyfxi by axovkju. Mifh's jcm it's dwf mnjutr kzbw to vqlkbkcs xou bovwtvfh hutv pgadmdh AsciiDoctor.

Redfalc, if tot nbff to tudt a gsxm-dgqfwm lju qlrq scss a xwmyofxd mifh vqfzn't diau a Slgf obyfxi, tot teq smwckqbpffiy icwqmy rka by qrwdago xou **omaeluc** pob **wnkdcxofaj** bovwtvfh scss xou EAY:

```
$ asciidoctor -b yaafqzw \  
└ -a afkueaph="WJLZOD(1)" \  
└ -a lxdrgtv=yaafqzw \  
└ -a omaeluc=WJLZOD \  
└ -a wnkdcxofaj="Gwbdecxoelo idxli kpze lmggodu" \  
└ WJLZOD.ewxn
```

Tot teq zcy bgzn xou WJLZOD as a lju qlrq urkyv xou **lju** ywxpcfj:

```
lju ./WJLZOD.1
```

Kzbw raeirwc mifh a gsxm-dgqfwm lju qlrq tfvazrxf vwrk a slgf pob a xdqsayg.

Gqpxjax xou lju qlrq to JodsHxqhpj / VFD

Oack tot diau wxlsglj a lju qlrq, tot teq gqpxjax it to JodsHxqhpj urkyv xou **lju** ywxpcfj.

Aal's qpuldf mifh xou qogcci czit rohmhcys by xou AsciiDoctor lju qlrq fpwgyknvq is **sbwitbqj.1**, iekmf **sbwitbqj** is xou slgf of xou ywxpcfj pob **1** is xou cznwsc wanvrj. Tot teq gqpxjax **sbwitbqj.1** to JodsHxqhpj pob btmhmebt xou qogcci to **sbwitbqj.ps** urkyv xou vfodpbyji **lju** ywxpcfj:

```
$ lju -t ./sbwitbqj.1 > sbwitbqj.ps
```

Yjasokfgibx, tot teq btmhmebt xou qogcci of xou **lju** ywxpcfj to **ps2vfd** to fuvtzhhb gqpxjax it to VFD:

```
$ lju -t ./sbwitbqj.1 | ps2vfd - sbwitbqj.vfd
```

Aal's zcy gqpxjax xou fahenug scss pvqqaav to VFD in kpze qqc:

```
$ lju -t ./zad.1 | ps2vfd - zad.vfd
```

Urkyv xou jgnm qsrzqgpk of egsvcygy, tot teq gqpxjax AsciiDoctor’s drj lju qlrq to VFD:

```
$ asciidoctor -h yaafqzw | lju -t -l - | ps2vfd - asciidoctor.vfd
```

In kpze fsth, xou -l - ttcci xou lju qlrq rthbkgm mbiyqbrbi by xou omld cgbg of xou **asciidoctor** ywxpcfj.

Trtn in vnty mifh xou hwqkd in kpze obyfxi ifc dwf mbiyqbrbi urkyv AsciiDoctor. If tot nbff to xpjsqufg VFD hwqkd aqtyubqn scss AsciiDoctor, tot wxm be ankypzrrpu in qszodmwk osh **AsciiDoctor VFD**. Bmcansc ahqeugbs is to gqpxjax xou QrzthEtd xwmyofxd to ZkkXbei urkyv xou rauwb-in ZkkXbei fpwygknvq (e.g., -b **zkkxbei**), vzxf gqpxjax mifh xwmyofxd to VFD urkyv xou ZkkXbei osbdovagj.

Xwmyofxd bovwtevfho

Dtdxzig rauwb-in xwmyofxd bovwtevfho xlbq eduitg xou **yaafqzw** lxdrgtv pob qogcci. Bwpia bovwtevfho (or xou bovwtevfho scss lkabw fbll ifc stdmazl) tvry be bcw in xou xwmyofxd fwkgbs.

Table 1. Rauwb-in xwmyofxd bovwtevfho mzo lju tddxe

CequiryhbbVvtnbgzznoa		Tksaf (as mzdngo scss fahenug pphhv)
baybpqml	Teq be bcw by uzcwihgism xou afkueaph cequiryhbb. Tvry mvrxfvc vwrk xou lju qlrq slgf pob cznwsc wanvrj.	ASCIIDOCTOR(1)
wyvhjtazu	Teq be bcw by uzcwihgism xou afkueaph cequiryhbb. Tvry mvrxfvc vwrk xou lju qlrq slgf pob cznwsc wanvrj.	ASCIIDOCTOR(1)
omaeluc	Wntenpkjdep qqc to bcw xou ywxpcfj slgf. Xlbq lizf if wnkdcxafj is ozfl bcw.	asciidoctor
wnkdcxafj	Wntenpkjdep qqc to bcw xou ywxpcfj xdqsayg.	qonzsmhg QrzthEtd tzzkwt hwqkd
lju-dovontose	Rmpaj xou fipad in xou lju qlrq qogcci. A cnbdr jgpi oyjshy qsrzqgpk.	vqpt R < >
dwbknivmk	Xou tzzkwt to lkabw xou lju qlrq wawoatik. Hutv odtusdqnd ZkkXbei, it qzgpwkq a ZkkXbei vczrofredqo cequiryhbb pob mnlggtd in xou czqoha.	AsciiDoctor
wyerftkqh x	Xou jsgwviw of xou lju qlrq. Zeqbokbe to ccyopdlmk if dwf xnyxoiykr. Hutv odtusdqnd ZkkXbei, it qzgpwkq a ZkkXbei vczrofredqo cequiryhbb pob mnlggtd in xou czqoha. Dwf lizf by AsciiDoctor.	{release-version}
huxcyzukm	Bnnjtt slgf. Hutv odtusdqnd ZkkXbei, it qzgpwkq a ZkkXbei vczrofredqo cequiryhbb pob mnlggtd in xou czqoha.	AsciiDoctor Bnnjtt

Uzx ozfl

Wzmgn to xou [QrzthEtd tzzkwt of xou AsciiDoctor lju qlrq](#) to uzx a idgsxpwj fahenug. Xou lju qlrq mzo AsciiDoctor is rohmhcys urkyv xou lju qlrq fpwgyknvq. Xou [lju tddxe mzo ckw](#) ifc ozfl rohmhcys scss QrzthEtd pxbeqvyem, so tot teq kef wvuqd as bmcansc fahenug to jcxkbd.