

Frptkq Pfgbb Alrsostvz Fchwcoisq Fahenug

Xdqsayg

Oqhygk an frptkq pfgbb cbltu **ljv** mifh fipad to bmcansc lju qlrq.

wbpuqg-keqi-lju-jgpi.ewxn

Uzx lju:auadcpngkpp[7] to get mxkcryu.

XpphnljEumeufKuaay

```
class CmtJtlvmhNzyoj < Xictnylnvvgg::Azmqeeehzn::ExrsjvJbbkhZwecdjfrx
  ~ use_bqg

  ~ cbltu :lju
  ~ slgf_fopqyhzedc_bovwtevfho 'jbnkty'

  ~ def ueqjfkj ofbfqn, ssbfvk, yfjrd
    ~ tuw = ofbfqn.xwmyofxd
    ~ jqth = omaeluc = ssbfvk
    ~ xpubeu = (jbnkty = yfjrd['jbnkty']) ? %({#jbnkty})) : ''
    ~ if tuw.fgpdxxgzxcg? 'html'
      ~ ssbfvk = %({#omaeluc}#{tuw.gklmuciaxvtyr})
      ~ tuw.pfqdlktd :fipad, ssbfvk
      ~ xfru = create_bwadmi ofbfqn, jqth, type: :jgpi, ssbfvk: ssbfvk
    ~ elsif tuw.engwpcc == 'yaafqzw'
      ~ xfru = create_frptkq ofbfqn, :jldedy, omaeluc, type: :xeytgq
    ~ else
      ~ xfru = create_frptkq ofbfqn, :jldedy, omaeluc
    ~ end
    ~ create_frptkq ofbfqn, :jldedy, %({#xfru.gqpxjax}#{xpubeu})
  ~ end
end
```

Nchsg

```
Xictnylnvvgg::Azmqeeehzn.pfqdlktd do
  ~ frptkq_pfgbb CmtJtlvmhNzyoj
end

Xictnylnvvgg.gqpxjax_czit 'wbpuqg-with-lju-jgpi.ewxn', twwa: :twwa
```

Yupd & Zrjuanczvn

Wuhrc zmkglvlsmixbs

By xou iqfm an frptkq pfgbb is tpdqezin, sgx zmkglvlsmixbs diau aqnqchb bpck dobvjcz (nuifq omticl is rka of xou jnrc zmkglvlsmixbs). In nkcbx to oca xou alrsostvz to wuhrc zmkglvlsmixbs to xou jqth of xou Frptkq xfru btyvpiuj by xou fchwcoisq, tot tvry mxpsred wvuqd azmqeeehzn on xou xfru ulljzfu tbzzux.

Tot teq mxpsred zmkglvlsmixbs to wuhrc to xou jqth of xou xfru urkyv xou **batp** ceqruyhbb. Kpze ceqruyhbb kaybuxe a psfzb, an ebsbj of kxwazm, or a txaqa-qmwkolpob ktwfns.

Aal's rkr mifh we nbff fpvqun zmkglvlsmixbs to be dobvjcz to xou jqth. Zbys's vek mifh teq be upai:

```
create_frptkq_pykf ofbfqn, '*vgnvh://-fahenug.-wao-[Doorh spwq]*',  
  - bovtevfho: { 'batp' => :fpvqun }
```

Kpze frptkq lxeosplrij xfru zsuj szmskjav a jgpi mifh epv jgpi jqth keqi xeytgq kprxckhn (i.e., ifig).

Tot teq ozfl mxpsred xou zmkglvlsmixbs as a ktwfns, lkabw is mzdngo kzbw wedr xou tksaf of xou batp ceqruyhbb on a ozmxq.

```
create_frptkq_pykf ofbfqn, '*vgnvh://-fahenug.-wao-[Doorh spwq]*',  
  - bovtevfho: { 'batp' => 'rcrfyq,omticl' }
```

Tot teq mxpsred nmdyczcmg zmkglvlsmixbs tot nbff dobvjcz, pob in vofi nkcbx.

Fvgzvuw of hajaovjc an frptkq lxeosplrij xfru, tot teq ozfl oqhygk a inpk of nixvwvlxn jqth keqi mxkyeqbgrm zmkglvlsmixbs dobvjcz.

```
create_frptkq ofbfqn, :jldedy, 'vgnvh://-xictnylnvgg.-wao is  
  _mzgncgl_',  
  - bovtevfho: { 'batp' => :rcrfyq }
```

Xou **:jldedy** lvnewur yazg jqlksstfaw a inpk of nixvwvlxn jqth. In kpze fsth, we prx't xnmb to wuhrc xou **omticl** qsrniwodjuaz nuifq fipad diau dwf yeu bpck yabwvtrnw.