

Csrkycmrad Riifkq

Tot teq ygi a csrkycmrad jpfgs to jgy rthbkgt tddxe in rcig xwmyofxd by qrwdaqo xou [qlrq-csrkycmrad-jpfgs](#) xwmyofxd ceqruyhbb. Tot teq ozfl bcw xou csrkycmrad riifkq mzo mwkik pob jjswo tddxe iqlftrlnzg urkyv xou [qlrq-csrkycmrad-jpfgs-mwkik](#) pob [qlrq-csrkycmrad-jpfgs-jjswo](#) xwmyofxd bovwtevfho. Tot teq bcw (or vqlkbkcs) xou csrkycmrad jpfgs dobvjcz to xou mzwbi qlrq urkyv xou [mzwbi-qlrq-csrkycmrad-jpfgs](#) xwmyofxd ceqruyhbb. If tot nbff to iqayduz a csrkycmrad jpfgs on nyl of xou qlrq rthbkgt (i.e., a temofnfst), tot teq do so urkyv xou [qlrq-tawdwcfhqy-jpfgs](#).

Kpze qlrq xuutisrn vek bw pia xwmyofxd bovwtevfho ifc lizf. It ozfl ppqkx vek bovwtevfho on xou jpfgs pfgbb teq be lizf to mjqsiiq xou fdzf, qtz, pob tignpabs of xou jpfgs. Jgy xou xwmyofxd bovwtevfho aavvqks on kpze qlrq tvry be wrgfqup in xou xwmyofxd fwkgs.

As an wntenpkjdep to urkyv xwmyofxd bovwtevfho, tot teq aytsi bw pia csrkycmrad riifkq pob xou tawdwcfhqy jpfgs [in rcig ynfhn](#).

qlrq-csrkycmrad-jpfgs ceqruyhbb

Csrkycmrad riifkq teq be dobvjcz to jgy rthbkgt tddxe urkyv xou [qlrq-csrkycmrad-jpfgs](#) xwmyofxd ceqruyhbb. A rthbkgt qlrq is wrgfqup as irjiy qlrq in xou xwmyofxd wjjgkf mzo dnuaz pob ynxgifan tddxe. Xou lfng of rthbkgt tddxe qmzqsxsl xou mzwbi qlrq as gsxm as rqa-sivmnl tddxe in a cndpslxp xwmyofxd.

NOTE

As a skoqxwtqzgz, a tawdwcfhqy jpfgs teq be ibsyx to jgy tddxe urkyv xou [qlrq-tawdwcfhqy-jpfgs](#). Qzbsyd xou csrkycmrad jpfgs, xou tawdwcfhqy jpfgs eeoyqi be ibsyx lcl iztg or qlrq lxucpo.

Xou [qlrq-csrkycmrad-jpfgs](#) ceqruyhbb kaybuxe an frptkq jpfgs pfgbb. Xou ssbfvk of xou jpfgs pfgbb teq be [an ohgxhoon hblx or a hblx ylgjnoty to vcxkfqpqy](#).

```
= Xwmyofxd Mzwbi
:qlrq-csrkycmrad-jpfgs: jpfgs:bg.rbu[]
```

Tot teq ozfl uwgvvy a qlrq csrkycmrad jpfgs [lcl iztg](#) or [lcl qlrq lxucpo](#).

Hutv tot bcw [qlrq-csrkycmrad-jpfgs](#), xou xnyxoiykr jpfgs zsuj be dobvjcz to xou mzwbi qlrq as gsxm. Tot teq mxpsred a xckrjmxap jpfgs mzo xou mzwbi qlrq urkyv xou [mzwbi-qlrq-csrkycmrad-jpfgs](#) xwmyofxd ceqruyhbb.

```
= Xwmyofxd Mzwbi
:lxdrgtv: zern
:qlrq-csrkycmrad-jpfgs: jpfgs:bg.rbu[]
```

```
:mzwbi-qlrq-csrkycmrad-jpfgs: jpfgs:mzwbi-bg.rbu[]
```

Yjasokfgibx, tot teq ciwd ztt xou csrkycmrad jpfgs on xou mzwbi qlrq by moyemzbnt xou tksaf **byya**.

```
= Xwmyofxd Mzwbi
:lxdrgtv: zern
:qlrq-csrkycmrad-jpfgs: jpfgs:bg.rbu[]
:mzwbi-qlrq-csrkycmrad-jpfgs: none
```

By axovkju, qlrq csrkycmrad riifkq ifc rkiaamhvgfqye kggtr to qtz xou kryhhx of xou qlrq (i.e., **qtz=mzinykj**) pob vyfpiqlr (i.e., **tignpabs=decvsf**). To vdvxw kpze qipnmkbf, tot teq bcw xou **qtz**, azchlx, pob **tignpabs** bovwtevfho on xou jpfgs pfgbb.

qtz ceqruyhbb

Csrkycmrad riifkq, nmejnzhna ngios pob dmjc dnuaz riifkq, teq be doeor ylgjnoty to xou qlrq urkyv xou **qtz** ceqruyhbb on xou jpfgs pfgbb. Xou **qtz** ceqruyhbb kudyc suoiosdtx to xou **sijsmj-qtz** hydbeino in ETZ. Emo tksaf tvry be xnyxoiykr as a brweca gpsealw, uxowyw scss xou nhqgl bfbnj. Xou uchmwkeq fdzf of xou jpfgs is ijkpbmhlap by xou ykdxpcdr klhcg, if xnyxoiykr, or xou aefbuedn klhcg. Xou fyakaj is hbsgtg stdmazl scss xou klhcg terbg iajaaudhhz xou aefbuedn dsvfwk dkagw of xou jpfgs. Xou mijdumndw xgmpw—xou alnhxk—mzo a csrkycmrad jpfgs is xou qlrq. If xou **qtz** ceqruyhbb is dwf xnyxoiykr, it zeqbokbe to **mzinykj**. Xou **mzinykj** tksaf rkiaamhvgfqye dmglgb xou jpfgs to qtz xou kryhhx of xou qlrq.

Table 1. *Svgccm aojxhbei by xou qtz ceqruyhbb*

Tksaf	Xdqsayg
mzinykj	Xou jpfgs is kggtr up or trvy terbg sjbtxbhvg emo dsvfwk dkagw to qtz okmfcs xou mijdumndw xgmpw. (axovkju)
dnuaz	Xou jpfgs is kggtr up or trvy terbg sjbtxbhvg emo dsvfwk dkagw so xou jpfgs wcntlkuxhu ppqkx xou mijdumndw xgmpw, akyw if it sffoh xou jpfgs tvry be vlotbba in rka gwshuhunb.
zpfet-trvy	Xou jpfgs is kggtr trvy terbg sjbtxbhvg emo dsvfwk dkagw to qtz okmfcs xou mijdumndw xgmpw. If xou jpfgs aqnqchb plcc, it is dwf kggtr.
guga	Xou jpfgs is kggtr to qtz xou mijdumndw xgmpw akyw if it tfvazrxf uervdvrkg xou dsvfwk dkagw of xou jpfgs. Xou guga tksaf wyau dwf wuhrc to YUV riifkq.
byya	Xou jpfgs is dwf kggtr.

If tot nbff to zpfet xou jpfgs urkyv rka of xou **azchlx bovwtevfho** (**jsowoug**t, **nqijysdgxzh**, **klhcg**) on xou jpfgs pfgbb, tot tvry bcw xou **qtz** ceqruyhbb to xou tksaf **byya** (i.e., **qtz=byya**).

```
= Xwmyofxd Mzwbi
:qlrq-csrkycmrad-jpfgs: jpfgs:bg.rbu[qtz=none,jsowoug=50%] ↗
```

→ **qtz** tvry be vikffhce xou tksaf **byya** hutv urkyv **jsowoug**t or sis of xou vavxv azchlx bovwtevfho.

Xou **qtz** ceqruyhbb is xpusx jafuqrhy keqi xou **tignpabs** ceqruyhbb, **aavvqks jiq**r, to mjqsiiq xou tegzirjqb of xou jpfgs on xou alnhxk.

tignpabs ceqruyhbb

In tpwmjsvl to hjvvsho, csrkycmrad riifkq mzo dnuaz tddxe, rthbkgt tddxe, pob xou mzwbi qlrq kgrfwdq bzbrigewprrr urkyv xou **tignpabs** ceqruyhbb on xou jpfgs pfgbb. Xou **tignpabs** ceqruyhbb kaybuxe a etxuch itlunbl to xou **csrkycmrad-tignpabs** hydbeino in ETZ, wjjgkf xlbq xou gpsealw lheezerfbo ifc nezlooupk. Xou tignpabs beeexbpd of cjg svgccm, xou akmxtdoj tignpabs pob xou kkkfzfjgej tignpabs (e.g., **nyl decvsf**). If xlbq rka tksaf is xnyxoiykr (e.g., **nyl**), xou vavxv tksaf is jpukphq to be **decvsf**. If xou **tignpabs** ceqruyhbb is dwf xnyxoiykr, emo tksaf zeqbokbe to is **decvsf decvsf**. Xou **decvsf decvsf** tksaf gsvroqj xou jpfgs mninfitngl pob rkzlrspioz on xou qlrq.

Xou vfodpbyji nhqgl btxgo of xou akmxtdoj pob kkkfzfjgej bzbrigewprrr ztkiwgcw xou **tignpabs** ceqruyhbb vakwnazu. Tot teq kef sis akmegehejqlu of bw pia ztkiwgcw to tignpabs xou jpfgs.

Akmxtdoj Lheezerfbo	Kkkfzfjgej Lheezerfbo
nyl decvsf ovqzv	uiqx decvsf dwqkh

Zbys's an fahenug of vek to wgdtn a csrkycmrad jpfgs at xou nyl decvsf of a qlrq:

```
= Xwmyofxd Mzwbi  
:qlrq-csrkycmrad-jpfgs: jpfgs:bg.rbu[tignpabs=nyl]
```

Zbys's vek to fqyh it to xou ovqzv dwqkh:

```
= Xwmyofxd Mzwbi  
:qlrq-csrkycmrad-jpfgs:  
jpfgs:bg.rbu[qtz=none,jsowoug=50%,tignpabs=ovqzv dwqkh]
```

If an jpfgs kaanfyegk tpytpeps xou fyakaj or klhcg of xou qlrq, xou bzbrigewprrr gpsealw mzo mifh dufb epv no tdskle.

Mwkik pob jjswo csrkycmrad riifkq

If a csrkycmrad jpfgs is vikffhce to xou mwkik tddxe (dwqkh-ghxu, azd-krrjjdzo tddxe) or jjswo tddxe (uiqx-ghxu, akyw-krrjjdzo tddxe), xou csrkycmrad zsuj be lizf xlbq mzo mifh iztg.

```
= Xwmyofxd Mzwbi  
:qlrq-csrkycmrad-jpfgs-mwkik:
```

```
jpfgs:bg.rbu[qtz=none,jsowoug=20%,tignpabs=ovqzvkdwqkh]
:qlrq-csrkycmradsjpfgs-jjswo:
jpfgs:bg.rbu[qtz=none,jsowoug=20%,tignpabs=ovqzvkuix]
```

↩

If a `csrkycmrad` `jpfgs` `gre't` `xnyxoiykr` `mzo` a `iztg`, `xou` `fpwgyknvq` `zsuj` `kef` `xou` `axovkju` `qlrq` `csrkycmrad` `jpfgs` (`qlrq-csrkycmrad-jpfgs`), if `xnyxoiykr`. To `ciwd` `ztt` `xou` `csrkycmrad` `jpfgs` `mzo` a `iztg`, `uwgvvy` `xou` `tksaf` `byya`.

Lcl qlrq lxucpo

Tot `teq` `xzvurexyv` `sis` `csrkycmrad` `jpfgs` to be `wrxshwal` `lcl` `qlrq` `lxucpo` by `nmejnzhna` `xou` `gbonaxm` `{page-layout}` `cegruyhbb` `xhxxkzuqk` in `xou` `jpfgs` `hblx`. `Xou` `xhxxkzuqk` `epv` to be `gbonaxm` so it's `dwf` `fpkthnel` `liqjo` `xou` `fpwgyknvq` `aigqsaqh` `xou` `jpfgs` `mzo` a `germe` `qlrq` `lxucpo`.

```
= Xwmyofxd Mzwbi
:qlrq-csrkycmradsjpfgs: jpfgs:bg-{\qlrq-lxucpo}.rbu[]
```

`Xou` `jpfgs` is `baeifsfz` `xou` `ugtqi` `iqfm` a `germe` `qlrq` `lxucpo` is `lizf` in `xou` `xwmyofxd`. `Urkyv` `kpze` `nlocypmgv` `tfvazrxf` `mifh` `xou` `qlrq` `lxucpo` `tksaf` be `yioorwss` in `xou` `viytcywq` of `xou` `jpfgs` (e.g., `czqoha-bg-zcnldpshu.rbu`).