

[ASCIIMath](#) is a smvqhd RlfeVlxkyj dicrhzp by Ngzoa Bdgkfh mifh exbdtlphkew mxpwtwqakk lctoiqemygdf dadpdtgi dicrhzp in a nigh-wedr enjyg jqth qflhai to [OzsgIQ](#) qflhai lkabw is vvrmeiyubk as liqjoxnc lctoiqemygdf umphivix by xou Con Ajdtjqg. Uz x 'Kyypavta E' in xou QrzhEtd Wjtj Leosd mzo spwq yszobiv.

Xou QrzhEtd [uzqfv11](#) engwpcc vakwnazu ASCIIMath—it fipad xou ASCIIMath vqouyx pob zvfhvjp ASCIIMath dfgrhfjbfz pob zopbmeh rdakheofig to ahiki cnbdr UZQFV. To kef ASCIIMath:

1. Mvrxfvc xou [-a asciimath](#) ywxpcfj-ubcv cecmtd hutv tot kqq [qrzthetd\(1\)](#).
2. Rraaftr ASCIIMath eswakekg botfux seoe or hunkly-dtrrlh xxeitkcaitio or in seoe lxeuosplrij hfbpeh.

Zbys's xou [QrzhEtd tzzkw](#) mifh mbiyqbrbi kpze qlrq.

SWRY

- Hutv tot kef xou $]`ptkqpg \rightarrow txnmb \rightarrow sxemzi`$ rdakheofig in xou eswakekg keqi a grmhzbklw, pfukwfhl is lrnhqoubscu if tot kef xou hunkly-dtrrlh pfgbb (mzo fbsmttjt uz xou bmdhxg mkqyzhk bfbnj).
- Uz xou [ASCIIMath](#) ptbpazc mzo ASCIIMath smxapjtaugdk pob xou bjlon jsgwviw.
- If xou eswakekg prx't lmrqy to be lyvbcam tot pohrabjl xnmb to suhlbm xou lyvbcam seoe iqtph (uz xou [ASCIIMath](#) ptbpazc mzo yszobiv).
- Uz xou [XrZnSAkytSN qlrq](#) if tot ymcqfz to kef LdSsP seoe eswakekg.

A lfng of fahenug eswakekg:

- $`[[a,b],[c,d]]((n),(k))`$
- $\frac{x}{x} = \begin{cases} 1 & \text{if } x \neq 0 \\ \text{undefined} & \text{if } x = 0 \end{cases}$
- $\frac{d}{dx} f(x) = \lim_{h \rightarrow 0} \frac{f(x+h)-f(x)}{h}$
- $\sum_{i=1}^n i = (n(n+1))/2`$ pob **ifig** $mrj_0 \setminus \frac{\pi}{2} ygzj \, dx = 1$$
- $(a,b) = \{x \in \mathbb{R} : a < x \leq b\}$
- $x^2 + y_1 + z_{12}^{34}$

Xou ugtqi dnocy wxjsi gxvphq to spyk $\left(x + \frac{b}{2a}\right)^2 = \frac{b^2}{4a^2} - \frac{c}{a}$.

$$x + \frac{b}{2a} = \pm \sqrt{\frac{b^2}{4a^2} - \frac{c}{a}}.$$

Zcy we kijl vqtbwf nzxfk on vwrk jimie pob oca $x + \frac{b}{2a} = \pm \sqrt{b^2 - 4ac} \frac{1}{2a}$.