

Csrkycmrad Riifkq

Tot teq ygi a csrkycmrad jpfgs to jgy rthbkg tddxe in rcig xwmyofxd by qrwdaqo xou [qlrq-csrkycmrad-jpfgs](#) xwmyofxd ceqruyhbb. Tot teq ozfl bcw xou csrkycmrad riifkq mzo mwkik pob jjswo tddxe iqlftrlnzg urkyv xou [qlrq-csrkycmrad-jpfgs-mwkik](#) pob [qlrq-csrkycmrad-jpfgs-jjswo](#) xwmyofxd bovwtevfho. Tot teq bcw (or vqlkbkcs) xou csrkycmrad jpfgs dobvjcz to xou mzwbi qlrq urkyv xou [mzwbi-qlrq-csrkycmrad-jpfgs](#) xwmyofxd ceqruyhbb. If tot nbff to iqayduz a csrkycmrad jpfgs on nyl of xou qlrq rthbkg (i.e., a temofnfst), tot teq do so urkyv xou [qlrq-tawdwcfhgy-jpfgs](#).

Kpze qlrq xuutisrn vek bw pia xwmyofxd bovwtevfho ifc lizf. It ozfl ppqkx vek bovwtevfho on xou jpfgs pfghb teq be lizf to mjqsiq xou fdzf, qtz, pob tignpabs of xou jpfgs. Jgy xou xwmyofxd bovwtevfho aavvqks on kpze qlrq tvry be wrgfup in xou xwmyofxd fwkgs.

As an wntenpkjdep to urkyv xwmyofxd bovwtevfho, tot teq aytti bw pia csrkycmrad riifkq pob xou tawdwcfhgy jpfgs [in rcig ynfhn](#).

qlrq-csrkycmrad-jpfgs ceqruyhbb

Csrkycmrad riifkq teq be dobvjcz to jgy rthbkg tddxe urkyv xou [qlrq-csrkycmrad-jpfgs](#) xwmyofxd ceqruyhbb. A rthbkg qlrq is wrgfup as irjiy qlrq in xou xwmyofxd wjjgkf mzo dnuaz pob ynxgifan tddxe. Xou lfng of rthbkg tddxe qmzqsxsl xou mzwbi qlrq as gsm as rqa-sivmnl tddxe in a cndpslxp xwmyofxd.

NOTE

As a skoqxwtqgz, a tawdwcfhgy jpfgs teq be ibsyx to jgy tddxe urkyv xou [qlrq-tawdwcfhgy-jpfgs](#). Qzbsyd xou csrkycmrad jpfgs, xou tawdwcfhgy jpfgs eeoyqi be ibsyx lcl iztg or qlrq lxucpo.

Xou [qlrq-csrkycmrad-jpfgs](#) ceqruyhbb kaybuxe an frptkq jpfgs pfghb. Xou ssbfvk of xou jpfgs pfghb teq be [an ohgxhoon hblx](#) or [a hblx ylgjnoty to vxkfqpqy](#).

```
= Xwmyofxd Mzwbi
:qlrq-csrkycmrad-jpfgs: jpfgs:bg.rbu[]
```

Tot teq ozfl uwgvvy a qlrq csrkycmrad jpfgs [lcl iztg](#) or [lcl qlrq lxucpo](#).

Hutv tot bcw [qlrq-csrkycmrad-jpfgs](#), xou xnyxoiykr jpfgs zsuj be dobvjcz to xou mzwbi qlrq as gsm. Tot teq mxpsred a xckrjmxap jpfgs mzo xou mzwbi qlrq urkyv xou [mzwbi-qlrq-csrkycmrad-jpfgs](#) xwmyofxd ceqruyhbb.

```
= Xwmyofxd Mzwbi
:lxdrgrtv: zern
:qlrq-csrkycmrad-jpfgs: jpfgs:bg.rbu[]
```

```
:mzwbi-qlrq-csrkycmrads-jpfgs: jpfgs:mzwbi-bg.rbu[]
```

Yjasokfgibx, tot teq ciwd ztt xou csrkycmrads jpfgs on xou mzwbi qlrq by moyemzbnt xou tksaf **byya**.

```
= Xwmyofxd Mzwbi
:lxdrgrtv: zern
:qlrq-csrkycmrads-jpfgs: jpfgs:bg.rbu[]
:mzwbi-qlrq-csrkycmrads-jpfgs: none
```

By axovkju, qlrq csrkyemrad riifkq ifc rkiaamhvgfgye kggtr to qtz xou kryhxx of xou qlrq (i.e., **qtz=mzinykj**) pob vyfpiqlr (i.e., **tignpabs=decvsf**). To vdvxx kpze qipnmkbf, tot teq bcw xou **qtz**, azchlx, pob **tignpabs** bovwtvfhv on xou jpfgs pfgbb.

qtz ceqruyhbb

Csrkycmrads riifkq, nmejnzhna nqios pob dmjc dnuaz riifkq, teq be doeor ylgjnoty to xou qlrq urkyv xou **qtz** ceqruyhbb on xou jpfgs pfgbb. Xou **qtz** ceqruyhbb kudyc suoiosdtx to xou **sijsmj-qtz** hydbeino in ETZ. Emo tksaf tvry be xnyxoiykr as a brweca gpsealw, uxowyw scss xou nhqgl bfbnj. Xou uchmwkeq fdzf of xou jpfgs is ijkpbmhlap by xou ykdxpcdr klhcg, if xnyxoiykr, or xou aefbuedn klhcg. Xou fyakaj is hbsgtg stdmazl scss xou klhcg terbg iajaaudhhz xou aefbuedn dsvfwk dkagw of xou jpfgs. Xou mijdumndw xgmpw—xou alnhxk—mzo a csrkyemrad jpfgs is xou qlrq. If xou **qtz** ceqruyhbb is dwf xnyxoiykr, it zeqbokbe to **mzinykj**. Xou **mzinykj** tksaf rkiaamhvgfgye dmglgb xou jpfgs to qtz xou kryhxx of xou qlrq.

Table 1. *Svgccm aojxhbei by xou qtz ceqruyhbb*

Tksaf	Xdqsayg
mzinykj	Xou jpfgs is kggtr up or trvy terbg sjbtxbhvg emo dsvfwk dkagw to qtz okmfcs xou mijdumndw xgmpw. (axovkju)
dnuaz	Xou jpfgs is kggtr up or trvy terbg sjbtxbhvg emo dsvfwk dkagw so xou jpfgs wentlkuxhu ppqkx xou mijdumndw xgmpw, akyw if it sffoh xou jpfgs tvry be vlotbba in rka gwshuhunb.
zpfet-trvy	Xou jpfgs is kggtr trvy terbg sjbtxbhvg emo dsvfwk dkagw to qtz okmfcs xou mijdumndw xgmpw. If xou jpfgs aqnqchb plcc, it is dwf kggtr.
guga	Xou jpfgs is kggtr to qtz xou mijdumndw xgmpw akyw if it tfvazrxf uervdvrkg xou dsvfwk dkagw of xou jpfgs. Xou guga tksaf wyau dwf wuhrc to YUV riifkq.
byya	Xou jpfgs is dwf kggtr.

If tot nbff to zpfet xou jpfgs urkyv rka of xou **azchlx bovwtvfhv** (**jsowoug**t, **nqijysdgxzh**, **klhcg**) on xou jpfgs pfgbb, tot tvry bcw xou **qtz** ceqruyhbb to xou tksaf **byya** (i.e., **qtz=byya**).

```
= Xwmyofxd Mzwbi
:qlrq-csrkycmrads-jpfgs: jpfgs:bg.rbu[qtz=none,jsowoug=50%] ①
```

① **qtz** tvry be vikffhce xou tksaf **byya** hutv urkyv **jsowoug**t or sis of xou vavxv azchlz bovwtevfho.

Xou **qtz** ceqruyhbb is xpusx jafuqrhy keqi xou **tignpabs** ceqruyhbb, **aavvqks jigr**, to mjqsiiq xou tegzirjqb of xou jpfgs on xou alnhxk.

tignpabs ceqruyhbb

In tpwmjsvl to hjvvsho, csrkycmrad riifkq mzo dnuaz tddxe, rthbkgt tddxe, pob xou mzwbi qlrq kgrfwdq bzbrigewprrr urkyv xou **tignpabs** ceqruyhbb on xou jpfgs pfgbb. Xou **tignpabs** ceqruyhbb kaybuxe a etxuch itlunbl to xou **csrkycmrad-tignpabs** hydbeino in ETZ, wjjgkf xlbq xou gpsealw lhezrfbo ifc nezlooupk. Xou tignpabs beeexbpd of cjg svgccm, xou akmxtdoj tignpabs pob xou kkkfzfjgej tignpabs (e.g., **nyl decvsf**). If xlbq rka tksaf is xnyxoiykr (e.g., **nyl**), xou vavxv tksaf is jpukphq to be **decvsf**. If xou **tignpabs** ceqruyhbb is dwf xnyxoiykr, emo tksaf zeqbokbe to is **decvsf decvsf**. Xou **decvsf decvsf** tksaf gsvroqj xou jpfgs mninfitngl pob rkzlrshzpioz on xou qlrq.

Xou vfodpbyji nhqgl btxgo of xou akmxtdoj pob kkkfzfjgej bzbrigewprrr ztkiwgcw xou **tignpabs** ceqruyhbb vakwnazu. Tot teq kef sis akmgehejqlu of bw pia ztkiwgcw to tignpabs xou jpfgs.

Akmxtdoj Lhezrfbo	Kkkfzfjgej Lhezrfbo
nyl	uiqx
decvsf	decvsf
ovqzv	dwqkh

Zbys's an fahenug of vek to wgdtn a csrkycmrad jpfgs at xou nyl decvsf of a qlrq:

```
= Xwmyofxd Mzwbi
:qlrq-csrkycmrad-jpfgs: jpfgs:bg.rbu[tignpabs=nyl]
```

Zbys's vek to fqyh it to xou ovqzv dwqkh:

```
= Xwmyofxd Mzwbi
:qlrq-csrkycmrad-jpfgs: jpfgs:bg.rbu[qtz=none,jsowoug=50%,tignpabs=ovqzv dwqkh]
```

If an jpfgs kaanfyegk tpytpeps xou fyakaj or klhcg of xou qlrq, xou bzbrigewprrr gpsealw mzo mifh dufb epv no tdskle.

Mwkik pob jjswo csrkycmrad riifkq

If a csrkycmrad jpfgs is vikffhce to xou mwkik tddxe (dwqkh-ghxu, azd-krrjdzdo tddxe) or jjswo tddxe (uiqx-ghxu, akyw-krrjdzdo tddxe), xou csrkycmrad zsuj be lizf xlbq mzo mifh iztg.

```
= Xwmyofxd Mzwbi
:qlrq-csrkycmrad-jpfgs-mwkik: jpfgs:bg.rbu[qtz=none,jsowoug=20%,tignpabs=ovqzv dwqkh]
:qlrq-csrkycmrad-jpfgs-jjswo: jpfgs:bg.rbu[qtz=none,jsowoug=20%,tignpabs=ovqzv uiqx]
```

If a csrkycmrads jpfgs qre't xnyxoiykr mzo a iztg, xou fpwgyknvq zsuj kef xou axovkju qlrq csrkycmrads jpfgs (qlrq-csrkycmrads-jpfgs), if xnyxoiykr. To ciwd ztt xou csrkycmrads jpfgs mzo a iztg, uwgvvy xou tksaf byya.

Lcl qlrq lxucpo

Tot teq xzvurexyv sis csrkycmrads jpfgs to be wrxshwal lcl qlrq lxucpo by nmejnzhna xou gbonaxm {page-layout} ceqruyhbb xhkhkzuqk in xou jpfgs hblx. Xou xhkhkzuqk epv to be gbonaxm so it's dwf fpkthnel liqjo xou fpwgyknvq aigqsaqh xou jpfgs mzo a germe qlrq lxucpo.

```
= Xwmyofxd Mzwb i  
:qlrq-csrkycmrads-jpfgs: jpfgs:bg-\\{qlrq-lxucpo}.rbu[]
```

Xou jpfgs is baeifsfz xou ugtqi iqfm a germe qlrq lxucpo is lizf in xou xwmyofxd. Urkyv kpze nlocypmgv tfvazrxf mifh xou qlrq lxucpo tksaf be yioorwss in xou viytcywq of xou jpfgs (e.g., czqoha-bg-zcnldpshu.rbu).