

Air quality measurement and logging in taxi ranks and inside of taxis

Willem Cornelis Rossouw 22823700

Report presented in partial fulfilment of the requirements of the module Project (E) 448 for the degree Baccalaureus in Engineering (Electrical and Electronic) in the Faculty of Engineering at Stellenbosch University.

Supervisor: Prof. MJ (Thinus) Booysen

Acknowledgements

I would like to thank my supervisor Thinus Booysen for giving me this skripsie topic and for his enthusiasm in his work. I would also like to thank my friend and co-(soon-to-be)-engineer Phillip, for keeping me sane for most of my degree.



Plagiaatverklaring / Plagiarism Declaration

- 1. Plagiaat is die oorneem en gebruik van die idees, materiaal en ander intellektuele eiendom van ander persone asof dit jou eie werk is.
 - Plagiarism is the use of ideas, material and other intellectual property of another's work and to present is as my own.
- 2. Ek erken dat die pleeg van plagiaat 'n strafbare oortreding is aangesien dit 'n vorm van diefstal is.
 - I agree that plagiarism is a punishable offence because it constitutes theft.
- 3. Ek verstaan ook dat direkte vertalings plagiaat is.

 I also understand that direct translations are plagiarism.
- 4. Dienooreenkomstig is alle aanhalings en bydraes vanuit enige bron (ingesluit die internet) volledig verwys (erken). Ek erken dat die woordelikse aanhaal van teks sonder aanhalingstekens (selfs al word die bron volledig erken) plagiaat is.

 Accordingly all quotations and contributions from any source whatsoever (including the internet) have been cited fully. I understand that the reproduction of text without quotation marks (even when the source is cited) is plagiarism
- 5. Ek verklaar dat die werk in hierdie skryfstuk vervat, behalwe waar anders aangedui, my eie oorspronklike werk is en dat ek dit nie vantevore in die geheel of gedeeltelik ingehandig het vir bepunting in hierdie module/werkstuk of 'n ander module/werkstuk nie.
 - I declare that the work contained in this assignment, except where otherwise stated, is my original work and that I have not previously (in its entirety or in part) submitted it for grading in this module/assignment or another module/assignment.

22823700	LQ)
Studentenommer / Student number	Handtekening / Signature
W.C. Rossouw	April 7, 2023
Voorletters en van / Initials and surname	Datum / Date

Abstract

English

The English abstract.

Afrikaans

Die Afrikaanse uittreksel.

Contents

D	eclaration	ii
\mathbf{A}	bstract	iii
Li	st of Figures	V
Li	st of Tables	vi
N	omenclature	vii
1.	Introduction	1
	1.1. Background	1
	1.2. Problem Statement	1
	1.3. Objectives	2
	1.4. Scope	2
	1.5. Report Overview	2
2.	Literature Study	3
	2.1. Air Quality Monitoring	3
	2.1.1. Choosing Monitoring Parameters	3
	2.1.2. Typical Monitoring Instrumentation	3
	2.2. Communication	3
	2.3	3
3.	System Overview	4
4.	Analysis and Data	5
5.	Summary and Conclusion	6
Bi	ibliography	7
\mathbf{A}	. Project Planning Schedule	8
B	Outcomes Compliance	Q

List of Figures

1.1.	Unleaded	1
1.2.	Metal+ Unleaded	1
1.3.	Diesel	1

List of Tables

Nomenclature

Variables and functions

p(x) Probability density function with respect to variable x.

P(A) Probability of event A occurring.

 ε The Bayes error.

 ε_u The Bhattacharyya bound.

B The Bhattacharyya distance.

S An HMM state. A subscript is used to refer to a particular state, e.g. s_i

refers to the $i^{\rm th}$ state of an HMM.

S A set of HMM states.

F A set of frames.

Observation (feature) vector associated with frame f.

 $\gamma_s(\mathbf{o}_f)$ A posteriori probability of the observation vector \mathbf{o}_f being generated by

HMM state s.

 μ Statistical mean vector.

 Σ Statistical covariance matrix.

 $L(\mathbf{S})$ Log likelihood of the set of HMM states \mathbf{S} generating the training set

observation vectors assigned to the states in that set.

 $\mathcal{N}(\mathbf{x}|\mu,\Sigma)$ Multivariate Gaussian PDF with mean μ and covariance matrix Σ .

The probability of a transition from HMM state s_i to state s_j .

N Total number of frames or number of tokens, depending on the context.

D Number of deletion errors.

I Number of insertion errors.

S Number of substitution errors.

Nomenclature viii

Acronyms and abbreviations

AE Afrikaans English PM Particulate Matter

VOC Volatile Organic Compounds

UART Universal Asynchronous Receiver / Transmitter

i2c Inter-Integrated Circuit

UFP Ultrafine Particle

LPG Liquefied Petroleum Gas

CNG Compressed Natural Gas

Chapter 1

Introduction

1.1. Background

The majority of South Africa's public sector uses taxis as a means of transport. Millions of commuters use taxis frequently and depend on them for all of their mobility needs [1]. The South African government has recognized the impact of taxi emissions on air quality and has taken steps to address the issue. In 2006, the government gazetted regulations that required taxi operators to convert their vehicles to run on cleaner fuels, such as liquefied petroleum gas (LPG), compressed natural gas (CNG), or diesel with lower sulfur content [2]. However, the implementation of these regulations has been slow and often ineffective as seen in the extract below in figures 1.1, 1.2 and 1.3, resulting in continued poor air quality in many areas. Instead of using expensive and inconvenient formal public transportation like buses and trains, they offer an accessible and affordable substitute. As a result, the effects of air quality in taxis on human health and the impact of taxi exhaust emissions are issues unique to South Africa.



Figure 1.1: Unleaded Charts provided by [2]

Figure 1.2: Metal+ Unleaded

Figure 1.3: Diesel

1.2. Problem Statement

Despite the popularity and importance of taxis in South Africa, there is a lack of research on the air quality inside and outside of these vehicles. Air quality is a crucial factor for human health and well-being, especially for commuters who spend long hours in taxis

exposed to various pollutants. Moreover, taxi emissions contribute to the overall air pollution in crowded spaces(in this case taxi ranks), which affects the environment and the quality of life of the passers by. The closest studies being that of inside single cab taxis [3], road based pollution [4] and general pollution [5]. Therefore, there is a need for a comprehensive study on the air quality in taxis and taxi ranks and its impacts on human health and the environment.

1.3. Objectives

The objective of the study will be as follows:

- To measure and compare the levels of CO2, VOC, particulate matter and NOx both inside taxis and in taxi ranks to that of a known baseline.
- Identify the primary sources of air pollution in taxi ranks and within taxis and evaluate the impact of environmental factors, such as traffic congestion and weather conditions.
- To investigate the potential health risks associated with exposure to air pollution in taxi ranks and within taxis, particularly for passengers, drivers and potential third parties.
- To evaluate the effectiveness of current measures in place to reduce air pollution from taxis, such as emission standards and regulations.
- Propose potential strategies to mitigate the impact of from taxis on public health and the environment such as implementing new technologies.

1.4. **Scope**

The scope of the project encompasses only the following:

- Building of base station and portable sensor module
- Development of communication network for satellite module and base station as well as data storage and backup
- Deployment of sensor and network
- Analysis of data gathered

1.5. Report Overview

Chapter 2

Literature Study

2.1. Air Quality Monitoring

For this project it is necessary to monitor the air quality and how that pertains to health conditions and what causes the rise in these prarameters.

2.1.1. Choosing Monitoring Parameters

For monitoring it is important to choose parameters relevant to the topic at hand, in this case emissions from taxis, or for the relevance of finding data on the former, minibuses. During the research of this information it was found that minibus taxis produce the following gases [6]:

- Carbon Dioxide (CO_2)
- Methane (CH_4)
- Nitrous Oxides (NO_x)
- Air Conditioning Refrigerant

CO₂

Particulate Matter, Volatile Organic Compounds and NOx

2.1.2. Typical Monitoring Instrumentation

2.2. Communication

2.3.

Chapter 3 System Overview

Chapter 4 Analysis and Data

Chapter 5 Summary and Conclusion

Bibliography

- [1] "Public transport," https://www.transport.gov.za/public-transport, 2023, accessed: 2023-03-12.
- [2] "South africa clean fuels strategy," https://www.samsa.org.za/Other%20Forms/Workshop%20Presentations/Marpol%20Sulphur%20Cap%202019%20Presentations/South%20Africa%27s%20Clean%20Fuels%20Strategy.pdf, 2019, accessed: 2023-04-04.
- [3] M. Hachem, N. Saleh, A.-C. Paunescu, I. Momas, and L. Bensefa-Colas, "Exposure to traffic air pollutants in taxicabs and acute adverse respiratory effects: A systematic review," *Science of The Total Environment*, vol. 693, p. 133439, 2019. [Online]. Available: https://www.sciencedirect.com/science/article/pii/S0048969719333595
- [4] Y. Sun, P. Brimblecombe, P. Wei, Y. Duan, J. Pan, Q. Liu, Q. Fu, Z. Peng, S. Xu, Y. Wang, and Z. Ning, "High resolution on-road air pollution using a large taxi-based mobile sensor network," *Sensors*, vol. 22, no. 16, 2022. [Online]. Available: https://www.mdpi.com/1424-8220/22/16/6005
- [5] M. NOAH, "An investigation into the environmental impact of the taxi industry in butterworth," 01 2002.
- [6] U.S. Environmental Protection Agency, "Greenhouse gas emissions from a typical passenger vehicle," 2023. [Online]. Available: https://www.epa.gov/greenvehicles/greenhouse-gas-emissions-typical-passenger-vehicle

Appendix A
 Project Planning Schedule

This is an appendix.

Appendix B Outcomes Compliance

This is another appendix.