

Air quality measurement and logging in taxi ranks and inside of taxis

Willem Cornelis Rossouw
22823700

Report presented in partial fulfilment of the requirements of the module Project (E) 448 for the degree Baccalaureus in Engineering (Electrical and Electronic) in the Faculty of Engineering at Stellenbosch University.

Supervisor: Prof. MJ (Thinus) Booysen

May 2023

Acknowledgements

I would like to thank my supervisor Thinus Booysen for giving me this skripsie topic and for his enthusiasm in his work. I would also like to thank my friend and co-(soon-to-be)-engineer Phillip, for keeping me sane for most of my degree.

Plagiaatverklaring / *Plagiarism Declaration*

1. Plagiaat is die oorneem en gebruik van die idees, materiaal en ander intellektuele eiendom van ander persone asof dit jou eie werk is.

Plagiarism is the use of ideas, material and other intellectual property of another's work and to present it as my own.

2. Ek erken dat die pleeg van plagiaat 'n strafbare oortreding is aangesien dit 'n vorm van diefstal is.

I agree that plagiarism is a punishable offence because it constitutes theft.

3. Ek verstaan ook dat direkte vertalings plagiaat is.

I also understand that direct translations are plagiarism.

4. Dienooreenkomstig is alle aanhalings en bydraes vanuit enige bron (ingesluit die internet) volledig verwys (erken). Ek erken dat die woordelike aanhaal van teks sonder aanhalingstekens (selfs al word die bron volledig erken) plagiaat is.

Accordingly all quotations and contributions from any source whatsoever (including the internet) have been cited fully. I understand that the reproduction of text without quotation marks (even when the source is cited) is plagiarism

5. Ek verklaar dat die werk in hierdie skryfstuk vervat, behalwe waar anders aangedui, my eie oorspronklike werk is en dat ek dit nie vantevore in die geheel of gedeeltelik ingehandig het vir bepunting in hierdie module/werkstuk of 'n ander module/werkstuk nie.

I declare that the work contained in this assignment, except where otherwise stated, is my original work and that I have not previously (in its entirety or in part) submitted it for grading in this module/assignment or another module/assignment.

| | |
|--|--|
| 22823700 Studentenommer / <i>Student number</i> |  Handtekening / <i>Signature</i> |
| W.C. Rossouw Voorletters en van / <i>Initials and surname</i> | April 7, 2023 Datum / <i>Date</i> |

Abstract

English

The English abstract.

Afrikaans

Die Afrikaanse uittreksel.

Contents

| | |
|--|----------|
| Declaration | ii |
| Abstract | iii |
| List of Figures | v |
| List of Tables | vi |
| Nomenclature | vii |
| 1. Introduction | 1 |
| 1.1. Background | 1 |
| 1.2. Problem Statement | 1 |
| 1.3. Objectives | 2 |
| 1.4. Scope | 2 |
| 1.5. Report Overview | 2 |
| 2. Literature Study | 3 |
| 2.1. Air Quality Monitoring | 3 |
| 2.1.1. Choosing Monitoring Parameters | 3 |
| 2.1.2. Effects on Human health and safe ranges | 3 |
| 2.1.3. Typical Monitoring Instrumentation | 4 |
| 2.2. Communication | 4 |
| 3. System Overview | 5 |
| 4. Analysis and Data | 6 |
| 5. Summary and Conclusion | 7 |
| Bibliography | 8 |
| A. Project Planning Schedule | 10 |
| B. Outcomes Compliance | 11 |

List of Figures

| | |
|--------------------------------|---|
| 1.1. Unleaded | 1 |
| 1.2. Metal+ Unleaded | 1 |
| 1.3. Diesel | 1 |

List of Tables

Nomenclature

Variables and functions

| | |
|---------------------------------------|--|
| $p(x)$ | Probability density function with respect to variable x . |
| $P(A)$ | Probability of event A occurring. |
| ε | The Bayes error. |
| ε_u | The Bhattacharyya bound. |
| B | The Bhattacharyya distance. |
| s | An HMM state. A subscript is used to refer to a particular state, e.g. s_i refers to the i^{th} state of an HMM. |
| \mathbf{S} | A set of HMM states. |
| \mathbf{F} | A set of frames. |
| \mathbf{o}_f | Observation (feature) vector associated with frame f . |
| $\gamma_s(\mathbf{o}_f)$ | A posteriori probability of the observation vector \mathbf{o}_f being generated by HMM state s . |
| μ | Statistical mean vector. |
| Σ | Statistical covariance matrix. |
| $L(\mathbf{S})$ | Log likelihood of the set of HMM states \mathbf{S} generating the training set observation vectors assigned to the states in that set. |
| $\mathcal{N}(\mathbf{x} \mu, \Sigma)$ | Multivariate Gaussian PDF with mean μ and covariance matrix Σ . |
| a_{ij} | The probability of a transition from HMM state s_i to state s_j . |
| N | Total number of frames or number of tokens, depending on the context. |
| D | Number of deletion errors. |
| I | Number of insertion errors. |
| S | Number of substitution errors. |

Acronyms and abbreviations

| | |
|------|---|
| AE | Afrikaans English |
| PM | Particulate Matter |
| VOC | Volatile Organic Compounds |
| UART | Universal Asynchronous Receiver / Transmitter |
| i2c | Inter-Integrated Circuit |
| UFP | Ultrafine Particle |
| LPG | Liquefied Petroleum Gas |
| CNG | Compressed Natural Gas |
| PPM | Parts Per Million |
| PPB | Parts Per Billion |

Chapter 1

Introduction

1.1. Background

The majority of South Africa's public sector uses taxis as a means of transport. Millions of commuters use taxis frequently and depend on them for all of their mobility needs [1]. The South African government has recognized the impact of taxi emissions on air quality and has taken steps to address the issue. In 2006, the government gazetted regulations that required taxi operators to convert their vehicles to run on cleaner fuels, such as liquefied petroleum gas (LPG), compressed natural gas (CNG), or diesel with lower sulfur content [2]. However, the implementation of these regulations has been slow and often ineffective as seen in the extract below in figures 1.1, 1.2 and 1.3, resulting in continued poor air quality in many areas. Instead of using expensive and inconvenient formal public transportation like buses and trains, they offer an accessible and affordable substitute. As a result, the effects of air quality in taxis on human health and the impact of taxi exhaust emissions are issues unique to South Africa.

| SPECIFICATIONS | Regulation 627 of June 2006 (LPG) | Regulation 631 of June 2012 (LPG) | Regulation 102 of June 2017 (LPG) |
|-----------------|--|-----------------------------------|-----------------------------------|
| UNLEADED PETROL | METAL-FREE UNLEADED PETROL WITH RON 95.5 or 95 | UNLEADED PETROL WITH RON 95 or 95 | UNLEADED PETROL WITH RON 95 or 95 |
| Lead | <10mg/l | <10mg/l | <10mg/l |
| Aromaticity | <35% v/v | <35% v/v | <35% v/v |
| Benzene | <1% v/v | <1% v/v | <1% v/v |
| Sulphur | Not specified | 10mg/kg | 10mg/kg |
| Cetane | Not specified | Not specified | <15% v/v |
| Non-halogenated | Only in definitions | 10mg/l | <10mg/l |

Figure 1.1: Unleaded

Charts provided by [2]

| SPECIFICATIONS | Regulation 627 of June 2006 (LPG) | Regulation 631 of June 2012 (LPG) | Regulation 102 of June 2017 (LPG) |
|--|--|--|--|
| METAL-CONTAINING UNLEADED PETROL WITH RON 95 or 95 | METAL-CONTAINING UNLEADED PETROL WITH RON 95 or 95 | METAL-CONTAINING UNLEADED PETROL WITH RON 95 or 95 | METAL-CONTAINING UNLEADED PETROL WITH RON 95 or 95 |
| Lead | <10mg/l | <10mg/l | <10mg/l |
| Aromaticity | <35% v/v | <35% v/v | <35% v/v |
| Benzene | <1% v/v | <1% v/v | <1% v/v |
| Sulphur | Not specified | 10mg/kg | 10mg/kg |
| Cetane | Not specified | Not specified | <15% v/v |
| Non-halogenated | Only in definitions | 10mg/l | <10mg/l |

Figure 1.2: Metal+ Unleaded

| SPECIFICATIONS | Regulation 627 of June 2006 (LPG) | Regulation 631 of June 2012 (LPG) | Regulation 102 of June 2017 (LPG) |
|-----------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| STANDARD-GRADE DIESEL | STANDARD-GRADE DIESEL | STANDARD-GRADE DIESEL | STANDARD-GRADE DIESEL |
| Lead | <10mg/l | <10mg/l | <10mg/l |
| Aromaticity | <35% v/v | <35% v/v | <35% v/v |
| Benzene | <1% v/v | <1% v/v | <1% v/v |
| Sulphur | Not specified | 10mg/kg | 10mg/kg |
| Cetane | Not specified | Not specified | <15% v/v |
| Non-halogenated | Only in definitions | 10mg/l | <10mg/l |

Figure 1.3: Diesel

1.2. Problem Statement

Despite the popularity and importance of taxis in South Africa, there is a lack of research on the air quality inside and outside of these vehicles. Air quality is a crucial factor for human health and well-being, especially for commuters who spend long hours in taxis

exposed to various pollutants. Moreover, taxi emissions contribute to the overall air pollution in crowded spaces(in this case taxi ranks), which affects the environment and the quality of life of the passers by. The closest studies being that of inside single cab taxis [3], road based pollution [4] and general pollution [5]. Therefore, there is a need for a comprehensive study on the air quality in taxis and taxi ranks and its impacts on human health and the environment.

1.3. Objectives

The objective of the study will be as follows:

- To measure and compare the levels of CO₂, VOC, particulate matter and NO_x both inside taxis and in taxi ranks to that of a known baseline.
- Identify the primary sources of air pollution in taxi ranks and within taxis and evaluate the impact of environmental factors, such as traffic congestion and weather conditions.
- To investigate the potential health risks associated with exposure to air pollution in taxi ranks and within taxis, particularly for passengers, drivers and potential third parties.
- To evaluate the effectiveness of current measures in place to reduce air pollution from taxis, such as emission standards and regulations.
- Propose potential strategies to mitigate the impact of from taxis on public health and the environment such as implementing new technologies.

1.4. Scope

The scope of the project encompasses only the following:

- Building of base station and portable sensor module
- Development of communication network for satellite module and base station as well as data storage and backup
- Deployment of sensor and network
- Analysis of data gathered

1.5. Report Overview

Chapter 2

Backgorund Study

2.1. Air Quality Monitoring

For this project it is necessary to monitor the air quality and how that pertains to health conditions and what causes the rise in these prameters.

2.1.1. Choosing Monitoring Parameters

For monitoring it is important to choose parameters relevant to the topic at hand, in this case emissions from taxis, or for the relevance of finding data on the former, minibuses. It is found that vehicles produce the following gases [6] :

- Carbon Dioxide (CO_2)
- Methane (CH_4)
- Nitrous Oxides (NO_x)
- Air Conditioning Refrigerant

With diesel creating 15% more per gallon(3,78541L), keeping this information in mind, the relevant gases should also be analysed for harm caused. As well as these parameters, on-road activities contribute to particulate matter, particularly $PM_{2.5}$ [7]

2.1.2. Effects on Human health and safe ranges

CO_2

Exposure to CO_2 in concentrations as low as 1000 ppm can lead to adverse effects [8], this is enhanced by prolonged exposure, as would likely be experienced by the driver or passenger.

Particulate Matter

Short-term exposure to particulate matter in the 2.5 and 10 μg range seems to aggravate pre-existing conditions, such as respiratory and cardiovascular conditions [9], long term exposure is irrelevant in this context.

Volatile Organic Compounds

Short term exposure to VOCs can lead to eye and respiratory tract irritation, headaches, nausea and cancer [10]. The Environmental XPRT article on acceptable VOC levels in the air (2019) [11] suggests that acceptable ranges for VOC would be between 300 to 500 μg .

NO_x

Symptoms from exposure to NO_2 include inflammation of the airways, increase susceptibility to respiratory infections and to allergens as well as aggravating pre-existing lung or heart conditions. The safe amount that should not be exceeded regularly is 200 μg . [12]

2.1.3. Typical Monitoring Instrumentation

Studies doing similar research used pre-existing instrumentation to measure the data collected, some of which will be discussed here.

Aeroqual AQY

This sensor was used in a similar study done to determine the air quality at bus stops [13]. The sensor solution used consists of sensors for the following along with provided ranges [14]:

- Particulate matter ($PM_{2.5}$ & PM_{10}) 0-1000 μg
- Ozone
- Nitrogen Dioxide 0-500 ppb
- Temperature and Relative Humidity
- Dew point

Other

Most of the other studies used a combination of custom sensors, so the above will be taken as reference.

Chapter 3

System Overview

Chapter 4

Analysis and Data

Chapter 5

Summary and Conclusion

Bibliography

- [1] “Public transport,” <https://www.transport.gov.za/public-transport>, 2023, accessed: 2023-03-12.
- [2] “South africa clean fuels strategy,” <https://www.samsa.org.za/Other%20Forms/Workshop%20Presentations/Marpol%20Sulphur%20Cap%202019%20Presentations/South%20Africa%27s%20Clean%20Fuels%20Strategy.pdf>, 2019, accessed: 2023-04-04.
- [3] M. Hachem, N. Saleh, A.-C. Paunescu, I. Momas, and L. Bensefa-Colas, “Exposure to traffic air pollutants in taxicabs and acute adverse respiratory effects: A systematic review,” *Science of The Total Environment*, vol. 693, p. 133439, 2019. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0048969719333595>
- [4] Y. Sun, P. Brimblecombe, P. Wei, Y. Duan, J. Pan, Q. Liu, Q. Fu, Z. Peng, S. Xu, Y. Wang, and Z. Ning, “High resolution on-road air pollution using a large taxi-based mobile sensor network,” *Sensors*, vol. 22, no. 16, 2022. [Online]. Available: <https://www.mdpi.com/1424-8220/22/16/6005>
- [5] M. NOAH, “An investigation into the environmental impact of the taxi industry in butterworth,” 01 2002.
- [6] U.S. Environmental Protection Agency, “Greenhouse gas emissions from a typical passenger vehicle,” 2023. [Online]. Available: <https://www.epa.gov/greenvehicles/greenhouse-gas-emissions-typical-passenger-vehicle>
- [7] I. Kheirbek, J. Haney, S. Douglas, K. Ito, and T. Matte, “The contribution of motor vehicle emissions to ambient fine particulate matter public health impacts in new york city: a health burden assessment,” *Environmental Health*, vol. 15, no. 1, p. 89, Aug 2016. [Online]. Available: <https://doi.org/10.1186/s12940-016-0172-6>
- [8] T. Jacobson, J. Kler, M. Hernke, R. Braun, K. Meyer, and W. Funk, “Direct human health risks of increased atmospheric carbon dioxide,” Aug 2019. [Online]. Available: <https://doi.org/10.1038/s41893-019-0323-1>
- [9] N. M. of Health, “Particulate matter (pm10 and pm2.5),” 2019. [Online]. Available: <https://www.health.nsw.gov.au/environment/air/Pages/particulate-matter.aspx>

- [10] U. E. P. Agency, “Volatile organic compounds’ impact on indoor air quality,” Aug 2022. [Online]. Available: <https://www.epa.gov/indoor-air-quality-iaq/volatile-organic-compounds-impact-indoor-air-quality>
- [11] C. Bugayong, “Understanding voc’s and its effects on health,” Apr 2022. [Online]. Available: <https://getuhoo.com/blog/home/understanding-vocs-and-its-effects-on-health/>
- [12] N. statistics, “Concentrations of nitrogen dioxide,” Apr 2022. [Online]. Available: <https://www.gov.uk/government/statistics/air-quality-statistics/nitrogen-dioxide>
- [13] F. S. B. McGann, “Air quality monitoring at bus stops – lancaster university case study,” Mar 2020. [Online]. Available: <https://www.linkedin.com/pulse/air-quality-monitoring-bus-stops-lancaster-university-francine>
- [14] AQMD, “Aeroqual aqy v1.0.” [Online]. Available: <http://www.aqmd.gov/aq-spec/sensordetail/aeroqual-aqy-v1.0>
- [15] M. Wu, L. Tan, and N. Xiong, “Data prediction, compression, and recovery in clustered wireless sensor networks for environmental monitoring applications,” *Information Sciences*, vol. 329, pp. 800–818, 2016, special issue on Discovery Science. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0020025515007124>

Appendix A

Project Planning Schedule

This is an appendix.

Appendix B

Outcomes Compliance

This is another appendix.