

Tiptop Audio — TOMS909

- [Manual PDF](#)
-

[Tiptop Audio TOMS909 Manual PDF](#)

Creative Modulation with the Tiptop Audio TOMS909

The Tiptop Audio TOMS909 is a dense source of classic and experimental tom and percussive synthesis, especially due to its full voltage-control architecture. Here's how you can push it into unique sound territory—especially for distorted percussion, gnarly basslines, and eerie pads.

1. Distorted Percussive Sounds

VC-TUNE Audio-Rate FM

- **Technique:** Patch an audio-rate oscillator (e.g., Tiptop Z3000, any VCO with strong waveforms) into the VC-TUNE inputs of one or more toms.
- **Settings:**
 - Set the incoming oscillator pitch for aggressive FM—use square or sawtooth waves for more edge.
 - Crank the VC scaling knob to taste (100% for complete range).
 - Dial in shorter DECAY for more punch, or extend it for metallic clangs.
- **Result:** The tom circuits will destabilize and create screaming or metallic percussion, ranging from classic 909 overdrive to industrial/noise textures.
- **Pro Tip:** Patch white noise or even drum samples into VC-TUNE for digital mayhem.

Modulate ACCENT with Gates & CV

- **Technique:** Use rapid, irregular gates or a wildly moving CV (LFO or random) into ACCENT IN.
- **Settings:**
 - Set LEVEL around halfway, ACCENT to near max for extreme gain jumps.
 - Use a fast square LFO or trigger random bursts.
- **Result:** Pumping, distorted, almost “bitcrushed” drum sounds.

Feedback Patch

- **Technique:** Patch the OUT of a Tom back into its own VC-TUNE, optionally passing through a VCA or distortion module.
 - **Warning:** Be careful with gain staging, as feedback can get loud/fierce.
 - **Result:** Chaotic, broken percussive noise with squelched overtones and crashing distortion.
-

2. Crazy Dubstep/Drum & Bass Basslines

Sequencing VC-TUNE at Audio Rate

- **Technique:** Use a sequencer like Z8000 to control an audio oscillator’s pitch, and patch that oscillator to VC-TUNE.
- **Settings:**
 - Use large sweeps and rapid pitch bends in your sequence.
 - Low-frequency waveforms for wobble (sine/saw) or mid/high for shrill screamers.
- **Result:** The toms become bass synths with rubbery, bending timbres—ideal for reese bass, descending “growls”, and pounding stabs.

Envelopes to VC-TUNE for “Wub” FX

- **Technique:** Patch an envelope generator triggered by a gate sequencer into VC-TUNE.
- **Settings:**

- Short attack/decay for “blip” basses, longer for evolving growls.
- **Mix:** Try layering several Toms for multi-oscillator bass textures.
- **Result:** Deep, modulated “wub” sounds characteristic of dubstep and neuro DnB.

Stackcable Madness

- **Technique:** Feed the same audio-rate modulator (oscillator or noisy source) into multiple VC-TUNE jacks using stackcables.
 - **Settings:** Tune each Tom's TUNE knob differently and mix outputs.
 - **Result:** Chord-like, detuned bass stabs and warbles.
-

3. Haunting Atmospheric Pads & Drones

Slow VC-TUNE Modulation

- **Technique:** Use a slow moving LFO or sequencer into VC-TUNE.
- **Settings:**
 - DECAY all the way up for elongated, washed-out tails.
 - TUNE each Tom to complementary pitches.
- **Result:** Choral, dissonant, and atmospheric textures. The analog circuits will impart a soft “drifting” quality.

Multiple Envelopes to VC-TUNE & ACCENT

- **Technique:** Patch different envelopes, each triggered by staggered gates, into VC-TUNE and ACCENT IN of each Tom.
- **Settings:**
 - High DECAY settings, ACCENT up for swells.
 - Adjust LEVEL to set background/foreground “voices”.
- **Result:** Unpredictable pads with organic morphing between timbres.

Noise/Field Recordings as Modulators

- **Technique:** Patch microphone, radio static, or field recording audio into VC-TUNE.

- **Settings:**
- Experiment with modulation depth.
- High DECAY and reverb/delay downstream.
- **Result:** Alien, evolving atmospheres with real-world unpredictability.

Use with Stereo Effects

- **Technique:** Run TOM outs through stereo delays (e.g., Z-DSP PingPong) and/or lush reverbs.
- **Result:** Pads “bloom” in the stereo field, perfect for cinematic or outer-space sound design.

Other Modulation Sources to Try

- **Random Stepped CV (Sample & Hold):** For stuttering, glitching pitch sequences.
- **Complex LFOs (Wobblebug, Batumi, etc):** Long evolving cycles for drifty drones.
- **Audio from Other Drum Modules:** For “cross-modulation” creating splattered, rhythmic FX.

Go deeper by patching CV, gates, audio rate signals, and feedback into the TOMS909—the module’s analog heart responds beautifully to bold and unconventional control voltages!

Generated With [Eurorack Processor](#)