

Manage Interview API Documentation

Created: 03/12/2017, Latest updated: 04/12/2017

How to create user and get an Auth token

To create a new user, start the Express server, open Postman, then send the POST request

POST

{{apiUrl}}/users

Authorization

Headers (1)

Body

Pre-request Script

Tests

☐ form-data

☐ x-www-form-urlencoded

☒ raw


☐ binary

JSON (application/json)

```
1 {  
2   "email": "admin@example.com",  
3   "password": "admin12345!"  
4 }
```

```
{{apiUrl}}: http://localhost:3000
```

Login with the newly created user to get your Auth key



The screenshot shows the REST Client interface. The top bar indicates a POST request to the endpoint `{{apiUrl}}/users/login`. Below the bar, there are tabs for Authorization, Headers (1), Body, Pre-request Script, and Tests. The Body tab is selected and highlighted with an orange underline. Under the Body tab, there are radio buttons for form-data, x-www-form-urlencoded, raw, and binary. The JSON (application/json) option is selected and highlighted in orange. The JSON body is displayed in a text area with line numbers 1 through 4 on the left. The body content is:

```
{
  "email": "admin@example.com",
  "password": "admin12345!"
}
```

Scroll down to copy and save the Auth key from the response header

Body	Cookies	Headers (7)	Test Results
Auth → eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJ0b2t1biI6IlUyRnNkR1ZrWDE5S3RkenNXbE9CZ3FMZFVRXkrVSqdlBZIQf_NWtXr1Xk			
Connection → keep-alive			
Content-Length → 114			
Content-Type → application/json; charset=utf-8			
Date → Mon, 04 Dec 2017 12:33:50 GMT			
ETag → W/"72-xpBhmnhfYTkKTM9i1lsKSQ"			
X-Powered-By → Express			

How to send API requests

For every request set the Auth key in the request header

POST ▾	{{apiUrl}}/employees/	
Authorization	Headers (2)	Body ●
	Key	Value
<input checked="" type="checkbox"/>	Content-Type	application/json
<input checked="" type="checkbox"/>	Auth	{{authToken}}

{{authToken}}: value of 'Auth'

Add the body of the request, then click Send

POST ▾	{{apiUrl}}/employees/	
Authorization	Headers (2)	Body ●
● form-data ● x-www-form-urlencoded ● raw ● binary JSON (application/json) ▾		
1 ▾	{	
2	"name": "Lia Shelton"	
3	}	

Register User

Accepts json data of new user

- **URL**

/users

- **METHOD**

POST

- **URL Params**

- Headers
 - Content-type: application/json
 - Auth: {{authToken}}

- **Data Params**

- email: string, required
- password: string, required

Example: {"email": jane.doe@example.com, "password": "abc123"}

- **Success Response**
 - Code: 200 OK
 - Content: {"id": 1, "email": jane.doe@example.com}
- **Error Response**
 - Code: 400 Bad Request
 - Content: {"error": errMsg}
 - errMsg shows validation specific error
 - Code: 401 Unauthorized
 - Content: {"error": "unauthorized access requested"}

Login User

Accepts json data of registered user

- **URL**

`/users/login`
- **METHOD**

POST
- **URL Params**
 - Headers
 - Content-type: application/json
 - Auth: {{authToken}}
- **Data Params**
 - email: string, required
 - password: string, required

Example: {"email": jane.doe@example.com, "password": "abc123"}

- **Success Response**
 - Code: 200 OK
 - Content: {"id": 1, "email": jane.doe@example.com, "createdAt": "2017-12-03T08:23:07.448Z", "updatedAt": "2017-12-03T08:23:07.448Z"}
- **Error Response**
 - Code: 401 Unauthorized
 - Content: {"error": "unauthorized access requested"}

Enter an Employee

Accepts json data of an employee

- **URL**

/employees

- **METHOD**

POST

- **URL Params**

- Headers
 - Content-type: application/json
 - Auth: {{authToken}}

- **Data Params**

- name: string, required

Example: {"name": " Jane Doe"}

- **Success Response**

- Code: 200 OK
- Content: {"id": 1, "name": " Jane Doe", "createdAt": "2017-12-03T08:23:07.448Z", "updatedAt": "2017-12-03T08:23:07.448Z"}

- **Error Response**

- Code: 400 Bad Request
 - Content: {"error": errMsg}
 - errMsg shows validation specific error
- Code: 401 Unauthorized
 - Content: {"error": "unauthorized access requested"}

Show all Employees

Shows json data of all employees

- **URL**

/employees

- **METHOD**

GET

- **URL Params**

- Headers
 - Content-type: application/json
 - Auth: {{authToken}}

- **Data Params**

None

- **Success Response**

- Code: 200 OK
- Content: {"id": 1, "name": " Jane Doe", "createdAt": "2017-12-03T08:23:07.448Z", "updatedAt": "2017-12-03T08:23:07.448Z"}
- **Error Response**
 - Code: 500 Internal server error
 - Content: {"error": "internal server error"}
 - Code: 401 Unauthorized
 - Content: {"error": "unauthorized access requested"}

Show a selected Employee

Shows json data of a selected employee

- **URL**

/employees/id

- **METHOD**

GET

- **URL Params**

- id: integer, required
- Headers
 - Content-type: application/json
 - Auth: {{authToken}}

- **Data Params**

None

- **Success Response**

- Code: 200 OK
- Content: {"id": 1, "name": " Jane Doe", "createdAt": "2017-12-03T08:23:07.448Z", "updatedAt": "2017-12-03T08:23:07.448Z"}

- **Error Response**

- Code: 500 Internal server error
 - Content: {"error": "internal server error"}
- Code: 404 Not Found
 - Content: {"error": "No employee with this id"}
- Code: 401 Unauthorized
 - Content: {"error": "unauthorized access requested"}

Remove a selected Employee

Removes json data of a selected employee

- **URL**

/employees/id

- **METHOD**

DELETE

- **URL Params**

- id: integer, required
- Headers
 - Content-type: application/json
 - Auth: {{authToken}}

- **Data Params**

None

- **Success Response**

- Code: 204 No Content

- **Error Response**

- Code: 500 Internal server error
 - Content: {"error": "internal server error"}
- Code: 404 Not Found
 - Content: {"error": "No employee with this id"}
- Code: 401 Unauthorized
 - Content: {"error": "unauthorized access requested"}

Update a selected Employee

Updates json data of a selected employee

- **URL**

/employees/id

- **METHOD**

DELETE

- **URL Params**

- id: integer, required
- Headers
 - Content-type: application/json
 - Auth: {{authToken}}

- **Data Params**

- name: string, required

Example: {"name": "Jane Doe"}

- **Success Response**
 - Code: 200 OK
 - Content: {"id": 1, "name": " Jane Doe", "createdAt": "2017-12-03T08:23:07.448Z", "updatedAt": "2017-12-03T08:23:07.448Z"}
- **Error Response**
 - Code: 500 Internal server error
 - Content: {"error": "internal server error"}
 - Code: 404 Not Found
 - Content: {"error": "No employee with this id"}
 - Code: 401 Bad Request
 - Content: Content: {"error": errMsg}
 - errMsg shows validation specific error
 - Code: 401 Unauthroized
 - Content: {"error": "unauthorized access requested"}

Enter a Candidate

Accepts json data of a candidate

- **URL**

/candidates

- **METHOD**

POST

- **URL Params**
 - Headers
 - Content-type: application/json
 - Auth: {{authToken}}

- **Data Params**
 - name: string, required
 - managers: string, required

Example: {"name": " Jane Doe", "managers": "1,4"}

where 1,4 are employee ids

- **Success Response**
 - Code: 200 OK
 - Content: {"id": 1, "name": " Jane Doe", "managers": "1,4", "createdAt": "2017-12-03T08:23:07.448Z", "updatedAt": "2017-12-03T08:23:07.448Z"}
- **Error Response**
 - Code: 400 Bad Request
 - Content: {"error": errMsg}
 - errMsg shows validation specific error

- Code: 401 Unauthorized
 - Content: {"error": "unauthorized access requested"}

Show all Candidates

Shows json data of all candidates

- **URL**

/candidates

- **METHOD**

GET

- **URL Params**

- Headers
 - Content-type: application/json
 - Auth: {{authToken}}

- **Data Params**

None

- **Success Response**

- Code: 200 OK
- Content: {"id": 1, "name": "Jane Doe", "managers": "1,4", "createdAt": "2017-12-03T08:23:07.448Z", "updatedAt": "2017-12-03T08:23:07.448Z"}

- **Error Response**

- Code: 500 Internal server error
 - Content: {"error": "internal server error"}
- Code: 401 Unauthorized
 - Content: {"error": "unauthorized access requested"}

Show a selected Candidate

Shows json data of a selected candidate

- **URL**

/candidates/id

- **METHOD**

GET

- **URL Params**

- id: integer, required

- Headers
 - Content-type: application/json
 - Auth: {{authToken}}
 - **Data Params**
- None
- **Success Response**
 - Code: 200 OK
 - Content: {"id": 1, "name": " Jane Doe", "managers": "1,4", "createdAt": "2017-12-03T08:23:07.448Z", "updatedAt": "2017-12-03T08:23:07.448Z"}
 - **Error Response**
 - Code: 500 Internal server error
 - Content: {"error": "internal server error"}
 - Code: 404 Not Found
 - Content: {"error": "No candidate with this id"}
 - Code: 401 Unauthorized
 - Content: {"error": "unauthorized access requested"}

Remove a selected Candidate

Removes json data of a selected candidate

- **URL**
- /candidates/id
- **METHOD**
- DELETE
- **URL Params**
 - id: integer, required
 - Headers
 - Content-type: application/json
 - Auth: {{authToken}}
 - **Data Params**
- None
- **Success Response**
 - Code: 204 No Content
 - **Error Response**
 - Code: 500 Internal server error
 - Content: {"error": "internal server error"}
 - Code: 404 Not Found
 - Content: {"error": "No candidate with this id"}

- Code: 401 Unauthorized
 - Content: {"error": "unauthorized access requested"}

Update a selected Candidate

Updates json data of a selected candidate

- **URL**

/candidates/id

- **METHOD**

DELETE

- **URL Params**

- id: integer, required
- Headers
 - Content-type: application/json
 - Auth: {{authToken}}

- **Data Params**

- name: string, optional
- managers: string, optional

Example: {"name": "Jane Doe"}

AND/OR

{"managers": "1,5"}

- **Success Response**

- Code: 200 OK
 - Content: {"id": 1, "name": " Jane Doe", "managers": "1,5","createdAt": "2017-12-03T08:23:07.448Z", "updatedAt": "2017-12-03T08:23:07.448Z"}

- **Error Response**

- Code: 500 Internal server error
 - Content: {"error": "internal server error"}
- Code: 404 Not Found
 - Content: {"error": "No candidate with this id"}
- Code: 401 Bad Request
 - Content: Content: {"error": errMsg}
 - errMsg shows validation specific error
- Code: 401 Unauthorized
 - Content: {"error": "unauthorized access requested"}

Enter an Availability

Accepts json data of an availability of a specific employee

- **URL**

/availabilities

- **METHOD**

POST

- **URL Params**

- Headers
 - Content-type: application/json
 - Auth: {{authToken}}

- **Data Params**

- employeeId: string, required
- day: string, required
- time: string, required

Example: {"employeeId": " 1", "day": "Tuesday", "time": "16-17"}

- **Success Response**

- Code: 200 OK
- Content: {"id": 1, "day": "Tuesday", "time": "16-17", "createdAt": "2017-12-03T08:23:07.448Z", "updatedAt": "2017-12-03T08:23:07.448Z", "employeeId": " 1"}

- **Error Response**

- Code: 400 Bad Request
 - Content: {"error": errMsg}
 - errMsg shows validation specific error
- Code: 401 Unauthroized
 - Content: {"error": "unauthorized access requested"}
- Code: 404 Not Found
 - Content: {"error": "No employee with this id"}

Show all Availabilities

Shows json data of all availabilities

- **URL**

/availabilities

- **METHOD**

GET

- **URL Params**

- Headers

- Content-type: application/json
 - Auth: {{authToken}}
- **Data Params**
- None
- **Success Response**
 - Code: 200 OK
 - Content: {"id": 1, "day": "Tuesday", "time": "16-17", "createdAt": "2017-12-03T08:23:07.448Z", "updatedAt": "2017-12-03T08:23:07.448Z", "employeeId": " 1"}
- **Error Response**
 - Code: 500 Internal server error
 - Content: {"error": "internal server error"}
 - Code: 401 Unauthorized
 - Content: {"error": "unauthorized access requested"}

Show a selected Availability

Shows json data of availabilities of a specific employee

- **URL**
- /availabilities/id
- **METHOD**
- GET
- **URL Params**
 - id: integer, required
 - id = employeeId
 - Headers
 - Content-type: application/json
 - Auth: {{authToken}}
- **Data Params**
- None
- **Success Response**
 - Code: 200 OK
 - Content: {"id": 1, "day": "Tuesday", "time": "16-17", "createdAt": "2017-12-03T08:23:07.448Z", "updatedAt": "2017-12-03T08:23:07.448Z", "employeeId": " 1"}
- **Error Response**
 - Code: 500 Internal server error
 - Content: {"error": "internal server error"}
 - Code: 404 Not Found
 - Content: {"error": "No employee with this id"}

- Code: 401 Unauthorized
 - Content: {"error": "unauthorized access requested"}

Remove a selected Availability

Removes json data of a selected availability

- **URL**

/availabilities/id

- **METHOD**

DELETE

- **URL Params**

- id: integer, required
- id = id of availability
- Headers
 - Content-type: application/json
 - Auth: {{authToken}}

- **Data Params**

None

- **Success Response**

- Code: 204 No Content

- **Error Response**

- Code: 500 Internal server error
 - Content: {"error": "internal server error"}
- Code: 404 Not Found
 - Content: {"error": "No availability with this id"}
- Code: 401 Unauthorized
 - Content: {"error": "unauthorized access requested"}

Update a selected Availability

Updates json data of a selected availability

- **URL**

/availabilities/id

- **METHOD**

DELETE

- **URL Params**
 - id: integer, required
 - id = id of availability
 - Headers
 - Content-type: application/json
 - Auth: {{authToken}}
- **Data Params**
 - day: string, optional
 - time: string, optional

Example: {"day": "Friday"}

AND/OR

{"time": "12-15"}

- **Success Response**
 - Code: 200 OK
 - Content: {"id": 1, "day": "Friday", "time": "12-15", "createdAt": "2017-12-03T08:23:07.448Z", "updatedAt": "2017-12-03T08:23:07.448Z", "employeeId": "1"}
- **Error Response**
 - Code: 500 Internal server error
 - Content: {"error": "internal server error"}
 - Code: 404 Not Found
 - Content: {"error": "No availability with this id"}
 - Code: 401 Bad Request
 - Content: Content: {"error": errMsg}
 - errMsg shows validation specific error
 - Code: 401 Unauthorized
 - Content: {"error": "unauthorized access requested"}

Show Timeslots

Shows json data of all availabilities for a selected candidate

- **URL**
/timeslots/id
- **METHOD**
GET
- **URL Params**
 - id: integer, required
 - id = id of candidate

- Headers
 - Content-type: application/json
 - Auth: {{authToken}}

- **Data Params**

None

- **Success Response**

- Code: 200 OK
- Content: {"id": 1, "day": "Tuesday", "time": "16-17", "createdAt": "2017-12-03T08:23:07.448Z", "updatedAt": "2017-12-03T08:23:07.448Z", "employeeId": " 1"}

- **Error Response**

- Code: 500 Internal server error
 - Content: {"error": "internal server error"}
- Code: 404 Not Found
 - Content: {"error": "No available timeslot for this candidate for next week"}
- Code: 404 Not Found
 - Content: {"error": "No candidate with this id"}
- Code: 401 Unauthorized
 - Content: {"error": "unauthorized access requested"}

