


Packages and imports

Bill Venners

Dick Wall

www.artima.com

Copyright (c) 2010 Artima Inc. All Rights Reserved.



Flight 10 goal

Minimize coupling between modules using packages and imports. Understand Scala scoping and visibility rules.

Packages

- Modules minimize coupling
- Scala: multiple classes and packages in a single file
- The Java Way (perfectly valid in Scala):

```
package bobsrockets.navigation  
class Navigator
```

Another way of using packages

- An alternative way to the previous slide is:

```
package bobsrockets {  
    package navigation {  
        // In package bobsrockets.navigation  
        class Navigator  
        package tests {  
            // In package bobsrockets.navigation.tests  
            class NavigatorSuite  
        }  
    }  
}
```

Slightly more compact

- A slightly more compact alternative:

```
package bobsrockets.navigation {  
    // In package bobsrockets.navigation  
    class Navigator  
    package tests {  
        // In package bobsrockets.navigation.tests  
        class NavigatorSuite  
    }  
}
```

Nested packages

```
package bobsrockets {  
    package navigation {  
        class Navigator  
    }  
    package launch {  
        class Booster {  
            // No need to say bobsrockets.navigation.Navigator  
            val nav = new navigation.Navigator  
        }  
    }  
}
```

Going back to your roots

```
// In file launch.scala
package launch {
  class Booster3
}

// In file bobsrockets.scala
package bobsrockets {
  package navigation {
    package launch {
      class Booster1
    }
    class MissionControl {
      val booster1 = new launch.Booster1
      val booster2 = new bobsrockets.launch.Booster2
      val booster3 = new _root_.launch.Booster3
    }
  }
}

package launch {
  class Booster2
}
}
```

Imports

```
package bobsdelights
abstract class Fruit(
    val name: String,
    val color: String
)
object Fruits {
    object Apple extends Fruit("apple", "red")
    object Orange extends Fruit("orange", "orange")
    object Pear extends Fruit("pear", "yellowish")
    val menu = List(Apple, Orange, Pear)
}
```


Importing Bob's delights

// easy access to Fruit

```
import bobsdelights.Fruit
```

// easy access to all members of bobsdelights

```
import bobsdelights._
```

// easy access to all members of Fruits

```
import bobsdelights.Fruits._
```

Just in time imports

```
def showFruit(fruit: Fruit) {  
    import fruit._  
    println(name + "s are " + color)  
}
```

Scala's importing Kung Fu

- May appear anywhere
- May refer to objects (singleton or regular)
- May import packages themselves:

```
import java.util.regex
class AStarB {
  // Accesses java.util.regex.Pattern
  val pat = regex.Pattern.compile("a*b")
}
```

Selective, renaming, hiding

// import only Apple and Pear but not the others

```
import Fruits.{Apple, Pear}
```

// rename Apple on import

```
import Fruits.{Apple => McIntosh, Pear}
```

```
import java.sql.{Date => SDate}
```

```
import java.{sql => S}
```

```
val d = new S.Date
```

```
import Fruits.{_} // equiv. to import Fruits._
```

```
import Fruits.{Apple => McIntosh, _}
```

```
import Notebooks._
```

```
import Fruits.{Apple => _, _}
```

Implicit imports

- Automatically available for every source file:

```
import java.lang._ // everything in the java.lang package
import scala._      // everything in the scala package
import Predef._     // everything in the Predef object
```

- java.lang - just like Java (System, Thread, etc.)
- scala - standard scala library (List, Map, etc.)
- Predef - types, methods, implicit conversions (assert, etc.)

Access modifiers

```
class Outer {  
  class Inner {  
    private def f() { println("f") }  
    class InnerMost {  
      f() // OK  
    }  
  }  
  (new Inner).f() // error: f is not accessible  
}
```

Protected members

```
package p {  
  class Super {  
    protected def f() { println("f") }  
  }  
  class Sub extends Super {  
    f()  
  }  
  class Other {  
    (new Super).f()  
    // error: f is not accessible  
  }  
}
```

Public members and scope of protection

- Any member not private or protected is public
- No explicit modifier for public
- Scope of protection:

`private`[bobsrockets]

`protected`[navigation]

Scoped protection example

```
package bobsrockets {  
  package navigation {  
    private[bobsrockets] class Navigator {  
      protected[navigation] def useStarChart() {}  
      class LegOfJourney {  
        private[Navigator] val distance = 100  
      }  
      private[this] var speed = 200  
    }  
  }  
}  
package launch {  
  import navigation._  
  object Vehicle {  
    private[launch] val guide = new Navigator  
  }  
}
```

Effects of private modifiers

<code>private[bobsrockets]</code>	access within outer package
<code>private[navigation]</code>	same as package visibility in Java
<code>private[Navigator]</code>	same as private in Java
<code>private[LegOfJourney]</code>	same as private in Scala
<code>private[this]</code>	access only from same object

// effect of `private[this]`

`val` other = `new Navigator`

// this won't compile even if inside of class Navigator:
other.speed

Visibility and companion objects

```
class Rocket {  
    import Rocket.fuel  
    private def canGoHomeAgain = fuel > 20  
}  
object Rocket {  
    private def fuel = 10  
    def chooseStrategy(rocket: Rocket) {  
        if (rocket.canGoHomeAgain)  
            goHome()  
        else  
            pickAStar()  
    }  
    def goHome() {}  
    def pickAStar() {}  
}
```