







#### **МОЛДИНГ** 1.51.346







Минимальный радиус изгиба гибкого молдинга, мм.



#### **ЕВРОПЛАСМ®**

**PO3ETKA** 1.56.040

Ø: ???? мм Г: ?? мм



#### **PO3ETKA** 1.56.041

ВхГхШ 544×48×785





## **46 € 3**√98 **4** 96 **◆** 17 **◆** 117 2406×46×117

#### **ЕВРОПЛАСМ®**

#### СТВОЛ

.22.050

#### КАПИТЕЛЬ

1.21.008



**БАЗА** 1.23.600



### 392 • (5 | Ømin | 297 **4**–[297] **√**390 **√**[390] 3210×392×392 габариты конструкции в мм.

#### **ЕВРОПЛАСМ®**

**СТВОЛ КАПИТЕЛЬ** 



**БАЗА** 1.13.100



#### **ЕВРОПЛАСТ**®

#### **КАПИТЕЛЬ** 1.11.004



**БАЗА** 1.13.200



#### СТВОЛ





#### ПОРТАЛ

1.64.004

ВхГхШ ???x??x???




#### ЭЛЕМЕНТ КАМИНА 005

ЭЛЕМЕНТ КАМИНА 004

ВхГхШ 859х170х152

3×Г×Ш **859**×170×152







**MNNT** 

#### **КРОНШТЕЙН** 1.19.007

185×102×185



# оонштейн 1.19<u>.</u>008

#### Европласт<sup>®</sup>

#### **КРОНШТЕЙН** 1.19.008

ВхГхШ 225×85×165





ООО «Декор»

117545, Москва, 1-й Дорожный проезд, дом 6

www.evroplast.ru