




```
In [13]:
import seaborn as sns
import matplotlib.pyplot as plt
import pandas as pd
import pickle
In [14]:
sns.set style(style='darkgrid')
 In [15]:
def load data(f path):
    with open(f path, 'rb') as f:
        return pickle.load(f)
In [24]:
W = \{\}
wo = \{\}
for i in range(14, 25):
    w[i] = load_data('with%d.json'%i)
    wo[i] = load_data('without%d.json'%i)
 In [25]:
for i in range(14, 25):
    min_bal_wo = min(list(map(lambda x:x['balance_c'], wo[i])))
    min bal w = min(list(map(lambda x:x['balance c'], w[i])))
    min_bal = min(min_bal_wo, min_bal_w)
    plt.plot(sum(map(lambda x:x['balance'][:min bal] ,wo[i]))/len(wo[i]), linewidth=1)
    plt.plot(sum(map(lambda x:x['balance'][:min bal] ,w[i]))/len(w[i]), linewidth=1)
    plt.legend(labels=('without','with_douzhuan'))
    plt.title('最大加仓%d' % i)
    plt.show()
```




























```
30000 without with_douzhuan 25000 20000 15000 0 250 500 750 1000 1250 1500 1750 2000
```


```
In [26]:


for i in range(14, 25):
    min_bac_wo = min(list(map(lambda x:x['back_c'], wo[i])))
    min_bac_w = min(list(map(lambda x:x['back_c'], w[i])))
    min_bac = min(min_bac_wo, min_bac_w)
    plt.plot(sum(map(lambda x:x['back'][:min_bac] ,wo[i]))/len(wo[i]), linewidth=1)


plt.plot(sum(map(lambda x:x['back'][:min_bac] ,w[i]))/len(w[i]), linewidth=1)
    plt.legend(labels=('without', 'with_douzhuan'))
    plt.title('最大加仓%d' % i)
    plt.show()
```





























In []: