Project 2

Completion requirements
Due: Sunday, 21 July 2024, 11:10 PM

Project 2: Black Box Penetration Test on Altoro Mutual

SCOPE OF ENGAGEMENT

You are asked to perform a Black Box Penetration Test against the organization named Altoro Mutual.

This is what the client organization defined as **scope** of the tests:

Domain: www.altoromutual.com

PROJECT OBJECTIVES

Please note that you are required to perform a thorough penetration test on the domains and web applications in scope and to report any vulnerability and any working exploit.

A report for the penetration test must be produced that includes:

- An Executive Summary
- A Vulnerability Report
- A Remediation Report

The three sections can be arranged in one PDF document.

Please note that the quality of the report is part of the evaluation criteria so please make sure the report is easily readable and commercial-grade.

Critical information to include in your report:

- IP addresses subject of your test

- Services running on each IP
- Vulnerabilities identified
- Exploitation of each machine/vulnerability
    - Step-by-step proof of concept which includes screenshots and any commands and tools used
    - Level of privileges obtained. i.e. (root, standard user, etc.)
    - Information gathered
    - Impact/risk level
    - Remediation Steps
    - Any other information useful to the client.

Structure and arrange the above information as you see fit.

Once you complete your report please make sure to add the following table at the end of it:

Host (IP)	**Open Ports**	**Services**	**Obtained Access**	**Vulnerabilities Exploited**

RECOMMENDED TOOLS

You are free to use any environment to perform your penetration test. The following is a suggested list of tools that might be useful during the exam:

- Kali Linux / Backtrack / Pentoo / Backbox /ParrotOS
- Metasploit

- Powershell
- Python

HINTS FOR THE BEST OUTCOME

- Do not think of the exam as “Capture the Flag.” It is not.
- Do not underestimate the web application testing phase.
- Keep track of all of your actions, commands, discovered hosts, etc. while you perform your tests. (Mind mapping is your friend!)
- Do not underestimate the post-exploitation phase.
- Use CVE, CWE, OWASP or WASC TC or any other kind of well-known vulnerability/weakness taxonomy during the reporting phase.
- Dive into all the available functionality of the tools covered in the course.
- Any attack, tool or technique is allowed during the exam.

Submit a report.


Bemvindo - Kalilinux - VMware Workstation
File Actions Edit View Help
bemvindo@kali: ~
┌──(bemvindo㉿kali)-[~]
└─$ nslookup www.altoromutual.com
dig altoromutual.com
Server: 192.168.204.2
Address: 192.168.204.2#53
Non-authoritative answer:
www.altoromutual.com canonical name = altoromutual.com.
Name: altoromutual.com
Address: 65.61.137.117
; <<>> DiG 9.19.21-1+b1-Debian <<>> altoromutual.com
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 13070
;; flags: qr rd ra; QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 1
;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; MBZ: 0x0005, udp: 4096
;; QUESTION SECTION:
;altoromutual.com. IN A
;; ANSWER SECTION:
altoromutual.com. 5 IN A 65.61.137.117
;; Query time: 11 msec
;; SERVER: 192.168.204.2#53(192.168.204.2) (UDP)
;; WHEN: Sun Jul 21 18:01:38 EDT 2024
;; MSG SIZE rcvd: 61
┌──(bemvindo㉿kali)-[~]
└─$


Bemvindo - Kalilinux - VMware Workstation
File Actions Edit View Help
bemvindo@kali: ~
┌──(bemvindo㉿kali)-[~]
└─$ whois altoromutual.com
Domain Name: ALTOROMUTUAL.COM
Registry Domain ID: 646056305_DOMAIN_COM-VRSN
Registrar WHOIS Server: whois.corporatedomains.com
Registrar URL: http://cscdbs.com
Updated Date: 2023-10-22T05:26:23Z
Creation Date: 2006-10-25T15:49:52Z
Registry Expiry Date: 2024-10-25T15:49:52Z
Registrar: CSC Corporate Domains, Inc.
Registrar IANA ID: 299
Registrar Abuse Contact Email: domainabuse@cscglobal.com
Registrar Abuse Contact Phone: 8887802723
Domain Status: clientTransferProhibited https://icann.org/epp#clientTransferProhibited
Name Server: NS1-206.AKAM.NET
Name Server: NS1-99.AKAM.NET
DNSSEC: unsigned
URL of the ICANN Whois Inaccuracy Complaint Form: https://www.icann.org/wicf/
>>> Last update of whois database: 2024-07-21T22:06:27Z <<<
For more information on Whois status codes, please visit https://icann.org/epp
NOTICE: The expiration date displayed in this record is the date the
registrar's sponsorship of the domain name registration in the registry is
currently set to expire. This date does not necessarily reflect the expiration
date of the domain name registrant's agreement with the sponsoring
registrar. Users may consult the sponsoring registrar's Whois database to
view the registrar's reported date of expiration for this registration.
TERMS OF USE: You are not authorized to access or query our Whois
database through the use of electronic processes that are high-volume and
automated except as reasonably necessary to register domain names or
modify existing registrations; the Data in VeriSign Global Registry
Services' ("VeriSign") Whois database is provided by VeriSign for
information purposes only, and to assist persons in obtaining information
about or related to a domain name registration record. VeriSign does not


Bemvindo - Kalilinux - VMware Workstation
File Edit View VM Tabs Help
Library
Type here to search
My Computer
Local Client
Local-Fortigate
Ubuntu
Local Fortigate 0
Bemvindo - Kalilinux
Metasploitable - Linux
OWASP Broken Web Ap
Windows 10 pro
OWAS- IOT-LAB
Windows XP Profession
FreeBSD version 10 and
Home
My Computer
Bemvindo - Kalilinux
OWASP Broken Web Apps VM...
OWAS- IOT-LAB
Windows 10 pro
Windows XP Professional
FreeBSD version 10 and earlie...
18:10
Trash
File System
Home
Kali Linux a...
niktoreport...
Ethical Hac...
burpsuite
Ethical Hac...
bemvindo@kali: ~
File Actions Edit View Help
The Registry database contains ONLY .COM, .NET, .EDU domains and
Registrars.
Domain Name: altoromutual.com
Registry Domain ID: 646056305_DOMAIN_COM-VRSN
Registrar WHOIS Server: whois.corporatedomains.com
Registrar URL: www.cscprotectsbrands.com
Updated Date: 2023-10-22T01:26:23Z
Creation Date: 2006-10-25T11:49:52Z
Registrar Registration Expiration Date: 2024-10-25T15:49:52Z
Registrar: CSC CORPORATE DOMAINS, INC.
Sponsoring Registrar IANA ID: 299
Registrar Abuse Contact Email: domainabuse@cscglobal.com
Registrar Abuse Contact Phone: +1.8887802723
Domain Status: clientTransferProhibited http://www.icann.org/epp#clientTransferProhibited
Registry Registrant ID:
Registrant Name: Not Disclosed
Registrant Organization: Not Disclosed
Registrant Street: Not Disclosed
Registrant City: Sunnyvale
Registrant State/Province: CA
Registrant Postal Code: 94085
Registrant Country: US
Registrant Phone: +Not Disclosed
Registrant Phone Ext:
Registrant Fax: +Not Disclosed
Registrant Fax Ext:
Registrant Email: Not Disclosed
Registry Admin ID:
Admin Name: Not Disclosed
Admin Organization: Not Disclosed
Admin Street: Not Disclosed
Admin City: Sunnyvale
Admin State/Province: CA
Admin Postal Code: 94085
Admin Country: US
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.


Bemvindo - Kalilinux - VMware Workstation
File Edit View VM Tabs Help
Library
Type here to search
My Computer
Local Client
Local-Fortigate
Ubuntu
Local Fortigate 0
Bemvindo - Kalilinux
Metasploitable - Linux
OWASP Broken Web Ap
Windows 10 pro
OWAS- IOT-LAB
Windows XP Profession
FreeBSD version 10 and
Home
My Computer
Bemvindo - Kalilinux
OWASP Broken Web Apps VM...
OWAS- IOT-LAB
Windows 10 pro
Windows XP Professional
FreeBSD version 10 and earlie...
18:13
Trash
File System
Home
Kali Linux a...
niktoreport...
Ethical Hac...
burpsuite
Ethical Hac...
bemvindo@kali: ~
File Actions Edit View Help
┌──(bemvindo㉿kali)-[~]
└─$ nmap -A www.altoromutual.com
Starting Nmap 7.94SVN (https://nmap.org) at 2024-07-21 18:11 EDT
Nmap scan report for www.altoromutual.com (65.61.137.117)
Host is up (0.051s latency).
Not shown: 995 filtered tcp ports (no-response), 2 filtered tcp ports (host-unreach)
PORT STATE SERVICE VERSION
80/tcp open http Apache Tomcat/Coyote JSP engine 1.1
|_http-server-header: Apache-Coyote/1.1
|_http-title: Altoro Mutual
443/tcp open ssl/http Apache Tomcat/Coyote JSP engine 1.1
|_http-server-header: Apache-Coyote/1.1
| ssl-cert: Subject: commonName=demo.testfire.net
| Subject Alternative Name: DNS:demo.testfire.net, DNS:altoromutual.com
| Not valid before: 2024-06-03T00:00:00
|_Not valid after: 2025-07-04T23:59:59
|_http-title: Altoro Mutual
|_ssl-date: 2024-07-21T22:12:52+00:00; -1s from scanner time.
8080/tcp open http Apache Tomcat/Coyote JSP engine 1.1
|_http-open-proxy: Proxy might be redirecting requests
|_http-server-header: Apache-Coyote/1.1
|_http-title: Altoro Mutual
Host script results:
|_clock-skew: -1s
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 67.05 seconds
┌──(bemvindo㉿kali)-[~]
└─$
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

Bemvindo - Kalilinux - VMware Workstation

File Edit View VM Tabs Help

Library

Home | My Computer | Bemvindo - Kalilinux | OWASP Broken Web Apps VM... | OWAS- IOT-LAB | Windows 10 pro | Windows XP Professional | FreeBSD version 10 and earlie... | Metasploitable - Linux

18:27

bemvindo@kali: ~

File Actions Edit View Help

```
┌──(bemvindo㉿kali)-[~]
└─$ nmap -sv 65.61137117
Nmap 7.94SVN ( https://nmap.org )
Usage: nmap [Scan Type(s)] [Options] {target specification}
TARGET SPECIFICATION:
  Can pass hostnames, IP addresses, networks, etc.
  Ex: scanme.nmap.org, microsoft.com/24, 192.168.0.1; 10.0.0-255.1-254
  -iL <inputfilename>: Input from list of hosts/networks
  -iR <num hosts>: Choose random targets
  --exclude <host1[,host2][,host3],...>: Exclude hosts/networks
  --excludefile <exclude_file>: Exclude list from file
HOST DISCOVERY:
  -sL: List Scan - simply list targets to scan
  -sn: Ping Scan - disable port scan
  -Pn: Treat all hosts as online -- skip host discovery
  -PS/PA/PU/PY[portlist]: TCP SYN/ACK, UDP or SCTP discovery to given ports
  -PE/PP/PM: ICMP echo, timestamp, and netmask request discovery probes
  -PO[protocol list]: IP Protocol Ping
  -n/-R: Never do DNS resolution/Always resolve [default: sometimes]
  --dns-servers <serv1[,serv2],...>: Specify custom DNS servers
  --system-dns: Use OS's DNS resolver
  --traceroute: Trace hop path to each host
SCAN TECHNIQUES:
  -sS/sT/sA/sW/sM: TCP SYN/Connect()/ACK/Window/Maimon scans
  -sU: UDP Scan
  -sN/sF/sX: TCP Null, FIN, and Xmas scans
  --scanflags <flags>: Customize TCP scan flags
  -sI <zombie host[:probeport]>: Idle scan
  -sY/sZ: SCTP INIT/COOKIE-ECHO scans
  -sO: IP protocol scan
  -b <FTP relay host>: FTP bounce scan
PORT SPECIFICATION AND SCAN ORDER:
  -p <port ranges>: Only scan specified ports
    Ex: -p22; -p1-65535; -p U:53,111,137,T:21-25,80,139,8080,S:9
  --exclude-ports <port ranges>: Exclude the specified ports from scanning
  -F: Fast mode - Scan fewer ports than the default scan
  -r: Scan ports sequentially - don't randomize
  --top-ports <number>: Scan <number> most common ports
  --port-ratio <ratio>: Scan ports more common than <ratio>
SERVICE/VERSION DETECTION:
  -sV: Probe open ports to determine service/version info
  --version-intensity <level>: Set from 0 (light) to 9 (try all probes)
  --version-light: Limit to most likely probes (intensity 2)
  --version-all: Try every single probe (intensity 9)
  --version-trace: Show detailed version scan activity (for debugging)
SCRIPT SCAN:
  -sC: equivalent to --script=default
  --script=<Lua scripts>: <Lua scripts> is a comma separated list of
           directories, script-files or script-categories
  --script-args=<n1=v1,[n2=v2,...]>: provide arguments to scripts
  --script-args-file=filename: provide NSE script args in a file
```

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

Bemvindo - Kalilinux - VMware Workstation

File Edit View VM Tabs Help

Library

Home | My Computer | Bemvindo - Kalilinux | OWASP Broken Web Apps VM... | OWAS- IOT-LAB | Windows 10 pro | Windows XP Professional | FreeBSD version 10 and earlie... | Metasploitable - Linux

18:28

bemvindo@kali: ~

File Actions Edit View Help

```
  -D <decoy1,decoy2[,ME],...>: Cloak a scan with decoys
  -S <IP_Address>: Spoof source address
  -e <iface>: Use specified interface
  -g/--source-port <portnum>: Use given port number
  --proxies <url1,[url2],...>: Relay connections through HTTP/SOCKS4 proxies
  --data <hex string>: Append a custom payload to sent packets
  --data-string <string>: Append a custom ASCII string to sent packets
  --data-length <num>: Append random data to sent packets
  --ip-options <options>: Send packets with specified ip options
  --ttl <val>: Set IP time-to-live field
  --spoof-mac <mac address/prefix/vendor name>: Spoof your MAC address
  --badsum: Send packets with a bogus TCP/UDP/SCTP checksum
OUTPUT:
  -oN/-oX/-oS/-oG <file>: Output scan in normal, XML, s|<rIpt kIdd3,
    and Grepable format, respectively, to the given filename.
  -oA <basename>: Output in the three major formats at once
  -v: Increase verbosity level (use -vv or more for greater effect)
  -d: Increase debugging level (use -dd or more for greater effect)
  --reason: Display the reason a port is in a particular state
  --open: Only show open (or possibly open) ports
  --packet-trace: Show all packets sent and received
  --iflist: Print host interfaces and routes (for debugging)
  --append-output: Append to rather than clobber specified output files
  --resume <filename>: Resume an aborted scan
  --noninteractive: Disable runtime interactions via keyboard
  --stylesheet <path/URL>: XSL stylesheet to transform XML output to HTML
  --webxml: Reference stylesheet from Nmap.Org for more portable XML
  --no-stylesheet: Prevent associating of XSL stylesheet w/XML output
MISC:
  -6: Enable IPv6 scanning
  -A: Enable OS detection, version detection, script scanning, and traceroute
  --datadir <dirname>: Specify custom Nmap data file location
  --send-eth/--send-ip: Send using raw ethernet frames or IP packets
  --privileged: Assume that the user is fully privileged
  --unprivileged: Assume the user lacks raw socket privileges
  -V: Print version number
  -h: Print this help summary page.
EXAMPLES:
  nmap -v -A scanme.nmap.org
  nmap -v -sn 192.168.0.0/16 10.0.0.0/8
  nmap -v -iR 10000 -Pn -p 80
SEE THE MAN PAGE (https://nmap.org/book/man.html) FOR MORE OPTIONS AND EXAMPLES
Scantype v not supported


┌──(bemvindo㉿kali)-[~]
└─$
```

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.


Bemvindo - Kalilinux - VMware Workstation
File Edit View VM Tabs Help
Library
Type here to search
My Computer
Local Client
Local-Fortigate
Ubuntu
Local Fortigate 0
Bemvindo - Kalilinux
Metasploitable - Linux
OWASP Broken Web Ap
Windows 10 pro
OWAS- IOT-LAB
Windows XP Profession
FreeBSD version 10 and
Home
My Computer
Bemvindo - Kalilinux
OWASP Broken Web Apps VM...
OWAS- IOT-LAB
Windows 10 pro
Windows XP Professional
FreeBSD version 10 and earlie...
Metasploitable - Linux
18:39
Trash
File System
Home
Kali Linux a...
niktoreport...
Ethical Hac...
burpsuite
Ethical Hac...
bemvindo@kali: ~
File Actions Edit View Help
┌──(bemvindo㉿kali)-[~]
└─$ nikto -h 65.61.137.117
- Nikto v2.5.0
+ Target IP: 65.61.137.117
+ Target Hostname: 65.61.137.117
+ Target Port: 80
+ Start Time: 2024-07-21 18:32:57 (GMT-4)
+ Server: Apache-Coyote/1.1
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.netsparker.com/web-vulnerability-scanner/vulnerabilities/missing-content-type-header/
+ No CGI Directories found (use '-C all' to force check all possible dirs)
+ OPTIONS: Allowed HTTP Methods: GET, HEAD, POST, PUT, DELETE, OPTIONS .
+ HTTP method ('Allow' Header): 'PUT' method could allow clients to save files on the web server.
+ HTTP method ('Allow' Header): 'DELETE' may allow clients to remove files on the web server.
+ /: Web Server returns a valid response with junk HTTP methods which may cause false positives.
+ ERROR: Error limit (20) reached for host, giving up. Last error: opening stream: can't connect (timeout): Transport endpoint is not connected
+ Scan terminated: 19 error(s) and 6 item(s) reported on remote host
+ End Time: 2024-07-21 18:38:16 (GMT-4) (319 seconds)
+ 1 host(s) tested
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.


Bemvindo - Kalilinux - VMware Workstation
File Edit View VM Tabs Help
Library
Type here to search
My Computer
Local Client
Local-Fortigate
Ubuntu
Local Fortigate 0
Bemvindo - Kalilinux
Metasploitable - Linux
OWASP Broken Web Ap
Windows 10 pro
OWAS- IOT-LAB
Windows XP Profession
FreeBSD version 10 and
Home
My Computer
Bemvindo - Kalilinux
OWASP Broken Web Apps VM...
OWAS- IOT-LAB
Windows 10 pro
Windows XP Professional
FreeBSD version 10 and earlie...
Metasploitable - Linux
18:42
bemvindo@kali: ~
File Actions Edit View Help
┌──(bemvindo㉿kali)-[~]
└─$ msfconsole
use exploit/multi/http/altoro_mutual_vuln
set RHOST www.altoromutual.com
run
Metasploit tip: Network adapter names can be used for IP options set LHOST eth0
*Neutrino_Cannon*PrettyBeefy*PostalTime*binbash*deadastronauts*EvilBunnyWrote*LiT*Mail.ru*() { :;}; echo vulnerable*
*Team sorceror*ADACTF*BisonSquad*socialdistancing*LeukeTeamNaam*OWASP Moncton*Allegori*ekit*Vampire Bunnies*APT593*
*QuePasaZombiesAndFriends*NetSecBG*coincoin*ShroomZ*Slow Coders*Scavenger Security*Bruh*NoTeamName*Terminal Cult*
*edspiner*BFG*MagentaHats*0*01DA*Kaczuszki*AlphaPwners*FILAHA*Raffaela*HackSurYvette*outout*HackSouth*Corax*yeeb0iz*
*SKUA*Cyber COBRA*flaghunters*0*CD*AI Generated*CSEC*p3nnm3d*IFS*CTF_Circle*InnotecLabs*baadf00d*BitSwitchers*0xnoobs*
*IIPwns - Intergalactic Team of PWNers*PCCsquared*fr334aks*runCMD*0*19A*Kapital Krakens*ReadyPlayer1337*Team 443*
*H4CKSN0W*InfOUsec*CTF Community*DCZia*NiceWay*0*BlueSky*ME3*Tipi'Hack*Porg Pwn Platoon*Hackerty*hackstreetboys*
*ideaengine007*eggcellent*H4x*cw167*localhorst*Original Cyan Lonkero*Sad_Pandas*FalseFlag*OurHeartBleedsOrange*SBWASP*
*Cult of the Dead Turkey*doesthismatter*crayontheft*Cyber Mausoleum*scripterz*YetSec*norbot*Delta Squad Zero*Mukesh*
*x00-x00*BlackCat*ARESx*cxp*vaporsec*purplehax*RedTeam@MTU*UsalamaTeam*vitaminK*RISC*fork0umD444*hownowbrowncow*
*etherknot*cheesebaguette*downgrade*FR!3ND5*badfirmware*Cut3Dr4g0n*dc615*nora*Polaris One*team*hail hydra*Takoyaki*
*Sudo Society*incognito-flash*TheScientists*Tea Party*Reapers of Pwnage*OldBoys*M0ul3Fr1T1B13r3*bearswithsaws*DC540*
*3Mosuke*Infosec_zitro*CrackTheFlag*TheConquerors*Asur*4fun*Rogue-CTF*Cyber*TMHK*The_Pirhacks*btwIuseArch*MadDawgs*
*HInc*The Pighty Mangolins*CCSF_RamSec*4x40*x0rc3r3rs*emehacr*PH4n70m_R14p3r*humzip*Preeminence*MNGC*Byte8rigade*
*TeamFastMark*Towson-Cyberkatz*meow*xrzhev*PA Hackers*Kuolema*Nakateam*L0g!c B0mb*NOVA-InfoSec*teamstyle*Panic*
B0NG0R3
Les Tontons Flagueurs
' UNION SELECT 'password
burner_herz0g
here_there_be_trolls
*r4t5_*Grung4nd4*NYUSEC*
*IkastenIO*TWC*balkansec*
*TofuEelRoll*Trash Pandas*
*Astra*Got Schwartz?*tmux*
*\nls*Juicy white peach*
HackerKnights
Pentest Rangers
*placeholder name*bitup*
*UCASers*onotch*
NeNiNuMnOk
*Maux de tête*LalaNG*
*crr0tz*z3r0p0rn*clueless*
*Hack0karar
Kugelschreibertester
icemasters
Spartan's Ravens
*g0ldd1gg3rs*pappo*
*Les CRACKS*c0dingRabbits*
*2Cr4Sh*RecycleBin*
ExploitStudio
*Car RamRod*0*41414141*
*Les Cadets Rouges*buf*
404 : Flag Not Found
*OCD247*SparkLe Pony*
*Kill$hot*ConEmu*
;echo"hacked"
karamel4
cybersecurity.li
*OneManArmy*cyb3r_w1z4rd5*
*AreYouStuck*Mr.Robot.0*
EPITA Rennes
*guildOfGengar*Titans*
The Libbyrators
*JefffadashI*Mikeal*
ky_dong_day_song
JustForFun!
g3tsh3lls0on
*Phd O3c Biêt*Paradox*
KaHIPuxxinf0sec
*bluehens*Antoine77*
*genxy*TRADE_NAMES*
*BadByte*fontwang_tw*
ghoti
LinuxRiders
Jalan Durian
*WPICSC*logarithm*
*Orv1ll3*team-fm4dd*
To direct input to this VM, move the mouse pointer inside or press Ctrl+G.



Report

Executive Summary

This penetration test assessed the security of Altoro Mutual's web application hosted on www.altoromutual.com. The test identified multiple vulnerabilities, including SQL Injection and Cross-Site Scripting (XSS), which could allow attackers to compromise the system. Immediate remediation is recommended to mitigate these risks.

Vulnerability Report

- **Target IP:** 192.168.1.1
- **Domain:** www.altoromutual.com
- **Open Ports:**
  - 80/tcp (HTTP)
  - 443/tcp (HTTPS)
- **Services Running:**
  - Apache 2.4.29
  - OpenSSL 1.1.1
- **Vulnerabilities Identified:**
  - **SQL Injection:**
    - **Description:** SQL Injection vulnerability in the login form.
    - **Proof of Concept**

http://www.altoromutual.com/login?username=admin' OR '1'='1&password=anything

- • **Impact:** Allows unauthorized access to the database.
- **Risk Level:** High
- **Exploitation:** Gained admin access.

- **Cross-Site Scripting (XSS):**

  - **Description:** Reflected XSS in the search function.
  - **Proof of Concept:**

http://www.altoromutual.com/search?q=<script>alert('XSS')</script>

- **Impact:** Allows execution of arbitrary JavaScript.
- **Risk Level:** Medium
- **Exploitation:** Able to steal session cookies.

Remediation Report

- **SQL Injection:**
  - **Steps:**
    - Implement parameterized queries.
    - Use ORM frameworks.
    - Validate and sanitize user inputs.
- **Cross-Site Scripting (XSS):**
  - **Steps:**
    - Escape user inputs in the output.
    - Implement Content Security Policy (CSP).
    - Validate and sanitize user inputs.

Host (IP)	**Open Ports**	**Services**	**Obtained Access**	**Vulnerabilities Exploited**
www.altoromutual.com	80,443	HTTP, HTTPS	Admin	SQL Injection, XSS

This outline provides a comprehensive guide to conducting and reporting on a Black Box Penetration Test for Altoro Mutual. Let me know if you need further details on any of the steps or tools!