

FIRECODE: A Computational Chemistry Workflow Driver and Modular Hub

Nicolò Tampellini ¹✉

¹ Massachusetts Institute of Technology, United States of America ✉ Corresponding author

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Open Journals](#) 

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright and release the work under a

Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

Computational chemistry, which seeks to model molecular systems for the extraction of properties of interest, is experiencing a significant renaissance thanks to impressive advances in theoretical models enabling ever-faster simulations of complex processes via density functional theory (DFT), semiempirical methods, and machine-learned interatomic potentials (MLIPs). However, the reduced computational cost of these workflows will only translate into faster and more robust modeling with the help of automation frameworks, where trivial human intervention does not become the new bottleneck of computational pipelines. FIRECODE aims at filling this need by providing a modular framework for generating and processing molecular ensembles.

Statement of need

FIRECODE is a modular workflow driver for computational chemistry written in Python. The code interfaces with a series of fast modern calculators (xTB ([Bannwarth et al., 2019](#)), tblite ([GitHub - Tblite/Tblite; Katbashev et al., 2025](#)), AIMNET2 ([Anstine et al., 2025](#)), UMA ([Wood et al., 2025](#)), usually via ASE ([Ase / Ase · GitLab — Gitlab.com; Bahn & Jacobsen, 2002; Larsen et al., 2017](#))) and exposes a series of workflows and utilities for geometry optimization, frequency analysis, one- and two-ended transition state search, and conformational search. When possible, these routines are implemented in a calculator-independent way, and almost all of these can be arbitrarily chained to one another to define a complex workflow.

The software was born out of necessity over the last five years of research in asymmetric catalysis: FIRECODE was designed to streamline the necessary use of multiple software and routines in the computational modeling of small molecules, in a single centralized hub. The program can be called via command line with a minimal plain-text input file defining the workflow, or used as a Python library in Jupyter notebooks. The modular nature of the software enables rapid addition of new features, facilitating external contributions, while also retaining a small installation footprint for the core library. External programs are easily interfaced via API calls or file-based I/O. The concise input syntax also offers a streamlined definition of workflows and software orchestration with no coding experience required.

State of the field

On top of computational chemistry software, workflow utilities orchestrating sequential calculation steps are increasingly recognized as an essential asset in the streamlining of modeling efforts. Recently, version 6.0 of ORCA ([Neese et al., 2020; Neese, 2022; Tetenberg et al., 2026](#)) (free for academic use) started offering compound job functionality, which enables the chained execution of some core ORCA modules. However, the code is not open-source and functionality is limited to what is included in the ORCA program (*i.e.* no MLIPs, no similarity

40 pruning, no ensemble processing...). While ORCA workflows are more extensively implemented
41 in WEASEL ([Faccts](#)), this is commercial, closed-source software.

42 Related software to the one presented here include AQME, ([Alegre-Requena et al., 2023](#)) which
43 has what is perhaps the most similar design philosophy. Key differences with FIRECODE, besides
44 code architecture, lie in: 1) the main interaction platform of AQME happening via Jupyter
45 notebooks, while the software of this work favors the use of plain-text input files, keeping the
46 inputs as minimal as possible. 2) The present software having a reactivity-centered set of
47 features, chiefly via fast semiempirical and ML calculators, over AQME's focus on DFT and on
48 the generation of ensemble properties like spectra and molecular descriptors.

49 Other workflow software emerging from the material chemistry community includes atomate2
50 ([A. Ganose et al., 2025](#); [A. M. Ganose et al., 2025](#)), AiIDA ([AiIDA — Computational Science
Workflow Manager — Aiida.net](#); [Huber et al., 2020](#); [Pizzi et al., 2016](#); [Uhrin et al., 2021](#)) and
51 QuAcc ([GitHub - Quantum-Accelerators/Quacc](#); [Rosen, 2026](#)).

53 Reactivity-centered software, primarily for the automated location of transition states, is also
54 gaining popularity. Examples include autodE ([GitHub - DuarteGroup/AutodE](#); [Young et al.,
2021](#)) and ML-FSM ([GitHub - TheGomeslab/ML-FSM](#); [Marks & Gomes, 2025](#)). The latter is
55 indeed interfaced as a utility in FIRECODE, given its light weight and flexibility in working
56 with different ASE calculators.

58 Other examples of related software, specifically targeting the exposure of high-level primitives
59 over structured workflows, include Cuby ([GitHub - Berquist/Cuby](#); [Řezáč, 2016](#)) (MD and
60 high-level DFT) written in Ruby, and the popular ASE ([Ase / Ase · GitLab — Gitlab.com](#);
61 [Bahn & Jacobsen, 2002](#); [Larsen et al., 2017](#)), which is extensively used as a lower-level interface
62 for interacting with calculators in FIRECODE.

63 The development of this software from scratch was motivated by several factors. First, a modern
64 and flexible hub for running computational chemistry workflows, particularly tailored to modeling
65 chemical reactivity and MLIPs, was lacking. In this context, we refer to “reactivity workflows”
66 as the sequence of sequential steps from a three-dimensional molecular representation to a
67 conformationally comprehensive characterization of bond breaking and forming events. This
68 requires access to conformational search modules, efficient multistage ensemble optimization
69 routines, similarity pruning, the ability to use arbitrary geometrical constraints throughout, the
70 ability to optimize to local minima and saddle points alike, and the ability to carry out vibrational
71 analysis and calculate related thermochemical corrections to access enthalpy/entropy/free
72 energy values.

73 While the benefit of developing standalone applications for specific tasks remains, their
74 integration in a single hub is uniquely enabling for automation, and contributes to the
75 popularization of robust atomistic modeling. Second, modern machine-learned interatomic
76 potentials (MLIPs) are often centered around Python libraries like torch ([Ansel et al., 2024](#);
77 [GitHub - Pytorch/Pytorch](#)), benefitting greatly from a Python-based workflow manager.
78 Additional features of note of this software also include an implicit delta solvation scheme for
79 gas phase-trained MLIPs ¹, and numerical quasi-RRHO thermochemistry ([Grimme, 2012](#)).

80 Software design

81 The software is developed with the philosophy of maintaining the greatest amount of
82 functionality and module interoperability with the minimal list of dependencies, which should
83 ideally be as modern and lean as possible. All core dependencies are distributed via pypi,
84 keeping the installation of the minimal version of the program down to a single command (uv

¹That is, a calculator providing the energy and gradient differences between an atomic structure in an implicit solvent and the same structure in vacuum. These differential contributions are then added to the energy and gradient components of calculations that have no native implementation of solvation models (i.e. gas phase-trained MLIPs).

85 pip install firecode). Non-essential dependencies can be installed based on the desired
86 calculator and interfaces to be used, all via conda.

87 The software implements various calculators (xTB ([Bannwarth et al., 2019](#)), tblite ([GitHub -
88 Tblite/Tblite; Katbashev et al., 2025](#)), AIMNET2 ([Anstine et al., 2025](#)), UMA ([Wood et al.,
89 2025](#))) via ASE ([Ase / Ase · GitLab — Gitlab.com](#); [Bahn & Jacobsen, 2002](#); [Larsen et al.,
90 2017](#)), which can be used interchangeably in various ensemble routines. Other core libraries
91 leveraged throughout the codebase are numpy ([GitHub - Numpy/Numpy; Harris et al., 2020](#))
92 for algebraic manipulations, networkx ([GitHub - Networkx/Networkx; Hagberg et al., 2008](#))
93 for graph utilities and prism_pruner ([GitHub - Ntampellini/Prism_pruner](#)) for the removal
94 of duplicates. Sella ([GitHub - Zadorlab/Sella; Hermes et al., 2019, 2021, 2022](#)) provides
95 a saddle-point optimizer, and rdkit ([GitHub - Rdkit/Rdkit; Greg Landrum, 2026](#)) is used
96 for ETKDG ([Riniker & Landrum, 2015](#)) conformational searches and SMARTS substructure
97 matching. The ML-FSM library ([GitHub - Thegomeslab/ML-FSM; Marks & Gomes, 2025](#))
98 provides a two-ended TS search utility complementing ASE's implementation of the NEB method
99 ([Åsgeirsson et al., 2021](#)).

100 Other standalone conformational search software is instead interfaced via subprocess calls
101 and file-based I/O, like CREST ([Pracht et al., 2020, 2024](#)), ORCA's GOAT ([Souza, 2025](#)) and
102 racerts ([GitHub - Digital-Chemistry-Laboratory/Racerts; Schmid et al., 2026](#)).

103 The modular nature of the calculators and interfaces allows the definition of complex workflows
104 in plain-text files (input.txt):

```
firecode input.txt -n test_run
```

105 A second standalone executable exposes the core optimizer routines acting directly on structure
106 files:

```
firecode_opt conformers.xyz --opt --freq --solvent toluene [...]
```

107 Contributions by way of adding new routines (or interfaces) to the codebase is made
108 straightforward by design: individual “operators” (routines) are simply functions reading a
109 molecular .xyz file and returning the filename of the processed ensemble. Run information
110 can be accessed from the Embedder class or via environment variables.

```
def center_operator(filename: str, embedder: Embedder) -> str:
    """Example operator centering the molecule."""

    # the Embedder class stores global information
    embedder.avail_gpus # 1
    embedder.options.solvent # "ch2cl2"
    embedder.options.T # 298.15

    # get a copy of the molecule of interest
    mol = embedder.mols[filename]

    # center coordinates
    mol.coords[0] -= np.mean(mol.coords[0], axis=0)

    # save any data you might need later
    embedder.options.centered = True
    embedder.options.last_operator = "center"

    # write to global log
    embedder.log(f"--> Center operator: centered molecule {mol.basename}")

    # write outfile and return its name
    outfile = f"{mol.basename}_centered.xyz"
```

```
mol.to_xyz(outfile)
```

```
return outfile
```

Research impact statement

Since its earliest versions in 2021 (formerly [TSCoDe](#)), this software proved essential in orchestrating asymmetric catalysis workflows with ensembles up to thousands of structures ([Huth et al., 2024](#); [Marvich et al., 2026](#); [Rozema et al., 2025](#); [Tampellini et al., 2024, 2025](#); [Tampellini, Choi, et al., 2025](#)). These included the generation of large conformational ensembles for flexible catalysts and their non-covalent aggregates (often including specific constraints) and the multilevel optimization and pruning of these ensembles to a smaller number of non-redundant structures. These refined ensembles were then directed to higher-level DFT optimization to achieve quantitative insight into stereoselectivity (*i.e.* a predicted $\Delta\Delta G^\ddagger$ value) and obtain other conformationally-comprehensive properties (*i.e.* flexibility, relative populations, number of interaction topologies).

Adoption of FIRECODE is starting to grow, with pypi reporting ~250 downloads per month at the present time. Part of the core code was exported to the prism_pruner library ([GitHub - Ntampellini/Prism_pruner](#)) to facilitate its adoption by the computational chemistry startup Rowan ([Rowan | ML-Powered Molecular Design and Simulation — Rowansci.com](#)) (not affiliated with the author).

AI usage disclosure

Generative AI tools (Claude, Gemini) were used in some cases to generate first drafts of Python functions that were then manually curated line-by-line and interfaced with the rest of the codebase by hand. No generative AI tools were used in the writing of this manuscript.

Acknowledgements

We acknowledge years of research support from both Alma Mater Studiorum - University of Bologna (Prof. Giorgio Bencivenni and Prof. Paolo Righi) and Yale University (Prof. Scott J. Miller). These environments provided both the computational resources to run and develop the software as well as the primary problems it was designed to address and was stress-tested against.

References

- AiiDA — Computational Science Workflow Manager* — aiida.net. <https://aiida.net/>.
- Alegre-Requena, J. V., Sowndarya S. V, S., Pérez-Soto, R., Alturaifi, T. M., & Paton, R. S. (2023). AQME: Automated quantum mechanical environments for researchers and educators. *WIREs Computational Molecular Science*, 13(5), e1663. <https://doi.org/10.1002/wcms.1663>
- Ansel, J., Yang, E., He, H., Gimelshein, N., Jain, A., Voznesensky, M., Bao, B., Bell, P., Berard, D., Burovski, E., Chauhan, G., Chourdia, A., Constable, W., Desmaison, A., DeVito, Z., Ellison, E., Feng, W., Gong, J., Gschwind, M., ... Chintala, S. (2024). PyTorch 2: Faster machine learning through dynamic python bytecode transformation and graph compilation. In *Proceedings of the 29th ACM International Conference on Architectural Support for Programming Languages and Operating Systems, Volume 2* (pp. 929–947). ACM. <https://doi.org/10.1145/3620665.3640366>

- 150 Anstine, D. M., Zubatyuk, R., & Isayev, O. (2025). AIMNet2: A neural network potential
151 to meet your neutral, charged, organic, and elemental-organic needs. *Chemical Science*,
152 16(23), 10228–10244. <https://doi.org/10.1039/d4sc08572h>
- 153 *Ase / ase* · *GitLab* — *gitlab.com*. <https://gitlab.com/ase/ase>.
- 154 Ásgeirsson, V., Birgisson, B. O., Bjornsson, R., Becker, U., Neese, F., Riplinger, C., & Jónsson,
155 H. (2021). Nudged elastic band method for molecular reactions using energy-weighted
156 springs combined with eigenvector following. *Journal of Chemical Theory and Computation*,
157 17(8), 4929–4945. <https://doi.org/10.1021/acs.jctc.1c00462>
- 158 Bahn, S. R., & Jacobsen, K. W. (2002). An object-oriented scripting interface to a legacy
159 electronic structure code [Article]. *Comput. Sci. Eng.*, 4(3), 56–66. <https://doi.org/10.1109/5992.998641>
- 161 Bannwarth, C., Ehlert, S., & Grimme, S. (2019). GFN2-xTB—an accurate and broadly
162 parametrized self-consistent tight-binding quantum chemical method with multipole
163 electrostatics and density-dependent dispersion contributions. *Journal of Chemical Theory
164 and Computation*, 15(3), 1652–1671. <https://doi.org/10.1021/acs.jctc.8b01176>
- 165 Faccts. *Weasel - FACCTs* — *faccts.de*. <https://www.faccts.de/weasel/>.
- 166 Ganose, A. M., Sahasrabudhe, H., Asta, M., Beck, K., Biswas, T., Bonkowski, A., Bustamante,
167 J., Chen, X., Chiang, Y., Chrzan, D. C., Clary, J., Cohen, O. A., Ertural, C., Gallant, M.
168 C., George, J., Gerits, S., Goodall, R. E. A., Guha, R. D., Hautier, G., ... Jain, A. (2025).
169 Atomate2: Modular workflows for materials science. *Digital Discovery*, 4(7), 1944–1973.
170 <https://doi.org/10.1039/d5dd00019j>
- 171 Ganose, A., Riebesell, J., George, J., Shen, J., Rosen, A. S., Naik, A. A., nwinner, Wen,
172 M., rdguha1995, Kuner, M., Kaplan, A., Petretto, G., Ertural, C., Horton, M., Zhu,
173 Z., Sahasrabudhe, H., Schmidt, J., Kingsbury, R., Purcell, T., ... Wang, S. (2025).
174 *Materialsproject/atomate2: v0.0.21* (Version v0.0.21). Zenodo. <https://doi.org/10.5281/zenodo.15603088>
- 176 *GitHub - berquist/cuby: A copy of cuby, a computational chemistry framework written in Ruby.*
177 — *github.com*. <https://github.com/berquist/cuby>.
- 178 *GitHub - digital-chemistry-laboratory/racerts: A Python package for efficient conformer
179 sampling for transition states* — *github.com*. <https://github.com/digital-chemistry-laboratory/racerts>.
- 181 *GitHub - duartegroup/autodE: Automated reaction profile generation* — *github.com*. <https://github.com/duartegroup/autodE>.
- 183 *GitHub - networkx/networkx: Network Analysis in Python* — *github.com*. <https://github.com/networkx/networkx>.
- 185 *GitHub - ntampellini/prism_pruner: Similarity pruning engine for conformational ensembles* —
186 *github.com*. https://github.com/ntampellini/prism_pruner.
- 187 *GitHub - numpy/numpy: The fundamental package for scientific computing with Python.* —
188 *github.com*. <https://github.com/numpy/numpy>.
- 189 *GitHub - pytorch/pytorch: Tensors and Dynamic neural networks in Python with strong GPU
190 acceleration* — *github.com*. <https://github.com/pytorch/pytorch>.
- 191 *GitHub - Quantum-Accelerators/quacc: Quacc is a flexible platform for computational materials
192 science and quantum chemistry that is built for the big data era.* — *github.com*. <https://github.com/quantum-accelerators/quacc>.
- 194 *GitHub - rdkit/rdkit: The official sources for the RDKit library* — *github.com*. <https://github.com/rdkit/rdkit>.

- 196 GitHub - tblite/tblite: Light-weight tight-binding framework — github.com. <https://github.com/tblite/tblite>.
- 197
- 198 GitHub - thegomeslab/ML-FSM: Public FSM implementation with support for ML-based
199 potential energy surfaces — github.com. <https://github.com/thegomeslab/ML-FSM>.
- 200 GitHub - zadorlab/sella: A Python software package for saddle point optimization and
201 minimization of atomic systems. — github.com. <https://github.com/zadorlab/sella>.
- 202 Greg Landrum, B. K., Paolo Tosco. (2026). Rdkit/rdkit: 2026_03_3 (Q1 2026). <https://doi.org/10.5281/zenodo.591637z>
- 203
- 204 Grimme, S. (2012). Supramolecular binding thermodynamics by dispersion-corrected density
205 functional theory. *Chemistry - A European Journal*, 18(32), 9955–9964. <https://doi.org/10.1002/chem.201200497>
- 206
- 207 Hagberg, A. A., Schult, D. A., & Swart, P. J. (2008). Exploring network structure, dynamics,
208 and function using NetworkX. *Proceedings of the 7th Python in Science Conference*, 11–15.
209 <https://doi.org/10.25080/tcwv9851>
- 210 Harris, C. R., Millman, K. J., Walt, S. J. van der, Gommers, R., Virtanen, P., Cournapeau, D.,
211 Wieser, E., Taylor, J., Berg, S., Smith, N. J., Kern, R., Picus, M., Hoyer, S., Kerkwijk,
212 M. H. van, Brett, M., Haldane, A., Río, J. F. del, Wiebe, M., Peterson, P., ... Oliphant,
213 T. E. (2020). Array programming with NumPy. *Nature*, 585(7825), 357–362. <https://doi.org/10.1038/s41586-020-2649-2>
- 214
- 215 Hermes, E. D., Sargsyan, K., Najm, H. N., & Zádor, J. (2019). Accelerated saddle point
216 refinement through full exploitation of partial Hessian diagonalization. *Journal of Chemical
217 Theory and Computation*, 15(11), 6536–6549. <https://doi.org/10.1021/acs.jctc.9b00869>
- 218 Hermes, E. D., Sargsyan, K., Najm, H. N., & Zádor, J. (2021). Geometry optimization speedup
219 through a geodesic approach to internal coordinates. *The Journal of Chemical Physics*,
220 155(9). <https://doi.org/10.1063/5.0060146>
- 221 Hermes, E. D., Sargsyan, K., Najm, H. N., & Zádor, J. (2022). Sella, an open-source
222 automation-friendly molecular saddle point optimizer. *Journal of Chemical Theory and
223 Computation*, 18(11), 6974–6988. <https://doi.org/10.1021/acs.jctc.2c00395>
- 224 Huber, S. P., Zoupanos, S., Uhrin, M., Talirz, L., Kahle, L., Häuselmann, R., Gresch, D.,
225 Müller, T., Yakutovich, A. V., Andersen, C. W., Ramirez, F. F., Adorf, C. S., Gargiulo,
226 F., Kumbhar, S., Passaro, E., Johnston, C., Merkys, A., Cepellotti, A., Mounet, N.,
227 ... Pizzi, G. (2020). AiiDA 1.0, a scalable computational infrastructure for automated
228 reproducible workflows and data provenance [Journal Article]. *Scientific Data*, 7(1), 300.
229 <https://doi.org/10.1038/s41597-020-00638-4>
- 230 Huth, S. E., Tampellini, N., Guerrero, M. D., & Miller, S. J. (2024). Catalytic enantioselective
231 sulfoxidation of functionalized thioethers mediated by aspartic acid-containing peptides.
232 *Organic Letters*, 26(32), 6872–6877. <https://doi.org/10.1021/acs.orglett.4c02452>
- 233 Katbashev, A., Stahn, M., Rose, T., Alizadeh, V., Friede, M., Plett, C., Steinbach, P., &
234 Ehlert, S. (2025). Overview on building blocks and applications of efficient and robust
235 extended tight binding. *The Journal of Physical Chemistry A*, 129(10), 2667–2682.
236 <https://doi.org/10.1021/acs.jpca.4c08263>
- 237 Larsen, A. H., Mortensen, J. J., Blomqvist, J., Castelli, I. E., Christensen, R., Duřak, M.,
238 Friis, J., Groves, M. N., Hammer, B., Hargus, C., Hermes, E. D., Jennings, P. C.,
239 Jensen, P. B., Kermode, J., Kitchin, J. R., Kolsbjerg, E. L., Kubal, J., Kaasbjerg, K.,
240 Lysgaard, S., ... Jacobsen, K. W. (2017). The atomic simulation environment—a Python
241 library for working with atoms. *Journal of Physics: Condensed Matter*, 29(27), 273002.
242 <http://stacks.iop.org/0953-8984/29/i=27/a=273002>
- 243 Marks, J., & Gomes, J. (2025). Incorporation of internal coordinates interpolation into the

- 244 freezing string method. *Journal of Chemical Theory and Computation*, 21(23), 12110–12120.
245 <https://doi.org/10.1021/acs.jctc.5c01492>
- 246 Marvich, H. M., Langner, O. C., Tampellini, N., & Miller, S. J. (2026). A bifunctional aminoxyl-
247 bipyridine peptide catalyst for the atroposelective copper-catalyzed aerobic oxidation of
248 biaryl diols. *Journal of the American Chemical Society*, 148(22), 23032–23041. <https://doi.org/10.1021/jacs.6c04560>
249
- 250 Neese, F. (2022). Software update: The ORCA program system—version 5.0. *WIREs*
251 *Computational Molecular Science*, 12(5), e1606. <https://doi.org/10.1002/wcms.1606>
- 252 Neese, F., Wennmohs, F., Becker, U., & Riplinger, C. (2020). The ORCA quantum chemistry
253 program package. *The Journal of Chemical Physics*, 152(22), 224108. <https://doi.org/10.1063/5.0004608>
254
- 255 Pizzi, G., Cepellotti, A., Sabatini, R., Marzari, N., & Kozinsky, B. (2016). AiiDA: Automated
256 interactive infrastructure and database for computational science. *Computational Materials*
257 *Science*, 111, 218–230. <https://doi.org/10.1016/j.commatsci.2015.09.013>
- 258 Pracht, P., Bohle, F., & Grimme, S. (2020). Automated exploration of the low-energy chemical
259 space with fast quantum chemical methods. *Physical Chemistry Chemical Physics*, 22(14),
260 7169–7192. <https://doi.org/10.1039/C9CP06869D>
- 261 Pracht, P., Grimme, S., Bannwarth, C., Bohle, F., Ehlert, S., Feldmann, G., Gorges, J., Müller,
262 M., Neudecker, T., Plett, C., Spicher, S., Steinbach, P., Wesołowski, P. A., & Zeller, F.
263 (2024). CREST—a program for the exploration of low-energy molecular chemical space.
264 *The Journal of Chemical Physics*, 160(11), 114110. <https://doi.org/10.1063/5.0197592>
- 265 Řezáč, J. (2016). Cuby: An integrative framework for computational chemistry. *Journal of*
266 *Computational Chemistry*, 37(13), 1230–1237. <https://doi.org/10.1002/jcc.24312>
- 267 Riniker, S., & Landrum, G. A. (2015). Better informed distance geometry: Using what we
268 know to improve conformation generation. *Journal of Chemical Information and Modeling*,
269 55(12), 2562–2574. <https://doi.org/10.1021/acs.jcim.5b00654>
- 270 Rosen, A. (2026). *Quacc – the quantum accelerator*. Zenodo. <https://doi.org/10.5281/ZENODO.7720998>
271
- 272 Rowan | ML-Powered Molecular Design and Simulation — rowansci.com. <https://rowansci.com/>.
273
- 274 Rozema, S. D., Tampellini, N., Rein, J., Sigman, M. S., Lin, S., & Miller, S. J. (2025).
275 Experimental lineage and computational analysis of a general aminoxyl-based oxidation
276 catalyst: Generality from substrate-specific interactions. *ACS Catalysis*, 15(20),
277 17548–17557. <https://doi.org/10.1021/acscatal.5c05893>
- 278 Schmid, S. P., Seng, H., Kläy, T., & Jorner, K. (2026). Rapid generation of transition-state
279 conformer ensembles via constrained distance geometry. *Journal of Chemical Information*
280 *and Modeling*, 66(5), 2777–2790. <https://doi.org/10.1021/acs.jcim.5c02794>
- 281 Souza, B. de. (2025). GOAT: A global optimization algorithm for molecules and atomic
282 clusters. *Angewandte Chemie International Edition*, 64(18), e202500393. <https://doi.org/10.1002/anie.202500393>
283
- 284 Tampellini, N., Choi, E. S., & Miller, S. J. (2025). Peptide-catalyzed asymmetric amination
285 of sulfenamides enabled by DFT-guided catalyst optimization. *Journal of the American*
286 *Chemical Society*, 147(44), 41122–41129. <https://doi.org/10.1021/jacs.5c15618>
- 287 Tampellini, N., Mercado, B. Q., & Miller, S. J. (2024). Scaffold-oriented asymmetric catalysis:
288 Conformational modulation of transition state multivalency during a catalyst-controlled
289 assembly of a pharmaceutically relevant atropisomer. *Chemistry – A European Journal*,
290 30(30), e202401109. <https://doi.org/10.1002/chem.202401109>

- 291 Tampellini, N., Mercado, B. Q., & Miller, S. J. (2025). Enantiocontrolled cyclization to
292 form chiral 7- and 8-membered rings unified by the same catalyst operating with different
293 mechanisms. *Journal of the American Chemical Society*, 147(5), 4624–4630. <https://doi.org/10.1021/jacs.4c17080>
294
- 295 Tetenberg, T., Neugebauer, H., Plett, C., Santhosh, N., Bursch, M., & Riplinger, C. (2026).
296 ORCA meets python - the ORCA python interface OPI. *Journal of Chemical Theory and*
297 *Computation*, 22(10), 4951–4967. <https://doi.org/10.1021/acs.jctc.5c02141>
- 298 Uhrin, M., Huber, S. P., Yu, J., Marzari, N., & Pizzi, G. (2021). Workflows in AiiDA:
299 Engineering a high-throughput, event-based engine for robust and modular computational
300 workflows. *Computational Materials Science*, 187, 110086. [https://doi.org/10.1016/j.](https://doi.org/10.1016/j.commatsci.2020.110086)
301 [commatsci.2020.110086](https://doi.org/10.1016/j.commatsci.2020.110086)
- 302 Wood, B. M., Dzamba, M., Fu, X., Gao, M., Shuaibi, M., Barroso-Luque, L., Abdelmaqsoud,
303 K., Gharakhanyan, V., Kitchin, J. R., & Levine, D. S. (2025). UMA: A family of universal
304 models for atoms. *arXiv Preprint*. <https://doi.org/10.48550/arXiv.2506.23971>
- 305 Young, T. A., Silcock, J. J., Sterling, A. J., & Duarte, F. (2021). autodE: Automated
306 calculation of reaction energy profiles – application to organic and organometallic reactions.
307 *Angewandte Chemie International Edition*, 60(8), 4266–4274. [https://doi.org/10.1002/](https://doi.org/10.1002/anie.202011941)
308 [anie.202011941](https://doi.org/10.1002/anie.202011941)

DRAFT