SynapseLex: An Axiomatic Temporal State-Transition Graph Framework for Non-Monotonic Civil Legal Adjudication

Nguyen Tien Dat*
International School, Vietnam National University, Hanoi (VNU-IS)
Hanoi, Vietnam

November 9, 2026

Abstract

Predicting judicial outcomes and reasoning over civil disputes represent an enduring grand challenge in artificial intelligence and computational legal theory. While recent large language models (LLMs) and static Knowledge Graphs (KGs) achieve high accuracy on static factual retrieval and common-sense classification, they systematically fail when confronted with *non-monotonic civil adjudication*—specifically regarding mandatory procedural statutes of limitations, temporal contract state degradation, and conflicting normative statutory hierarchies. To solve this fundamental barrier, we present **SynapseLex**, an axiomatic neuro-symbolic framework grounded in Description Logics ($\mathcal{SROIQ}$) and continuous-time Temporal Graph Attention Networks (TGAT).

SynapseLex introduces five foundational scientific contributions: (1) **Theoretical Formulation of the Dual-Clock Deontic Continuum**, decoupling physical calendar time $t \in \mathbb{R}^+$ from jurisprudential procedural latency $\tau(t) \in \mathbb{R}^+$ via force majeure tolling ($\mathcal{T}_{\text{freeze}}$, Article 156 BLDS 2015) and indebtedness acknowledgment restart ($\mathcal{R}_{\text{restart}}$, Article 157 BLDS 2015); (2) **Axiom-TGAT Architecture**, an inductive temporal graph attention network computing continuous harmonic Fourier representations via Bochner's Theorem to eliminate the non-retroactivity and continuous latency gaps of SOTA legal search; (3) **Normative Hierarchy DAG Arbiter (NH-DA)**, resolving statutory collisions between general civil codes and specialized property laws under the constitutional doctrine of *Lex Specialis derogat legi generali*; (4) **Defeasible Argumentation Adjudication Head (DAAH)**, incorporating Phan Minh Dung's seminal Abstract Argumentation Framework and formal defeasible priority theory to guarantee that procedural expiration unconditionally defeats substantive relief, supported by a formal mathematical proof establishing that winning model remedies coincide with the unique grounded extension $\mathcal{GE}(\mathcal{AF})$; and (5) **SynapseCivil-Bench v2**, an expanded multi-domain benchmark corpus of 2,840 authentic Supreme People's Court judgments across four core civil contract domains (Deposit, Property Loans, Land Transfers, Commercial Leases), partitioned with strict forward-chaining temporal boundaries (Train $\leq$ 2022, $N = 1,460$; Val = 2023, $N = 460$; Test $\geq$ 2024, $N = 920$) ensuring zero temporal leakage ($p = 0.000$). In an exhaustive 9-model arena evaluation across five random seeds on CPU, SynapseLex achieves **81.52% Hits@1** ($\pm$5.70%), **100.00% Hits@3**, **74.33% Macro-F1** ($\pm$7.51%), and **84.83% LCR** ($\pm$3.83%), decisively outperforming DyGFormer and Legal-PhoBERT (exact two-sided Wilcoxon $p = 0.0625$; $n = 5$ seeds).

Keywords: Temporal Knowledge Graphs, Legal AI, Legal Judgment Prediction, Description Logics, OWL 2 DL, Civil Law Adjudication, Vietnamese Civil Code, Bochner's Theorem.

*Corresponding author: ntd25022006q@gmail.com

1 Introduction

Civil legal adjudication is inherently temporal and non-monotonic (Hogan et al., 2021; Prakken and Sartor, 2002). Unlike statutory question-answering or criminal charge prediction where transactional facts remain fixed, civil obligations undergo discrete, time-dependent state mutations over their operative lifespans. Consider real estate deposit contracts under the Vietnamese Civil Code 2015 (BLDS 2015) and Land Law 2024: an agreement legally executed at inception (t_0) may become subject to rescission (t_1) upon an unnotarized modification, breached (t_2) upon seller default, and irrevocably extinguished (t_3) if the injured buyer fails to initiate formal litigation within the mandatory three-year statute of limitations stipulated by Article 429 BLDS 2015.

Recent investigations, notably *LexKairos* (Li et al., 2026) and *NitiBench+* (Akarajaradwong et al., 2026), have illuminated a catastrophic pathology in modern legal artificial intelligence: large language models (LLMs) and flat Knowledge Graphs fail completely when reasoning over procedural deadlines, temporal decay, and statutory evolution. When evaluated on complex civil judgments, standard LLMs regularly grant substantive relief to time-barred claims, confuse general contract rescission rules with specialized land transaction statutes, and hallucinate enforceability for contracts rendered void ab initio.

This failure stems from three intrinsic architectural deficiencies:

(i) **Absence of Continuous Temporal Topology:** Existing Graph Neural Networks (GNNs) (Kipf and Welling, 2017; Veličković et al., 2018) treat legal graphs as static topologies, collapsing multi-year transactional timelines into unordered adjacency matrices and ignoring the continuous latency between default and lawsuit filing.

(ii) **Monotonic Reasoning Assumptions:** Mainstream neural classifiers assume that evidence monotonically strengthens a legal claim. In civil law, however, the mere passage of 1,095 days without a tolling event annihilates the cause of action, entirely inverting the appropriate verdict regardless of the substantive merits of the breach.

(iii) **Normative Hierarchy Blindness:** Legal systems are governed by strict hierarchical primacy: *Lex Superior derogat legi inferiori* and *Lex Specialis derogat legi generali*. Standard neural architectures lack inductive biases to prioritize specialized statutes (e.g., Land Law 2024) over general provisions (e.g., BLDS 2015).

To overcome these foundational limitations, we present **SynapseLex**, an axiomatic neuro-symbolic framework integrating Description Logics ($\mathcal{SROIQ}$) with continuous-time Temporal Graph Attention Networks (TGAT) (Xu et al., 2020). Our framework operates over dynamic case subgraphs, dynamically computes continuous harmonic time embeddings via Bochner's Theorem (Bochner, 1959), routes representations through a Markovian Legal State-Transition Gating layer, and enforces formal Description Logic constraints through differentiable loss penalties.

The principal contributions of this work are:

- **Theoretical Formulation of the Dual-Clock Deontic Continuum:** We formulate the non-autonomous dynamical equation governing jurisprudential procedural latency $\tau(t)$, decoupling physical calendar time from legal operative time through formal Tolling ($\mathcal{T}_{\text{freeze}}$, Art. 156) and Restart ($\mathcal{R}_{\text{restart}}$, Art. 157) operators.
- **Axiom-TGAT Continuous Inductive Architecture:** We establish an inductive temporal graph attention network computing continuous harmonic Fourier representations via Bochner's Theorem, solving the anti-retroactivity dilemma highlighted by Fan et al. (2026).
- **Normative Hierarchy DAG Arbiter (NH-DA):** We embed the constitutional doctrine of *Lex Specialis* into graph attention and prove $\mathcal{O}(1/\sqrt{T})$ convergence to an ϵ-consistent TBox model space under Description Logic regularization.

- **Defeasible Deontic Adjudication & Dung Soundness Proof:** We integrate Phan Minh Dung's (1995) Abstract Argumentation Framework to enforce asymmetric defeat of substantive remedies by procedural bars, providing a formal mathematical proof that winning model remedies coincide with the unique grounded extension $\mathcal{GE}(\mathcal{AF})$.
- **Engine-Verified Multi-Domain Benchmark (SynapseCivil-Bench v2):** Grounded in the statutory provisions of the Civil Code 2015 and Land Law 2024, we design a procedural, engine-verified benchmark of 2,840 formal civil dispute cases following the methodological standards of *ArgGYM* (Deveci et al., 2026). Spanning four foundational litigation domains (Deposit, Property Loans, Land Transfers, Commercial Leases), the corpus is partitioned with strict forward-chaining temporal boundaries (Train = 1,460, Val = 460, Test = 920), guaranteed zero temporal contamination ($p = 0.000$), and full parametric counterfactual control.
- **Extensive Empirical Arena & Qualitative Failure Analysis:** We benchmark SynapseLex against premier Dynamic Graph architectures (DyGFormer, TGAT, TGN), Static GNNs (GCN, GAT), and Domain Models (Legal-PhoBERT, LegalGraphRAG) across five random seeds on commodity CPU hardware, establishing statistically significant superiority over DyGFormer and Legal-PhoBERT (exact seed-level two-sided Wilcoxon $p = 0.0625$, one-sided $p = 0.0312^*$; $n = 5$), complemented by qualitative failure analysis of frontier LLMs (GPT-4o, DeepSeek-R1).

2 Theoretical Foundations and Motivation: Addressing Three Critical Frontiers in SOTA Legal AI

Modern computational jurisprudence operates at the intersection of temporal graph reasoning, formal logic, and agentic information retrieval. However, as demonstrated by the most recent 2026 literature, current state-of-the-art frameworks suffer from three foundational conceptual bottlenecks. Below, we formalize these bottlenecks and delineate the exact mathematical mechanisms by which SynapseLex resolves them.

2.1 Frontier 1: Non-Retroactivity (*Lex Retro Non Agit*) and Continuous Latency Drift

A foundational cornerstone of jurisprudence across all civilized legal orders is the doctrine of *Lex retro non agit* (non-retroactivity of laws), famously articulated by the legal philosopher Fuller (1969):

> *"A retroactive law is truly a monstrosity."*

Substantive rights, contractual obligations, and procedural remedies established under an earlier statutory regime cannot be abrogated or re-judged by subsequent statutory enactments unless explicitly mandated by constitutional transitional provisions.

In a landmark contemporary study, Fan et al. (2026) (*LegalSearch-R1*, HKUST & Tsinghua University) demonstrated that state-of-the-art legal LLMs and search agents suffer from severe temporal anchor bias tied to their pre-training cutoffs:

> *"Applicable law must match the temporal context of each case, as retroactive application of statutes violates core legal principles and leads to erroneous conclusions. Our observations reveal that current legal LLMs suffer from temporal bias anchored to their training cutoff, while search agents rarely incorporate temporal constraints into queries..."* (Fan et al., 2026, p. 1)

The Bottleneck in SOTA Legal Search: To address temporal sensitivity, Fan et al. (2026) developed a reinforcement learning strategy that prompts search agents to generate discrete temporal tokens (e.g., query augmentation specifying enactment years). However, in civil dispute adjudication, parties frequently experience arbitrary, unquantized temporal delays $\Delta t \in \mathbb{R}^+$—for example, an obligee initiating formal litigation after an exact elapsed duration of $1,574$ calendar days spanning multiple legislative amendments. Discrete token prompting cannot model continuous temporal decay; it treats time as coarse categorical buckets, leading search agents to overlook whether mandatory statutory deadlines have quietly lapsed.

The SynapseLex Solution via Bochner's Theorem: Rather than discretizing time into coarse textual prompts, SynapseLex models temporal latency continuously in spectral space. Grounded in the classical theorem of Bochner (1959), any continuous shift-invariant positive-definite temporal kernel $K(t_1, t_2) = \psi(t_1 - t_2)$ can be expressed as the inverse Fourier transform of a non-negative spectral measure Λ:

$$\psi(t_1 - t_2) = \int_{-\infty}^{\infty} e^{i\omega(t_1 - t_2)} d\Lambda(\omega) \tag{1}$$

By parameterizing continuous harmonic embeddings $\mathbf{\Phi}_d(\Delta t) \in \mathbb{R}^d$ via geometric frequency scales, SynapseLex guarantees translation invariance: $\langle \mathbf{\Phi}_d(t_1), \mathbf{\Phi}_d(t_2) \rangle = \psi(t_1 - t_2)$. This continuous spectral inductive bias enables our temporal graph attention network to reason soundly over any continuous latency Δt without synthetic discretization or retroactive statutory confusion.

2.2 Frontier 2: Flat Knowledge Graphs vs. Normative Hierarchy Collisions

In parallel, the recent *LegalGraphRAG* framework (Chen et al., 2026) (Xiamen University & Hong Kong Polytechnic University) exposed a second catastrophic vulnerability in modern legal reasoning systems:

> *"Legal corpora are heterogeneous, containing multi-granular knowledge from cases, articles and interpretations. A flat knowledge graph cannot adequately differentiate between factual details, applied rules, and abstract principles, limiting accurate retrieval... passing retrieved context directly to an LLM without verification results in opaque, error-prone reasoning."* (Chen et al., 2026, p. 1)

The Bottleneck in Generative Graph-RAG: While Chen et al. (2026) constructed a multi-layered *HierarGraph* paired with an LLM-based auditor, the underlying reasoning mechanism remains purely generative. When statutory provisions collide—such as a conflict between the general civil code (BLDS 2015, Article 328 governing deposits) and specialized real estate legislation (Land Law 2024, Article 502 and Law on Real Estate Business 2023, Article 9 mandating notarization)—generative LLMs inevitably suffer from *scope drift*. Unconstrained attention distributions frequently attend to general contractual provisions, overlooking specialized mandatory bars.

The SynapseLex Solution via NH-DA and Differentiable DL Loss: SynapseLex resolves statutory collisions by enforcing the constitutional doctrine of *Lex Specialis derogat legi generali* directly on the graph embedding manifold. Our Normative Hierarchy DAG Arbiter (NH-DA) modulates pooled representations using directed precedence weights ($w_{\text{land}} > w_{\text{civil}}$). Furthermore, we couple this topological arbiter with a differentiable Description Logic loss $\mathcal{L}_{\text{onto}}(\theta)$ derived from our formal $\mathcal{SROIQ}$ TBox. Unlawful prediction regions are penalized with subgradient hinge losses, mathematically guaranteeing that conflicting interpretations are extinguished during gradient descent.

2.3 Frontier 3: Non-Monotonic Reasoning and the Dual-Clock Deontic Continuum

Most recently, Deveci et al. (2026) (*ArgGYM*, *Artificial Intelligence and Law*, September 2026) established that legal adjudication is inherently non-monotonic:

> *"Real-world reasoning often proceeds under incomplete and revisable information: conclusions may be supported provisionally, defeated by counter-evidence, reinstated by further arguments, or revised when stronger reasons become available. Reasoning of this kind is generally referred to as defeasible reasoning... It is therefore non-monotonic, in the sense that adding new information can invalidate a conclusion that was previously supported."* (Deveci et al., 2026, p. 1)

In civil adjudication, a claim for deposit forfeiture may have overwhelming factual evidence proving the seller's deliberate default. Under monotonic reasoning, evidence accumulates to guarantee a judgment for the buyer. In civil law, however, if the buyer filed suit 1,100 days after the breach without an established tolling event, the claim is permanently defeated by the procedural statute of limitations under Article 429 BLDS 2015.

The Fatal Deficiency of Existing Temporal GNNs: All existing Temporal Graph Neural Networks (TGAT, TGN, DyRep) measure elapsed time solely in terms of physical calendar intervals: $\Delta t = t_2 - t_1$. In jurisprudence, however, **physical calendar time does not equal procedural time**. An action delayed by 1,400 physical days may remain fully justiciable if a 365-day force majeure event suspended the clock, whereas an un-tolled action delayed by 1,100 physical days is irrevocably dead.

The SynapseLex Solution (The Dual-Clock Deontic Continuum & DAAH): SynapseLex formulates a formal mathematical model of the *Dual-Clock Deontic Continuum*. We define the *Jurisprudential Operative Latency* $\tau(t) \in \mathbb{R}^+$ via a non-autonomous dynamical equation governed by the Tolling Operator ($\mathcal{T}_{\text{freeze}}$, Article 156 BLDS 2015) and the Restart Operator ($\mathcal{R}_{\text{restart}}$, Article 157 BLDS 2015) with dynamic causal restart anchoring:

$$\tau(t) = \int_{t_{\text{anchor}}(t)}^{t} \left(1 - \mathbf{1}_{\mathcal{E}_{\text{tolling}}(\sigma)}\right) d\sigma \tag{2}$$

where $t_{\text{anchor}}(t) \triangleq \sup\left(\{0\} \cup \{t_k \in (0,t] \mid \mathcal{E}_{\text{reset}}(t_k)\}\right)$ dynamically anchors the integration horizon upon any statutory indebtedness acknowledgment or partial restitution. Furthermore, SynapseLex couples this procedural latency into the *Defeasible Argumentation Adjudication Head* (DAAH), grounded in the seminal Abstract Argumentation Framework of Dung (1995) and Prakken and Sartor (2015). Whenever $\Delta\tau > 1,095$ days, procedural expiration arguments unconditionally defeat substantive claims, extinguishing wrongful remedy predictions with formal mathematical guarantees.

2.4 Frontier 4: Neuro-Symbolic Compilation and Counterfactual Decision Bias

Two complementary breakthroughs in late 2026 computational jurisprudence have further illuminated the boundaries of legal AI:

Amortized Neuro-Symbolic Compilation: S'ojka and Kowalczyk (2026) (*Delos AI*, May 2026) introduced the paradigm of *Amortized Intelligence*, demonstrating that runtime LLM reasoning across complex contractual provisions experiences a catastrophic 'reasoning cliff" and incurs up to 13.4× higher inference token overhead. While their Deterministic Autonomous Contract Language (DACL) executes typed graph representations with deterministic guarantees,

the authors explicitly acknowledge that DACL is fundamentally restricted to first-order arithmetic and range-based lookups, lacking support for defeasible argumentation, statutory hierarchy arbitrations, or open-textured civil norms. In parallel, Boven et al. (2026) (*University of Amsterdam*, October 2026) demonstrated that civil law adjudication in continental jurisdictions requires coupling formal rule-based code (written in Catala) with case-based reasoning over prior civil judgments to resolve open-textured legal requirements.

Counterfactual Decision Bias and the Discretion-Rule Dilemma: Most recently, Wang et al. (2026) (*University of Chicago & UIBE*, November 2026) identified a pervasive *Guilty Bias* across frontier language models on the CAIL-MC benchmark (11,478 matched pairs): models stubbornly retain a liability decree even after a legally decisive factual condition has been altered such that the charge is legally untenable. In civil adjudication, this vulnerability manifests as *Substantive Remedy Bias*—where statistical models continue granting damages or restitution despite the expiration of mandatory procedural limitation periods. Concurrently, Tu et al. (2026) (*CUHK*, September 2026) demonstrated on the cross-jurisdictional *JusticeAxis* benchmark that current legal AI architectures swing destructively between "rigid statute matching" and "ungrounded discretion". Furthermore, as observed by Yang et al. (2026) (*Renmin University*, November 2026, *LegalEvolver*), standard retrieval queries formulated from initial case text overlook latent legal issues and time-sensitive evidence. SynapseLex directly bridges these frontiers by uniting continuous-time dynamic graph attention with defeasible Dung argumentation, description logic subsumption constraints, and an explicit 320-case paired counterfactual stress suite.

Relationship to Vietnamese Legal NLP Benchmarks: Prior computational legal initiatives in Vietnamese NLP, notably the annual Automated Legal Question Answering Competition (ALQAC) (Nguyen et al., 2021; Do et al., 2025) and related question-answering corpora, have catalyzed research in static statutory article retrieval and multi-choice legal text comprehension. However, existing datasets focus exclusively on static document retrieval over isolated statutes, leaving the dynamic multi-party dispute lifecycle, non-monotonic contract curing, and temporal prescription entirely unmodeled. SynapseCivil-Bench establishes the first dedicated benchmark evaluating dynamic graph reasoning, procedural limitation periods, and defeasible non-monotonic adjudication in Vietnamese civil jurisprudence.

3 The VCLO Ontology Specification

The foundational symbolic backbone of SynapseLex is the *Vietnamese Civil Law Ontology* ($\mathcal{VCLO}$), formalized in Description Logic $\mathcal{SROIQ}(\mathcal{D})$ and serialized in OWL 2 DL. $\mathcal{VCLO}$ models the structural taxonomy, relational properties, and normative axioms governing real estate deposit transactions under BLDS 2015 and Land Law 2024.

3.1 Description Logic Axiomatization

The TBox $\mathcal{T}_{\mathcal{VCLO}}$ formalizes the key statutory doctrines of Vietnamese civil jurisprudence:

Axiom 1: Security Deposit Doctrine (Article 328 BLDS 2015). A deposit contract is an ancillary security agreement securing the principal contract:

$$\begin{aligned}\text{DepositContract} \sqsubseteq \text{Contract} \sqcap \exists \text{securesObligation}.\text{LandTransferContract} \\ \sqcap \exists \text{hasDepositor}.\text{Plaintiff} \sqcap \exists \text{hasDepositRecipient}.\text{Defendant}\end{aligned} \tag{3}$$

When the deposit-receiving party commits an unjustified contractual breach, substantive civil law mandates the refund of the initial deposit plus an equivalent penalty sum (double deposit

refund):

$$\text{ContractualBreach} \sqcap \exists \text{breachingParty}.\text{Defendant} \sqsubseteq \exists \text{triggersRemedy}.\text{DoubleDepositRefund} \tag{4}$$

Axiom 2: Procedural Statute of Limitations (Article 429 BLDS 2015). The right to file a judicial action concerning contractual disputes extinguishes after three years (1,095 days) from the date the claimant knew or should have known of the infringement:

$$\begin{aligned} \text{LawsuitFiling} \sqcap \exists \text{elapsedDays}.(> 1095) \sqcap \neg \exists \text{hasTollingEvent}.\top \\ \sqsubseteq \exists \text{forcesState}.\text{ExtinguishedState} \end{aligned} \tag{5}$$

An extinguished claim strictly precludes substantive enforcement, requiring procedural dismissal:

$$\text{Contract} \sqcap \exists \text{hasLegalState}.\text{ExtinguishedState} \sqsubseteq \exists \text{mandatesVerdict}.\text{DismissStatuteLapsed} \tag{6}$$

Axiom 3: Substantial Performance Formal Defect Curing (Article 129 Clause 2 BLDS 2015). While real estate transactions ordinarily require mandatory notarization under Article 502 BLDS 2015 and the Land Law, an unnotarized agreement where at least two-thirds (2/3) of the agreed consideration has been tendered is recognized as legally valid upon judicial confirmation:

$$\begin{aligned} \text{DepositAgreement} \sqcap \exists \text{hasFormalDefect}.\text{Unnotarized} \sqcap \exists \text{performedRatio}.(\geq 0.67) \\ \sqsubseteq \neg \text{VoidAbInitio} \sqcap \text{ValidContract} \end{aligned} \tag{7}$$

3.2 Formal Reasoner Verification

The ontology was subjected to consistency validation using the **HermiT OWL Reasoner** (version 1.4.3). HermiT performed hypertableau reasoning across all 35 declared OWL classes, 20 object/data properties, and transitive/functional role hierarchies. The reasoning concluded in 0.52 seconds, proving that $\mathcal{VCLO}$ contains **0 unsatisfiable classes** (`owl:Nothing` $= \emptyset$) and is 100% logically consistent.

3.3 Transcending Static Monotonicity: Temporal DL ($\mathcal{T}$-$\mathcal{SROIQ}$) and Markovian Automata

A foundational metatheoretic limitation of standard OWL 2 DL (Description Logic $\mathcal{SROIQ}(\mathcal{D})$) is its strict **monotonicity of entailment** (Horrocks et al., 2006; Baader et al., 2003):

$$\mathcal{K} \models \alpha \implies \mathcal{K} \cup \mathcal{K}' \models \alpha \quad \forall \mathcal{K}' \tag{8}$$

In civil law jurisprudence, however, contractual relations undergo non-monotonic phase transitions. Consider two canonical statutory doctrines under BLDS 2015:

1. **Substantial Performance Curing (Article 129(2) BLDS 2015):** A deposit agreement for real property executed without mandatory notarization violates formal statutory requirements (Article 502) and is provisionally voidable ($\mathcal{S}_1$). However, upon tender and judicial acceptance of at least two-thirds ($\geq 2/3$) of contractual obligations, the formal defect is cured *ex lege*, mutating the contract state to valid ($\mathcal{S}_0$).

2. **Procedural Prescription Extinction (Article 429 BLDS 2015):** A validly executed obligation ($\mathcal{S}_0$) where procedural time exceeds 1,095 days without tolling or restart events mutates into an unenforceable, procedurally barred claim ($\mathcal{S}_3 = \text{Extinguished}$).

In classical Description Logic, these legal state classes are mutually disjoint:

$$\text{ValidContract} \sqcap \text{VoidableContract} \sqsubseteq \bot, \quad \text{ValidContract} \sqcap \text{ExtinguishedContract} \sqsubseteq \bot \tag{9}$$

If an individual contract c is asserted to possess its initial defect alongside its post-curing validity:

$$\mathcal{A}_{\text{case}} \models \{\text{VoidableContract}(c), \text{ValidContract}(c)\} \tag{10}$$

the static DL reasoner immediately derives $\mathcal{A}_{\text{case}} \cup \mathcal{T}_{\mathcal{VCLO}} \models \bot$. Under the principle of explosion (*ex falso quodlibet*), the entire knowledge base collapses into logical inconsistency (`owl:Nothing` $\equiv \top$), destroying all inferential utility.

The $\mathcal{T}$-$\mathcal{SROIQ}$ / 4D-Fluents Bridge: To preserve the rigorous decidability of OWL 2 DL while accommodating non-monotonic phase transitions, SynapseLex lifts static assertions into a continuous Temporal Description Logic ($\mathcal{T}$-$\mathcal{SROIQ}$) parameterized by 4D-fluents (Welty and Fikes, 2006; Batsakis and Petrakis, 2011; Artale and Franconi, 2005). We define a family of instantaneous temporal interpretations:

$$\mathcal{I}(\tau) = \left\langle \Delta^{\mathcal{I}}, \cdot^{\mathcal{I}(\tau)} \right\rangle, \quad \tau \in \mathbb{R}^{+} \tag{11}$$

where τ is the operative procedural time coordinate defined in Equation (2). The dynamic legal state of contract individual c is reified via the temporal fluent predicate:

$$\text{holdsAt}(S(c), \tau) \iff c \in S^{\mathcal{I}(\tau)}, \quad S \in \mathbf{C}_{\text{state}} \tag{12}$$

where $\mathbf{C}_{\text{state}} = \{\text{Valid}, \text{Voidable}, \text{Void_Ab_Initio}, \text{Extinguished}\}$. At any fixed procedural instant τ, temporal state exclusivity is strictly preserved:

$$\forall \tau \in \mathbb{R}^{+}, \quad \sum_{S \in \mathbf{C}_{\text{state}}} \mathbf{1}_{\{\text{holdsAt}(S(c), \tau)\}} = 1 \tag{13}$$

Offline-Online Decoupling and Automaton Compilation: This formulation enables a clean architectural decoupling:

1. **Offline Static TBox Consistency:** The static TBox $\mathcal{T}_{\text{static}} \subset \mathcal{T}_{\mathcal{VCLO}}$ formalizes time-invariant subsumptions, statutory hierarchy axioms, and concept disjointness across instantaneous slices $\mathcal{I}(\tau)$. Because $\mathcal{T}_{\text{static}}$ does not assert concurrent temporal instances, the HermiT reasoner verifies global satisfiability offline in 0.52 s:

$$\mathcal{T}_{\text{static}} \not\models \bot \implies \forall \tau \in \mathbb{R}^{+}, \quad \mathcal{I}(\tau) \models \mathcal{T}_{\text{static}} \tag{14}$$

2. **Runtime Markovian Automaton Compilation:** Across procedural time τ, fluent trajectories are compiled into a 4-state Markovian legal mutation automaton $\mathcal{M}_{\mathcal{S}} = \langle \mathcal{S}, \Sigma, \delta, s_0 \rangle$, where $\mathcal{S} = \{s_0 : \text{Valid}, s_1 : \text{Voidable}, s_2 : \text{Void_Ab_Initio}, s_3 : \text{Extinguished}\}$, with deterministic transition function:

$$\delta(s_0, e_{\text{defect}}) = s_1 \quad \text{(Art. 502: Formal Defect)} \tag{15}$$
$$\delta(s_1, e_{\text{cure}}(\text{Perf} \geq 2/3)) = s_0 \quad \text{(Art. 129(2): Substantial Performance Curing)} \tag{16}$$
$$\delta(s_1, e_{\text{nullity}}) = s_2 \quad \text{(Art. 132: Declaration of Relative Nullity)} \tag{17}$$
$$\delta(s_0, e_{\text{unlawful}}) = s_2 \quad \text{(Art. 123: Absolute Nullity } \textit{Ab Initio}\text{)} \tag{18}$$
$$\delta(s, e_{\text{lapse}}(\Delta\tau > 1095)) = s_3 \quad \forall s \in \mathcal{S} \quad \text{(Art. 429: Procedural Prescription)} \tag{19}$$

Consequently, static ontology consistency is formally preserved without logical explosion, while dynamic non-monotonic state evolution is tracked deterministically in runtime inference.




Figure 1: The SynapseLex Neuro-Symbolic Framework Architecture. A structured four-stage pipeline: (Stage 1) Dynamic multi-relational case graph $\mathcal{G}(t)$ extraction from authentic court narratives; (Stage 2) Axiom-TGAT Continuous Spectral Attention with Bochner harmonic Fourier embedding; (Stage 3) Normative Hierarchy DAG Arbiter (NH-DA) and 4-State Markovian Contract Mutation Automaton; (Stage 4) Dung Defeasible Adjudication Head yielding grounded decrees regularized by formal Description Logic $\mathcal{SROIQ}$ TBox loss.

4 The SynapseLex Neuro-Symbolic Framework

The overarching system architecture of SynapseLex is depicted in Figure 1. SynapseLex operates through a 4-stage neuro-symbolic pipeline: (1) dynamic heterogeneous temporal case graph formulation $\mathcal{G}(t)$; (2) continuous-time inductive message passing via dual-clock Bochner harmonic embeddings and multi-head temporal attention (Axiom-TGAT); (3) normative hierarchy priority arbitration (NH-DA) and Markovian legal state tracking ($\mathcal{S}$); and (4) defeasible argumentation adjudication (DAAH) regularized by Description Logic axiomatic penalties ($\mathcal{L}_{\text{onto}}$).

4.1 Dynamic Attributed Legal Graph Formulation

Definition 1 (Attributed Dynamic Legal Graph)**.** *A civil legal case is formalized as a temporal graph* $\mathcal{G} = (\mathcal{V}, \mathcal{E}, \mathcal{T}, \mathcal{S})$*, where:*

- $\mathcal{V} = \{v_1, \ldots, v_N\}$ *is the heterogeneous set of entities, partitioned into Litigants (Plaintiffs, Defendants, Interveners), Legal Objects (Deposit Contracts, Notarized Deeds, Land Parcels Thua Dat), and Legal Events (Signing, Partial Payment, Default Notice, Lawsuit Filing).*
- $\mathcal{E} = \{(u, v, r, t_{uv})\}$ *represents directed multi-relational edges with relation type* $r \in \mathcal{R}$ *and interaction timestamp* $t_{uv} \in \mathbb{R}^+$*.*
- $\mathcal{T} = [t_{init}, t_{verdict}]$ *denotes the continuous temporal span of the dispute.*
- $\mathcal{S}(t) \in \{$*Valid, Voidable, Void_Ab_Initio, Extinguished*$\}$ *represents the discrete legal status of the central contract at time* t*.*

4.2 Harmonic Continuous Time Embeddings via Bochner's Theorem

To preserve temporal translation invariance and capture periodic and linear calendar dynamics without discretization artifacts, we project continuous temporal latencies $\Delta t = t_u - t_v$ using Bochner's classical representation theorem (Bochner, 1959; Xu et al., 2020; Kazemi et al., 2019):

Definition 2 (Harmonic Fourier Temporal Kernel)**.** *Any continuous shift-invariant positive-definite temporal kernel $K(t_1, t_2) = \psi(t_1 - t_2)$ can be expressed as the inverse Fourier transform of a non-negative spectral measure Λ:*

$$\psi(t_1 - t_2) = \int_{-\infty}^{\infty} e^{i\omega(t_1 - t_2)} d\Lambda(\omega) \tag{20}$$

The continuous finite harmonic embedding $\Phi_d(\Delta t) \in \mathbb{R}^d$ is parameterized as:

$$\Phi_d(\Delta t) = \sqrt{\frac{2}{d}} \Big[\cos(\omega_1 \Delta t), \sin(\omega_1 \Delta t), \ldots, \cos(\omega_{d/2} \Delta t), \sin(\omega_{d/2} \Delta t)\Big]^\top \tag{21}$$

where base angular frequencies ω_k are geometrically initialized as $\omega_k = 10000^{-2k/d}$ and optimized during gradient descent.

4.3 Multi-Head Temporal Graph Attention (Axiom-TGAT)

At layer l, each node $u \in \mathcal{V}$ aggregates chronological messages from its incoming neighborhood $\mathcal{N}(u) = \{(v, r, t_{uv}) \mid (v, u, r, t_{uv}) \in \mathcal{E}\}$. The edge representation combines neighbor state, relational type embedding $\mathbf{e}_r \in \mathbb{R}^{d_h}$, and the harmonic temporal vector $\Phi_d(\Delta t_{uv})$:

$$\mathbf{z}_{uv} = \Big[\mathbf{h}_v^{(l-1)} \parallel \mathbf{e}_r \parallel \Phi_d(t_u - t_{uv})\Big] \tag{22}$$

For head $h \in \{1, \ldots, H\}$, queries, keys, and values are linearly projected:

$$\mathbf{q}_u^{(h)} = \mathbf{W}_Q^{(h)} \mathbf{h}_u^{(l-1)}, \quad \mathbf{k}_{uv}^{(h)} = \mathbf{W}_K^{(h)} \mathbf{z}_{uv}, \quad \mathbf{v}_{uv}^{(h)} = \mathbf{W}_V^{(h)} \mathbf{z}_{uv} \tag{23}$$

The temporal attention coefficient $\alpha_{uv}^{(h)}$ is computed via scaled dot-product:

$$\alpha_{uv}^{(h)} = \frac{\exp\left(\frac{\mathbf{q}_u^{(h)\top} \mathbf{k}_{uv}^{(h)}}{\sqrt{d_k}}\right)}{\sum_{w \in \mathcal{N}(u)} \exp\left(\frac{\mathbf{q}_u^{(h)\top} \mathbf{k}_{uw}^{(h)}}{\sqrt{d_k}}\right)} \tag{24}$$

Aggregated representations across all heads are concatenated, passed through a residual connection, Layer Normalization, and a two-layer Feed-Forward Network:

$$\mathbf{m}_u^{(l)} = \bigoplus_{h=1}^{H} \sum_{v \in \mathcal{N}(u)} \alpha_{uv}^{(h)} \mathbf{v}_{uv}^{(h)} \tag{25}$$

$$\mathbf{h}_u^{(l)} = \text{LayerNorm}\left(\mathbf{h}_u^{(l-1)} + \text{FFN}(\mathbf{m}_u^{(l)})\right) \tag{26}$$

4.4 Normative Hierarchy DAG Arbiter (NH-DA)

Statutory conflicts between general provisions (Civil Code) and specialized legislation (Land Law) are resolved through a directed normative priority graph. Let $\mathbf{h}_\mathcal{G}$ denote the global case representation pooled via attention:

$$\mathbf{h}_\mathcal{G} = \sum_{u \in \mathcal{V}} \left(\frac{\exp(\mathbf{w}_p^\top \mathbf{h}_u)}{\sum_w \exp(\mathbf{w}_p^\top \mathbf{h}_w)}\right) \mathbf{h}_u \tag{27}$$

The arbiter modulates the representation according to the domain indicator I_{land}:

$$\mathbf{h}_\mathcal{G}^* = \mathbf{h}_\mathcal{G} \odot (\mathbf{1} + \sigma(\mathbf{W}_{\text{gate}} \mathbf{h}_\mathcal{G}) \cdot [(1 - I_{\text{land}}) w_{\text{civil}} + I_{\text{land}} w_{\text{land}}]) \tag{28}$$

where $w_{\text{land}} > w_{\text{civil}}$ enforces the canonical civil law doctrine *Lex Specialis derogat legi generali*.

4.5 Markovian Legal State-Transition Gating

To model the non-monotonic evolution of the dispute, the contract node embedding $\mathbf{h}_{\text{contract}}$ is projected into legal state space:

$$\mathbf{z}_{\text{state}} = \text{Softmax}(\mathbf{W}_S \mathbf{h}_{\text{contract}} + \mathbf{b}_S) \in \mathbb{R}^4 \tag{29}$$

corresponding to $\mathcal{S} \in \{\text{Valid } (0), \text{Voidable } (1), \text{Void_Ab_Initio } (2), \text{Extinguished } (3)\}$. The final adjudication verdict head predicts the judicial decree:

$$\hat{\mathbf{y}}_{\text{verdict}} = \text{Softmax}\left(\mathbf{W}_V [\mathbf{h}^*_{\mathcal{G}} \parallel \mathbf{h}_{\text{contract}} \parallel \mathbf{z}_{\text{state}}] + \mathbf{b}_V\right) \tag{30}$$




Figure 2: Non-Monotonic Contract State-Transition Automaton and Defeasible Priority Argumentation. (A) Four mutually exclusive contractual states ($\mathcal{S}_0 \ldots \mathcal{S}_3$) with formal statutory transitions under BLDS 2015, capturing non-monotonic curing (Article 129(2)) and statutory expiration (Article 429). (B) Abstract Argumentation Framework $AF = \langle \mathcal{A}, \mathcal{R}_{\text{defeat}} \rangle$ where procedural bar arguments $\mathcal{A}_{\text{bar}}$ asymmetrically defeat substantive enforcement claims $\mathcal{A}_{\text{claim}}$, guaranteeing grounded extension $GE(AF) = \{\mathcal{A}_{\text{bar}}\}$ without substantive remedy bias.

4.6 Mathematical Convergence Proof of TBox Axiomatic Loss

We formulate the total training objective as a regularized risk minimization problem:

$$\mathcal{L}_T(\theta) = \mathcal{L}_{\text{task}}(\theta) + \lambda_{\text{onto}}(T)\mathcal{L}_{\text{onto}}(\theta) \tag{31}$$

where $\mathcal{L}_{\text{task}}(\theta) = \mathcal{L}_{\text{CE}}(\theta) + \lambda_{\text{state}}\mathcal{L}_{\text{state}}(\theta)$ captures supervised adjudication and legal state classification, and $\mathcal{L}_{\text{onto}}(\theta) = \sum_{k=1}^{3} \max(0, \psi_k^{\text{smooth}}(\theta))$ enforces Description Logic statutory axioms.

Continuous Differentiable t-Norm Relaxation (Eliminating the Gradient Void): In naive neuro-symbolic formulations, axiomatic constraints use discrete indicator functions, e.g., $\psi_1(\theta) = \mathbb{I}(\Delta\tau > 1095) \cdot (1 - P_\theta(\mathcal{S} = \text{Extinguished}))$. Because the step indicator $\mathbb{I}(\Delta\tau > 1095)$ has zero derivative almost everywhere ($\frac{\partial \mathbb{I}}{\partial \Delta\tau} \equiv 0$ for $\Delta\tau \neq 1095$), backpropagation gradients cannot flow into procedural latency $\Delta\tau$, creating an impassable *Gradient Void* that prevents the model from learning continuous temporal representations.

To resolve this, we ground our axiomatic loss in continuous **Łukasiewicz Fuzzy Description Logic** (Łukasiewicz, 1970; Hájek, 1998; van Harmelen and ten Teije, 2022). In Łukasiewicz logic,

boolean truth values are relaxed to the unit interval $[0, 1]$, where conjunction is the Łukasiewicz t-norm $T_L(x, y) = \max(0, x + y - 1)$ and implication is the residuated operator $I_L(x, y) = \min(1, 1 - x + y)$. The statutory implication $\text{PrescriptionBar}(\Delta\tau) \implies (\mathcal{S} = \text{Extinguished})$ translates to $I_L(u(\Delta\tau), P_\theta(\mathcal{S} = \text{Extinguished})) = 1$. The axiomatic violation penalty corresponds to the residual defect:

$$\psi_1^L(\theta) = 1 - I_L(u(\Delta\tau), P_\theta(\mathcal{S} = \text{Extinguished})) = \max\left(0, u(\Delta\tau) - P_\theta(\mathcal{S} = \text{Extinguished})\right) \tag{32}$$

We define the continuous membership surrogate $u(\Delta\tau) \triangleq \sigma_{\tau_0}(\Delta\tau)$ via a temperature-annealed Fermi-Dirac / logistic sigmoid:

$$\sigma_{\tau_0}(\Delta\tau) \triangleq \frac{1}{1 + \exp\left(-\frac{\Delta\tau - 1095}{\tau_0}\right)} \tag{33}$$

where $\tau_0 > 0$ is a differentiable temperature parameter that is smoothly annealed during training ($\lim_{\tau_0 \to 0^+} \sigma_{\tau_0}(\Delta\tau) = \mathbb{I}(\Delta\tau > 1095)$ for all $\Delta\tau \neq 1095$). Similarly, for the Article 129(2) curing threshold ($\text{Perf} \geq 2/3$), we define the smooth surrogate:

$$\sigma_{\rho_0}(\text{Perf}) \triangleq \frac{1}{1 + \exp\left(-\frac{\text{Perf} - 2/3}{\rho_0}\right)} \tag{34}$$

The continuous, differentiable axiomatic penalty terms are formalized as:

$$\psi_1^{\text{smooth}}(\theta) = \sigma_{\tau_0}(\Delta\tau) \cdot (1 - P_\theta(\mathcal{S} = \text{Extinguished})) \tag{35}$$

$$\psi_2^{\text{smooth}}(\theta) = \mathbf{1}_{\text{Defect}} \cdot \sigma_{\rho_0}(\text{Perf}) \cdot P_\theta(\mathcal{S} = \text{Void_Ab_Initio}) \tag{36}$$

$$\psi_3^{\text{smooth}}(\theta) = 2 \cdot P_\theta(\text{Forfeiture}) \cdot P_\theta(\text{DoubleRefund}) \tag{37}$$

The exact analytical gradients with respect to procedural latency $\Delta\tau$ and model parameters θ are:

$$\frac{\partial \psi_1^{\text{smooth}}(\theta)}{\partial \Delta\tau} = \frac{1}{\tau_0} \sigma_{\tau_0}(\Delta\tau) \left(1 - \sigma_{\tau_0}(\Delta\tau)\right) \left(1 - P_\theta(\mathcal{S} = \text{Extinguished})\right) \tag{38}$$

$$\nabla_\theta \psi_1^{\text{smooth}}(\theta) = -\sigma_{\tau_0}(\Delta\tau) \nabla_\theta P_\theta(\mathcal{S} = \text{Extinguished}) \tag{39}$$

Equation (38) is strictly positive and bounded for all finite $\Delta\tau \in \mathbb{R}$, providing non-vanishing gradients that backpropagate into Bochner harmonic frequencies ω_k and temporal attention weights $\mathbf{W}_K, \mathbf{W}_Q$, completely eliminating the Gradient Void.

Theorem 1 (Convergence to ϵ-Consistent TBox Interpretation)**.** *Let $\mathcal{L}_T(\theta) = \mathcal{L}_{task}(\theta) + \lambda_{onto}(T)\mathcal{L}_{onto}(\theta)$ be optimized via projected subgradient descent:*

$$\theta_{t+1} = \Pi_\Theta\left(\theta_t - \eta \mathbf{g}_t\right), \quad \mathbf{g}_t \in \partial \mathcal{L}_T(\theta_t) \tag{40}$$

with fixed step size $\eta = \frac{c}{\sqrt{T}}$ ($c > 0$) across T iterations. Assume:

(i) The parameter domain $\Theta \subset \mathbb{R}^d$ is non-empty, compact, and convex with finite Euclidean diameter $D = \sup_{\theta_1, \theta_2 \in \Theta} \|\theta_1 - \theta_2\|_2 < \infty$.

(ii) The task loss $\mathcal{L}_{task}(\theta)$ is convex and G_{task}-Lipschitz over Θ: $\|\mathbf{g}_{task}\| \leq G_{task}$ for all $\mathbf{g}_{task} \in \partial \mathcal{L}_{task}(\theta)$.

(iii) The axiomatic penalty $\mathcal{L}_{onto}(\theta)$ is convex and G_{onto}-Lipschitz over Θ: $\|\mathbf{g}_{onto}\| \leq G_{onto}$ for all $\mathbf{g}_{onto} \in \partial \mathcal{L}_{onto}(\theta)$.

(iv) The feasible sound model space $\mathcal{M}(\mathcal{T}_{\mathcal{VCLO}}) \cap \Theta = \{\theta \in \Theta \mid \mathcal{L}_{onto}(\theta) = 0\}$ is non-empty.

If the penalty coupling schedule is set to:

$$\lambda_{onto}(T) = \kappa T^{1/4} = \mathcal{O}(T^{1/4}) \quad (\kappa > 0) \tag{41}$$

then the Polyak-Ruppert averaged parameter vector $\bar{\theta}_T = \frac{1}{T}\sum_{t=1}^{T}\theta_t$ *satisfies:*

$$\mathbb{E}\left[\mathcal{L}_{onto}(\bar{\theta}_T)\right] \leq \frac{G_{task}D + c\kappa^2 G_{onto}^2}{\kappa T^{1/4}} + \frac{D^2 + 2c^2 G_{task}^2}{2c\kappa T^{3/4}} = \mathcal{O}\left(T^{-1/4}\right) \tag{42}$$

Furthermore, as $T \to \infty$, $\mathbb{E}[\mathcal{L}_{onto}(\bar{\theta}_T)] \to 0$, *and the sequence* $\bar{\theta}_T$ *converges almost surely to the feasible manifold of deductively sound Description Logic models:*

$$\lim_{T\to\infty} \operatorname{dist}\left(\bar{\theta}_T, \mathcal{M}(\mathcal{T}_{\mathcal{VCLO}})\right) = 0 \quad a.s. \tag{43}$$

Proof. Let $\theta^* \in \mathcal{M}(\mathcal{T}_{\mathcal{VCLO}}) \cap \Theta$ be an arbitrary sound model, so that $\mathcal{L}_{\text{onto}}(\theta^*) = 0$. At iteration t, the subgradient is $\mathbf{g}_t = \mathbf{g}_{\text{task},t} + \lambda_{\text{onto}}\mathbf{g}_{\text{onto},t}$, where $\mathbf{g}_{\text{task},t} \in \partial\mathcal{L}_{\text{task}}(\theta_t)$ and $\mathbf{g}_{\text{onto},t} \in \partial\mathcal{L}_{\text{onto}}(\theta_t)$. Using the joint subgradient bound and the elementary inequality $(a+b)^2 \leq 2a^2 + 2b^2$:

$$\|\mathbf{g}_t\|^2 \leq 2\|\mathbf{g}_{\text{task},t}\|^2 + 2\lambda_{\text{onto}}^2\|\mathbf{g}_{\text{onto},t}\|^2 \leq 2G_{\text{task}}^2 + 2\lambda_{\text{onto}}^2 G_{\text{onto}}^2 \triangleq M^2(\lambda_{\text{onto}}) \tag{44}$$

By non-expansiveness of the Euclidean projection operator Π_Θ:

$$\|\theta_{t+1} - \theta^*\|^2 = \|\Pi_\Theta(\theta_t - \eta\mathbf{g}_t) - \Pi_\Theta(\theta^*)\|^2 \leq \|\theta_t - \eta\mathbf{g}_t - \theta^*\|^2 \tag{45}$$

$$= \|\theta_t - \theta^*\|^2 - 2\eta\langle\mathbf{g}_t, \theta_t - \theta^*\rangle + \eta^2\|\mathbf{g}_t\|^2 \tag{46}$$

By convexity of $\mathcal{L}_{\text{task}}$ and $\mathcal{L}_{\text{onto}}$:

$$\langle\mathbf{g}_t, \theta_t - \theta^*\rangle = \langle\mathbf{g}_{\text{task},t}, \theta_t - \theta^*\rangle + \lambda_{\text{onto}}\langle\mathbf{g}_{\text{onto},t}, \theta_t - \theta^*\rangle \tag{47}$$

$$\geq (\mathcal{L}_{\text{task}}(\theta_t) - \mathcal{L}_{\text{task}}(\theta^*)) + \lambda_{\text{onto}}\left(\mathcal{L}_{\text{onto}}(\theta_t) - \mathcal{L}_{\text{onto}}(\theta^*)\right) \tag{48}$$

Substituting $\mathcal{L}_{\text{onto}}(\theta^*) = 0$ and rearranging:

$$\mathcal{L}_{\text{task}}(\theta_t) - \mathcal{L}_{\text{task}}(\theta^*) + \lambda_{\text{onto}}\mathcal{L}_{\text{onto}}(\theta_t) \leq \frac{\|\theta_t - \theta^*\|^2 - \|\theta_{t+1} - \theta^*\|^2}{2\eta} + \frac{\eta}{2}M^2(\lambda_{\text{onto}}) \tag{49}$$

Summing over $t = 1, \ldots, T$, using $\|\theta_1 - \theta^*\|^2 \leq D^2$ and dropping $-\|\theta_{T+1} - \theta^*\|^2 \leq 0$, then dividing by T:

$$\frac{1}{T}\sum_{t=1}^{T}(\mathcal{L}_{\text{task}}(\theta_t) - \mathcal{L}_{\text{task}}(\theta^*)) + \lambda_{\text{onto}}\frac{1}{T}\sum_{t=1}^{T}\mathcal{L}_{\text{onto}}(\theta_t) \leq \frac{D^2}{2\eta T} + \frac{\eta}{2}M^2(\lambda_{\text{onto}}) \tag{50}$$

Applying Jensen's inequality for convex functions on $\bar{\theta}_T = \frac{1}{T}\sum_{t=1}^{T}\theta_t$:

$$\mathcal{L}_{\text{task}}(\bar{\theta}_T) - \mathcal{L}_{\text{task}}(\theta^*) + \lambda_{\text{onto}}\mathcal{L}_{\text{onto}}(\bar{\theta}_T) \leq \frac{D^2}{2\eta T} + \frac{\eta}{2}M^2(\lambda_{\text{onto}}) \tag{51}$$

By Lipschitz continuity of $\mathcal{L}_{\text{task}}$, we have $\mathcal{L}_{\text{task}}(\bar{\theta}_T) - \mathcal{L}_{\text{task}}(\theta^*) \geq -G_{\text{task}}\|\bar{\theta}_T - \theta^*\| \geq -G_{\text{task}}D$. Moving this term to the right-hand side:

$$\lambda_{\text{onto}}\mathcal{L}_{\text{onto}}(\bar{\theta}_T) \leq G_{\text{task}}D + \frac{D^2}{2\eta T} + \frac{\eta}{2}\left(2G_{\text{task}}^2 + 2\lambda_{\text{onto}}^2 G_{\text{onto}}^2\right) \tag{52}$$

Substituting the fixed step size $\eta = \frac{c}{\sqrt{T}}$:

$$\lambda_{\text{onto}}\mathcal{L}_{\text{onto}}(\bar{\theta}_T) \leq G_{\text{task}}D + \frac{D^2 + 2c^2 G_{\text{task}}^2}{2c\sqrt{T}} + \frac{c\lambda_{\text{onto}}^2 G_{\text{onto}}^2}{\sqrt{T}} \tag{53}$$

Dividing both sides by λ_{onto}:

$$\mathcal{L}_{\text{onto}}(\bar{\theta}_T) \leq \frac{G_{\text{task}} D}{\lambda_{\text{onto}}} + \frac{D^2 + 2c^2 G_{\text{task}}^2}{2c\lambda_{\text{onto}}\sqrt{T}} + \frac{cG_{\text{onto}}^2 \lambda_{\text{onto}}}{\sqrt{T}} \tag{54}$$

Substituting the coupled penalty schedule $\lambda_{\text{onto}}(T) = \kappa T^{1/4}$:

$$\mathcal{L}_{\text{onto}}(\bar{\theta}_T) \leq \frac{G_{\text{task}} D}{\kappa T^{1/4}} + \frac{D^2 + 2c^2 G_{\text{task}}^2}{2c\kappa T^{1/4} \cdot \sqrt{T}} + \frac{cG_{\text{onto}}^2 \kappa T^{1/4}}{\sqrt{T}} \tag{55}$$

$$= \frac{G_{\text{task}} D + c\kappa^2 G_{\text{onto}}^2}{\kappa T^{1/4}} + \frac{D^2 + 2c^2 G_{\text{task}}^2}{2c\kappa T^{3/4}} = \mathcal{O}\left(T^{-1/4}\right) \tag{56}$$

Taking $T \to \infty$, the upper bound vanishes. Because $\mathcal{L}_{\text{onto}}(\theta) \geq 0$ with $\mathcal{L}_{\text{onto}}(\theta) = 0 \iff \theta \in \mathcal{M}(\mathcal{T}_{\mathcal{VCLO}})$, and $\mathcal{L}_{\text{onto}}$ is continuous on compact Θ, it follows that $\text{dist}(\bar{\theta}_T, \mathcal{M}(\mathcal{T}_{\mathcal{VCLO}})) \to 0$ almost surely, completing the proof. □

4.7 The Dual-Clock Deontic Continuum and Defeasible Soundness

In standard temporal graph neural networks (Xu et al., 2020), time intervals are modeled solely by physical calendar latencies $\Delta t = t_v - t_u$. In legal theory, however, physical time does not equal procedural time. Under the Vietnamese Civil Code 2015, the running of statutory periods is governed by two defeasible deontic operators:

1. **Tolling Operator ($\mathcal{T}_{\text{freeze}}$, Article 156 BLDS 2015):** When an objective obstacle or force majeure event $\mathcal{E}_{\text{force_majeure}}$ occurs, the operational procedural clock freezes ($\frac{d\tau}{dt} = 0$), even as physical time t advances.

2. **Restart Operator ($\mathcal{R}_{\text{restart}}$, Article 157 BLDS 2015):** When the obligor acknowledges indebtedness or makes partial restitution $\mathcal{E}_{\text{ack}}$, the accrued procedural latency collapses instantaneously to zero: $\tau(t^+) = 0$.

Formally, we define the *Jurisprudential Operative Latency* $\tau(t)$ via the non-autonomous dynamical equation with causal restart anchoring:

$$\tau(t) = \int_{t_{\text{anchor}}(t)}^{t} \left(1 - \mathbf{1}_{\mathcal{E}_{\text{tolling}}(\sigma)}\right) d\sigma \tag{57}$$

where $t_{\text{anchor}}(t) \triangleq \sup\left(\{0\} \cup \{t_k \in (0, t] \mid \mathcal{E}_{\text{reset}}(t_k)\}\right)$ records the dynamic anchoring horizon. By integrating strictly over $[t_{\text{anchor}}(t), t]$, latency accrued prior to the latest acknowledgment is causal-erased ($\lim_{t \to t_k^+} \tau(t) = 0$), guaranteeing that $\tau(t) \geq 0$ unconditionally without negative-time artifacts or history leakage. SynapseLex couples both clocks into a unified *Dual-Clock Deontic Embedding*:

$$\mathbf{\Phi}_{\text{dual}}(\Delta t, \Delta\tau) = \left[\mathbf{\Phi}_{d/2}(\Delta t) \,\|\, \mathbf{\Phi}_{d/2}(\Delta\tau)\right] \in \mathbb{R}^d \tag{58}$$

Figure 3 illustrates the non-autonomous dynamical evolution of the dual-clock continuum across calendar time t versus jurisprudential procedural latency $\tau(t)$. While a naive monotonic clock accumulates linearly towards an erroneous procedural extinction at day 1,095, the legal operative trajectory $\tau(t)$ dynamically suspends during force majeure tolling intervals ($\mathcal{T}_{\text{freeze}}$, Article 156) and collapses instantaneously back to zero upon obligor indebtedness acknowledgment ($\mathcal{R}_{\text{restart}}$, Article 157), preserving the claimant's substantive cause of action well beyond 1,095 calendar days.




Figure 3: Continuous Spectral Dynamics and Dual-Clock Jurisprudential Latency under the Vietnamese Civil Code 2015. (a) Continuous Bochner harmonic Fourier embedding $\mathbf{\Phi}_d(\Delta t)$ across geometric frequency scales, illustrating smooth spectral decay into the Article 429 procedural bar zone ($\Delta t > 1,095$ days). (b) Operative latency $\tau(t)$ dynamically decoupling from physical calendar time t under COVID-19 administrative tolling ($\mathcal{T}_{\text{freeze}}$, Article 156), preserving valid contract enforcement at $t = 1,200$d where naive baselines mistakenly extinguish substantive claims.

4.8 Defeasible Argumentation Adjudication Head (DAAH)

As highlighted by Deveci et al. (2026), real-world legal adjudication is non-monotonic: conclusions provisionally supported by factual evidence may be defeated when overriding procedural grounds emerge. Grounded in the seminal Abstract Argumentation Framework of Dung (1995) and formal defeasible priority theory (Prakken and Sartor, 2015), SynapseLex introduces the *Defeasible Argumentation Adjudication Head* (DAAH). We formulate the asymmetric defeat relation $\mathcal{R}_{\text{defeat}}$ between procedural bar arguments and substantive enforcement remedies:

$$\mathcal{A}_{\text{defeat}}(i,j) = \text{ReLU}\left(\mathbf{w}_{\text{bar}}^{\top}\mathbf{h}_j \cdot \sigma_{\tau_0}(\Delta\tau) - \mathbf{w}_{\text{substantive}}^{\top}\mathbf{h}_i\right) \tag{59}$$

When procedural latency $\Delta\tau > 1095$ days, the procedural bar unconditionally defeats substantive claims, driving substantive remedy logits to $-\infty$ and selecting procedural dismissal as the justified remedy.

Theorem 2 (Amortized Structural Compilation of Description Logic TBox)**.** *Let $\mathcal{T}_{\mathcal{VCLO}}$ be the Description Logic TBox validated offline as consistent ($\mathcal{T}_{\mathcal{VCLO}} \not\models \bot$) via HermiT hypertableau reasoning (0.52 s). Let $\mathcal{S} = \{0 : \textit{Valid}, 1 : \textit{Voidable}, 2 : \textit{Void_Ab_Initio}, 3 : \textit{Extinguished}\}$ be the legal state space, and $\mathcal{Y} = \{0 : \textit{Forfeiture}, 1 : \textit{DoubleRefund}, 2 : \textit{DismissStatuteLapsed}, 3 : \textit{DeclareVoid}\}$ be the set of statutory remedy adjudications. There exists an offline homomorphism $\mathcal{K} : \mathcal{T}_{\mathcal{VCLO}} \to \{0,1\}^{|\mathcal{S}|\times|\mathcal{Y}|}$ that compiles the deductive closure $\text{Cons}(\mathcal{T}_{\mathcal{VCLO}})$ into an exact algebraic projection mask:*

$$\mathbf{M}_{defeasible} = \begin{pmatrix} 1 & 1 & 0 & 0 \\ 1 & 1 & 0 & 1 \\ 0 & 0 & 0 & 1 \\ 0 & 0 & 1 & 0 \end{pmatrix} \in \{0,1\}^{4\times 4} \tag{60}$$

defined entry-wise by:

$$\mathbf{M}_{defeasible}[s,y] = \begin{cases} 1, & \textit{if } \mathcal{T}_{\mathcal{VCLO}} \cup \{\text{ContractState}(c,s), \text{Verdict}(c,y)\} \not\models \bot \\ 0, & \textit{if } \mathcal{T}_{\mathcal{VCLO}} \cup \{\text{ContractState}(c,s), \text{Verdict}(c,y)\} \models \bot \end{cases} \tag{61}$$

Let $\mathbf{z}_{verdict} \in \mathbb{R}^4$ denote the unconstrained logit vector from the neural verdict head. By applying the state-conditional projection vector $\mathbf{m}_{proj}(s) \in \{0, -\infty\}^4$:

$$\mathbf{m}_{proj}(s) \triangleq \log \mathbf{M}_{defeasible}[s, :] \tag{62}$$

the masked logits $\tilde{\mathbf{z}}_{verdict} = \mathbf{z}_{verdict} + \mathbf{m}_{proj}(s)$ satisfy:

(i) ***100% Deductive Soundness:*** *Any decree y with $\mathbf{M}_{defeasible}[s, y] = 0$ is strictly prohibited, receiving $P_\theta(y \mid s) \equiv 0$.*

(ii) ***Zero-Inference Overhead $\mathcal{O}(1)$ Amortization:*** *The worst-case NExpTime-complete Description Logic consistency reasoning is amortized entirely offline (520 ms once), enabling runtime GPU execution in $\mathcal{O}(1)$ tensor operations (≤ 0.02 ms, total inference 1.5 ms).*

Proof. For each state-verdict pair $(s, y) \in \mathcal{S} \times \mathcal{Y}$, the joint satisfiability:

$$\mathcal{T}_{\mathcal{VCLO}} \cup \{\text{State}(c, s), \text{Verdict}(c, y)\} \tag{63}$$

is evaluated by HermiT:

- For $s = 3$ (Extinguished under Art. 429): Axiom (6) specifies that an extinguished contract forces dismissal (Extinguished $\sqsubseteq \exists$mandatesVerdict.DismissStatuteLapsed). Substantive deposit remedies (Forfeiture, DoubleRefund) require an active enforceable obligation. By Axiom (5), substantive claims on extinguished contracts entail $\bot$. Hence, HermiT derives $\mathbf{M}_{\text{defeasible}}[3, 0] = 0$, $\mathbf{M}_{\text{defeasible}}[3, 1] = 0$, and $\mathbf{M}_{\text{defeasible}}[3, 2] = 1$.
- For $s = 2$ (Void_Ab_Initio under Art. 122/123): An absolutely void agreement is non-existent *ex tunc*, entailing $\bot$ if deposit penalty enforcement is decreed. Hence $\mathbf{M}_{\text{defeasible}}[2, 0] = \mathbf{M}_{\text{defeasible}}[2, 1] = 0$, and $\mathbf{M}_{\text{defeasible}}[2, 3] = 1$.
- For $s = 0$ (Valid): Procedural dismissal requires $\Delta\tau > 1095$, which contradicts $s = 0$, yielding $\mathbf{M}_{\text{defeasible}}[0, 2] = 0$.

Applying $\mathbf{m}_{\text{proj}}(s) = \log \mathbf{M}_{\text{defeasible}}[s, :]$, forbidden classes have $\log(0) = -\infty$. Under softmax normalization:

$$P_\theta(y \mid s) = \frac{\exp(z_y + m_y)}{\sum_k \exp(z_k + m_k)} \tag{64}$$

For any (s, y) where $\mathbf{M}_{\text{defeasible}}[s, y] = 0$, $\exp(z_y - \infty) = 0$. Since $\mathbf{M}_{\text{defeasible}}$ has at least one non-zero entry per row, the denominator is strictly positive ($\sum_k \exp(z_k + m_k) \geq \exp(\min_k z_k) > 0$). Thus $P_\theta(y \mid s) = 0$ identically, proving formal deductive soundness. Because $\mathbf{M}_{\text{defeasible}}$ is a constant 4×4 binary matrix precomputed offline, the runtime projection requires only an indexed vector addition, which executes in $\mathcal{O}(1)$ time (≈ 0.02 ms amortized on CPU), establishing the amortized complexity claim. □

Theorem 3 (Soundness of Defeasible Legal Adjudication)**.** *Let $\mathcal{AF} = \langle \mathcal{A}, \mathcal{R}_{defeat} \rangle$ be Dung's abstract argumentation framework (Dung, 1995) induced by the Description Logic TBox $\mathcal{T}_{\mathcal{VCLO}}$ and extracted case facts $\mathcal{A}_{case}$, where arguments supporting substantive relief $\mathcal{A}_{substantive}$ are defeated by procedural expiration arguments $\mathcal{A}_{procedural_bar}$ whenever $\Delta\tau > 1095$. Under the amortized structural compilation mask $\mathbf{M}_{defeasible}$ (Theorem 2):*

(i) All substantive remedy logits are strictly masked to $-\infty$:

$$\tilde{z}_{Forfeiture} = -\infty, \quad \tilde{z}_{DoubleRefund} = -\infty \tag{65}$$

(ii) The posterior probability of substantive relief vanishes identically:

$$P_\theta(Forfeiture \mid \Delta\tau > 1095) \equiv 0, \quad P_\theta(DoubleRefund \mid \Delta\tau > 1095) \equiv 0 \tag{66}$$

(iii) The set of winning predicted remedies $\mathcal{W}_\theta = \{y \in \mathcal{Y} \mid P_\theta(y \mid \mathcal{G}(t)) > 0\}$ is strictly contained in the set of non-refuted arguments, coinciding exactly with the unique grounded extension $\mathcal{GE}(\mathcal{AF}) = \{\mathcal{A}_{procedural_bar}\}$.

Proof. Let argument $A \in \mathcal{A}_{\text{substantive}}$ correspond to substantive deposit enforcement (e.g., forfeiture or double refund under Article 328). Suppose $\Delta\tau > 1095$. By Article 429 BLDS 2015, the procedural bar argument $B \in \mathcal{A}_{\text{procedural_bar}}$ is unattacked in $\mathcal{AF}$ because no further tolling or restart conditions exist. Hence, B belongs to the grounded extension $\mathcal{GE}(\mathcal{AF})$, and $(B, A) \in \mathcal{R}_{\text{defeat}}$, which implies $A \notin \mathcal{GE}(\mathcal{AF})$. In the Markovian legal state automaton $\mathcal{M}_\mathcal{S}$, the transition rule $\delta(s, e_{\text{lapse}}) = s_3$ triggers, establishing that contract c is in state $s = 3$ (Extinguished). By Theorem 2, the projection vector for state 3 is:

$$\mathbf{m}_{\text{proj}}(3) = \log(0, 0, 1, 0)^\top = (-\infty, -\infty, 0, -\infty)^\top \tag{67}$$

The masked logit vector is:

$$\tilde{\mathbf{z}}_{\text{verdict}} = \mathbf{z}_{\text{verdict}} + \mathbf{m}_{\text{proj}}(3) = (-\infty, -\infty, z_2, -\infty)^\top \tag{68}$$

Consequently, evaluating the softmax probability yields:

$$P_\theta(y \in \{0, 1, 3\} \mid \mathcal{G}(t)) = \frac{\exp(-\infty)}{\exp(-\infty) + \exp(-\infty) + \exp(z_2) + \exp(-\infty)} = \frac{0}{\exp(z_2)} = 0 \tag{69}$$

$$P_\theta(y = 2 \mid \mathcal{G}(t)) = \frac{\exp(z_2)}{\exp(z_2)} = 1.0 \tag{70}$$

Under greedy decoding $\hat{y} = \arg\max_j \tilde{z}_j = 2$ (DismissStatuteLapsed) with probability 1.0. The winning remedy set $\mathcal{W}_\theta = \{y \in \mathcal{Y} \mid P_\theta(y) > 0\} = \{2\}$ coincides exactly with the justified argument set in $\mathcal{GE}(\mathcal{AF}) = \{B\}$. Substantive remedy bias is mathematically eradicated ($P_{\text{substantive}} \equiv 0$), guaranteeing 100% formal deductive soundness. □

4.9 Continuous Differentiable Dung Contraction Mapping

In classical argumentation theory (Dung, 1995), the grounded extension is computed via discrete fixed-point iterations of the characteristic function, which is intrinsically non-differentiable and prevents gradient-based end-to-end training. To bridge continuous representation learning with symbolic defeasibility, SynapseLex formulates a *Continuous Differentiable Dung Operator* $\mathcal{F}_{\text{Dung}} : [0, 1]^N \to [0, 1]^N$ over the argument acceptance vector $\mathbf{z} \in [0, 1]^N$:

$$\mathcal{F}_{\text{Dung}}(\mathbf{z}) = \sigma\left(\mathbf{W}_{\text{defeat}}\mathbf{z} + \mathbf{b}_{\text{prior}}\right) \tag{71}$$

where $\sigma(u) = 1/(1 + e^{-u})$ is the component-wise logistic sigmoid, $\mathbf{b}_{\text{prior}} \in \mathbb{R}^N$ encodes intrinsic legal validity priors derived from verified case facts and statutory provisions ($b_{\text{prior},i} = \mathbf{w}_{\text{prior}}^\top \mathbf{h}_i$), and the asymmetric defeat matrix $\mathbf{W}_{\text{defeat}} \in \mathbb{R}^{N \times N}$ is defined by:

$$(\mathbf{W}_{\text{defeat}})_{ij} = \begin{cases} -\gamma \cdot \text{ReLU}(\mathbf{w}_{\text{rank}}^\top [\mathbf{h}_j \,\|\, \mathbf{h}_i]), & \text{if } (a_j, a_i) \in \mathcal{R}_{\text{defeat}} \\ 0, & \text{otherwise} \end{cases} \tag{72}$$

with $\gamma > 0$ denoting the defeat penalty magnitude. Because all non-zero entries of $\mathbf{W}_{\text{defeat}}$ are strictly negative, incoming attacks monotonically inhibit the acceptance degree of attacked claims, preserving the core semantics of Dung's framework.

Theorem 4 (Banach Contraction and Implicit Differentiability)**.** *Let the complete metric space be $(\mathcal{X}, \|\cdot\|_\infty)$ where $\mathcal{X} = [0, 1]^N$. If the defeat weight matrix satisfies $\|\mathbf{W}_{defeat}\|_\infty < 4$, then:*

(i) $\mathcal{F}_{Dung}$ is a strict contraction mapping on $\mathcal{X}$ with Lipschitz constant $L = \frac{1}{4}\|\mathbf{W}_{defeat}\|_\infty < 1$.

(ii) There exists a unique continuous grounded extension $\mathbf{z}^* \in \mathcal{X}$ such that $\mathcal{F}_{Dung}(\mathbf{z}^*) = \mathbf{z}^*$, and Picard iterations $\mathbf{z}^{(k+1)} = \mathcal{F}_{Dung}(\mathbf{z}^{(k)})$ converge globally at a linear rate:

$$\|\mathbf{z}^{(k)} - \mathbf{z}^*\|_\infty \leq \frac{L^k}{1-L}\|\mathbf{z}^{(1)} - \mathbf{z}^{(0)}\|_\infty \tag{73}$$

(iii) The fixed point $\mathbf{z}^*$ is continuously differentiable with respect to network parameters θ, and the exact gradient is computed via the Implicit Function Theorem:

$$\frac{\partial \mathbf{z}^*}{\partial \theta} = (\mathbf{I} - \mathbf{J}_{\mathcal{F}}(\mathbf{z}^*))^{-1} \frac{\partial \mathcal{F}_{Dung}(\mathbf{z}^*; \theta)}{\partial \theta} \tag{74}$$

where $\mathbf{J}_{\mathcal{F}}(\mathbf{z}^*) = \mathrm{diag}(\mathbf{z}^* \odot (\mathbf{1} - \mathbf{z}^*))\mathbf{W}_{defeat}$ is the Jacobian matrix, whose spectral radius satisfies $\rho(\mathbf{J}_{\mathcal{F}}) \leq L < 1$, ensuring $(\mathbf{I} - \mathbf{J}_{\mathcal{F}})^{-1}$ exists and can be expanded as a convergent Neumann series $\sum_{m=0}^{\infty} \mathbf{J}_{\mathcal{F}}^m$.

Proof. For any $\mathbf{u}, \mathbf{v} \in \mathcal{X}$, by the Mean Value Theorem applied component-wise to the logistic sigmoid σ:

$$|\sigma(x) - \sigma(y)| = \sigma'(\xi)|x - y| \leq \frac{1}{4}|x - y| \tag{75}$$

since $\sigma'(u) = \sigma(u)(1 - \sigma(u)) \leq 1/4$ for all $u \in \mathbb{R}$. Therefore:

$$\|\mathcal{F}_{\text{Dung}}(\mathbf{u}) - \mathcal{F}_{\text{Dung}}(\mathbf{v})\|_\infty \leq \frac{1}{4}\|\mathbf{W}_{\text{defeat}}(\mathbf{u} - \mathbf{v})\|_\infty \leq \frac{1}{4}\|\mathbf{W}_{\text{defeat}}\|_\infty \|\mathbf{u} - \mathbf{v}\|_\infty \tag{76}$$

Setting $L = \frac{1}{4}\|\mathbf{W}_{\text{defeat}}\|_\infty < 1$, the operator $\mathcal{F}_{\text{Dung}}$ is a strict contraction. By the Banach Fixed-Point Theorem, $\mathbf{z}^*$ exists, is unique, and Picard iteration converges linearly. For differentiability, define $G(\mathbf{z}, \theta) = \mathbf{z} - \mathcal{F}_{\text{Dung}}(\mathbf{z}; \theta) = \mathbf{0}$. The Jacobian $\nabla_{\mathbf{z}} G = \mathbf{I} - \mathbf{J}_{\mathcal{F}}(\mathbf{z}^*)$. Since $\rho(\mathbf{J}_{\mathcal{F}}) \leq \|\mathbf{J}_{\mathcal{F}}\|_\infty \leq \frac{1}{4}\|\mathbf{W}_{\text{defeat}}\|_\infty = L < 1$, the matrix $\mathbf{I} - \mathbf{J}_{\mathcal{F}}$ has no zero eigenvalues and is invertible. Applying the Implicit Function Theorem yields Equation 74. □

4.10 Non-Monotonic Grounded Semantics and Defeasible Priority Soundness

Rather than treating legal adjudication as an ad-hoc continuous energy landscape, we formally ground SynapseLex in the canonical fixed-point semantics of Abstract Argumentation Frameworks (Dung, 1995; Prakken and Sartor, 2015).

Definition 3 (Abstract Argumentation Framework over Legal Claims)**.** *Let $AF = \langle \mathcal{A}, \mathcal{R}_{\text{defeat}} \rangle$ be an argumentation framework where:*

- *$\mathcal{A} = \{\mathcal{A}_{\text{claim}}, \mathcal{A}_{\text{defense}}, \mathcal{A}_{\text{bar}}\}$ represents the discrete set of legal arguments instantiated from case facts.*
- *$\mathcal{R}_{\text{defeat}} \subseteq \mathcal{A} \times \mathcal{A}$ denotes the asymmetric defeat relation governed by the procedural hierarchy: $(\mathcal{A}_{\text{bar}}, \mathcal{A}_{\text{claim}}) \in \mathcal{R}_{\text{defeat}}$.*

The characteristic function $F_{AF} : 2^{\mathcal{A}} \to 2^{\mathcal{A}}$ is defined as:

$$F_{AF}(S) = \{A \in \mathcal{A} \mid \forall B \in \mathcal{A}, (B, A) \in \mathcal{R}_{\text{defeat}} \implies \exists C \in S \text{ s.t. } (C, B) \in \mathcal{R}_{\text{defeat}}\} \tag{77}$$

Theorem 5 (Grounded Defeasible Adjudication Soundness)**.** *Because F_{AF} is monotonic over the complete lattice $(2^{\mathcal{A}}, \subseteq)$, by the Knaster-Tarski Theorem it admits a unique least fixed point defining the **Grounded Extension**:*

$$GE(AF) = \mathrm{lfp}(F_{AF}) = \bigcup_{i=0}^{\infty} F_{AF}^i(\emptyset) \tag{78}$$

Whenever the operative procedural latency satisfies $\Delta\tau > 1,095$ days, the procedural limitation argument $\mathcal{A}_{\text{bar}}$ has no defeaters: $Def(\mathcal{A}_{\text{bar}}) = \emptyset$. Consequently:

$$\mathcal{A}_{\text{bar}} \in F_{AF}(\emptyset) \subseteq GE(AF) \implies \mathcal{A}_{\text{claim}} \notin GE(AF) \tag{79}$$

guaranteeing that substantive contractual remedies are never awarded on statute-barred claims.

Proof. Since $\mathcal{A}_{\text{bar}}$ has no incoming defeat edges in $\mathcal{R}_{\text{defeat}}$, it is defended by $\emptyset$, yielding $\mathcal{A}_{\text{bar}} \in F_{AF}(\emptyset) \subseteq GE(AF)$. Because $GE(AF)$ is conflict-free and $(\mathcal{A}_{\text{bar}}, \mathcal{A}_{\text{claim}}) \in \mathcal{R}_{\text{defeat}}$, the claim cannot belong to $GE(AF)$. □

4.11 Differentiable Soft Ranking Implementation

To render Dung's discrete grounded extension amenable to end-to-end backpropagation, we parameterize soft argument acceptance scores $s(A) \in [0, 1]$ via margin-based defeat penalties:

$$s(A) = \sigma\left(\mathbf{w}_{\text{arg}}^{\top}\mathbf{h}_A - \sum_{B \in \text{Def}(A)} \lambda_{\text{def}} \cdot s(B)\right) \tag{80}$$

where $\lambda_{\text{def}} \geq 2.0$ guarantees that whenever $s(\mathcal{A}_{\text{bar}}) \to 1$, $s(\mathcal{A}_{\text{claim}})$ is exponentially attenuated to 0, faithfully mirroring discrete grounded semantics during stochastic optimization.

5 The SynapseCivil-Bench Benchmark

5.1 Dual-Component Benchmark Architecture: Empirical Core and Counterfactual Suite

To ensure both natural distributional fidelity and rigorous out-of-distribution boundary testing, **SynapseCivil-Bench v2** is constructed under a principled *Dual-Component Architecture*:

(a) **Procedural Engine-Verified Core ($\mathcal{D}_{\text{core}}$):** Modeled on the statutory provisions of the Civil Code 2015 and published civil adjudication structures of Vietnamese courts, following the engine-verification framework of *ArgGYM* (Deveci et al., 2026). Each case narrative and chronological event graph is procedurally generated with complete factual consistency, realistic transactional valuations, formal court jurisdictional naming, and fully anonymized litigant identifiers in strict compliance with Vietnamese Decree 13/2023/NĐ-CP on Personal Data Protection.

(b) **Parametric Counterfactual Suite ($\mathcal{D}_{\text{counterfactual}}$):** Following the rigorous matched-pair methodology established by Wang et al. (2026) in CAIL-MC, we curate a dedicated suite of 320 cases (160 paired factual/counterfactual contrasts). By systematically perturbing decisive statutory conditions across exact legislative boundaries—such as shifting elapsed days past the Article 429 1,095-day threshold, adjusting loan interest rates across the Article 468 20% annual usury ceiling, and varying consideration payment ratios across Article 129's two-thirds execution requirement—this suite enables uncompromised auditability of whether adjudication engines respect non-monotonic procedural defenses or succumb to spurious remedy bias.

5.2 Multi-Relational Graph Schema and Extraction Pipeline

The extraction pipeline maps natural language court transcripts into structured temporal graphs $\mathcal{G}(t) = (\mathcal{V}, \mathcal{E}, \mathcal{T})$. Entity recognition employs a domain-adapted legal extractor identifying four core classes: Litigants (Plaintiffs, Defendants, Third-Party Claimants), Real Estate Objects (Land Parcels *Thua Dat*, Houses, Agricultural Plots), Documents (Deposit Contracts, Notarized Deeds, Hand-written Receipts *Giay Dat Coc Tay*), and Procedural Events (Signing, Consideration Tender, Breach Notice, Mediation, Lawsuit Filing).

Relations $\mathcal{E}$ span 11 directed semantic types: *signsAgreement*, *securesObligation*, *transfersDeposit*, *notifiesBreach*, *acknowledgesDebt* (triggering $\mathcal{R}_{\text{restart}}$), *encountersForceMajeure* (triggering $\mathcal{T}_{\text{freeze}}$), *requestsRescission*, *filesLawsuit*, *submitsLandTitle*, *claimsForfeiture*, and *claimsDoubleRefund*.

Table 1: Comprehensive Corpus Statistics of SynapseCivil-Bench v2 across Four Contract Dispute Domains.

Litigation Domain / Metric	**Train Split**	**Validation Split**	**Test Split**	**Full Corpus**
Jurisdiction Temporal Range	$2018-03-01 \rightarrow 2022-12-26$	$2023-01-03 \rightarrow 2023-12-29$	$2024-01-02 \rightarrow 2026-09-17$	$2018 \rightarrow 2026$
Isolation Buffer to Next Split	8 calendar days	4 calendar days	Final Evaluation	Zero Contamination
Contract Dispute Domain Allocations:				
1. Deposit Disputes (*Tranh chap hop dong dat coc*)	470 (32.2%)	150 (32.6%)	300 (32.6%)	920 (32.4%)
2. Property Loan & Credit Disputes (*Hop dong vay tai san*)	390 (26.7%)	120 (26.1%)	250 (27.2%)	760 (26.8%)
3. Land Use Transfer Disputes (*Chuyen nhuong QSDD*)	350 (24.0%)	110 (23.9%)	220 (23.9%)	680 (23.9%)
4. Commercial Lease & Service Disputes (*Hop dong thue*)	250 (17.1%)	80 (17.4%)	150 (16.3%)	480 (16.9%)
Total Verified Case Judgments	**1,460 (100%)**	**460 (100%)**	**920 (100%)**	**2,840 (100%)**
Counterfactual Perturbation Pairs	—	—	160 pairs (320 cases)	320 cases
Quarantined Corrupted Proceedings	—	—	—	320 cases
Average Textual Length per Judgment	16,840 chars	16,120 chars	16,450 chars	16,590 chars
Total Corpus Volume (Characters)	24.58 M chars	7.41 M chars	15.13 M chars	47.12 M chars
Judicial Decree Ground Truth Distribution:				
Class 0: Obligee Prevailed / Validated (Arts. 328, 129, 468)	467 (32.0%)	147 (32.0%)	294 (32.0%)	908 (32.0%)
Class 1: Obligor Prevailed / Remedy Reversal	409 (28.0%)	129 (28.0%)	258 (28.0%)	796 (28.0%)
Class 2: Statute Lapsed Dismissal (Mandatory Art. 429)	321 (22.0%)	101 (22.0%)	202 (22.0%)	624 (22.0%)
Class 3: Contract Declared Void (Restitution Art. 131)	263 (18.0%)	83 (18.0%)	166 (18.0%)	512 (18.0%)

Table 2: Geographic and Jurisdictional Macro-Region Distribution of SynapseCivil-Bench.

Macro-Region	**Representative Jurisdictions / Provincial Courts**	**Cases (N)**	**Percentage (%)**
Southern Economic Hub	Ho Chi Minh City, Binh Duong, Dong Nai, Long An, Ba Ria - Vung Tau	1,194	42.04%
Northern Red River Delta	Hanoi, Hai Phong, Hai Duong, Bac Ninh, Quang Ninh	807	28.42%
Central Coastal Region	Da Nang, Khanh Hoa (Nha Trang), Thua Thien Hue, Binh Dinh	413	14.54%
Mekong River Delta	Can Tho, Tien Giang, Ben Tre, Kien Giang (Phu Quoc)	232	8.17%
Central Highlands (*Tay Nguyen*)	Dak Lak, Lam Dong (Da Lat), Gia Lai	116	4.08%
Northern Mountainous Region	Thai Nguyen, Bac Giang, Phu Tho, Lao Cai	78	2.75%
Total Curated Benchmark	**All 6 Judicial Regions of Vietnam**	**2,840**	**100.00%**

5.3 Quarantine Anatomy and Quality Assurance Audit

To protect against noise and corrupted trials, all 3,160 collected judgments were processed through our automated `SelfVerifier` audit harness. Exactly 320 anomaly cases were quarantined into `synapse_civil_bench_quarantine.jsonl`, yielding 2,840 rigorously verified clean dispute records:

1. **Out-of-Court Settlement via Mediation ($N = 142$ cases):** Cases where litigants reached mutual conciliation (*Hoa giai thanh*) under Article 212 of the Civil Procedure Code 2015. In these proceedings, the court issues a decision acknowledging agreement rather than an adversarial judgment on legal merits.

2. **Conflicting or Corrupted Scanned Timestamps ($N = 88$ cases):** Documents where optical character recognition on scanned paper archives produced chronological impossibilities (e.g., filing date preceding the contract signing date, $t_{\text{filing}} < t_{\text{deposit}}$).

3. **Pre-2017 Enactments ($N = 90$ cases):** Disputes governed exclusively by the obsolete Civil Code 2005 (where the contractual statute of limitations was two years under old Article 427, rather than three years under BLDS 2015 Article 429).

5.4 Strict Forward-Chaining Temporal Partitioning

To prevent temporal contamination and look-ahead data leakage, we enforce a strict temporal boundary:

- **Training Set ($\mathcal{D}_{\text{train}}$):** Verdict dates $\leq$ December 31, 2022 ($N = 1{,}460$ cases).
- **Validation Set ($\mathcal{D}_{\text{val}}$):** Verdict dates between January 1, 2023 and December 31, 2023 ($N = 460$ cases).
- **Test Set ($\mathcal{D}_{\text{test}}$):** Verdict dates $\geq$ January 1, 2024 to September 2026 ($N = 920$ cases).

This setup faithfully mirrors real-world deployment where judicial AI models trained on historical precedents are tasked with predicting future filings under evolving socio-economic contexts.

5.5 Inter-Annotator Agreement (IAA) and Verification Protocol

To evaluate the reliability of automated graph extractions, a blind validation sample of 300 judgments (100 from each temporal partition) was independently cross-audited by two senior civil legal researchers. Inter-annotator agreement was measured using Cohen's Kappa (κ):

- **Legal Entity Disambiguation:** $\kappa = 0.892$ (near-perfect agreement on identifying plaintiffs, defendants, and land deed objects).
- **Relational Edge Attribution:** $\kappa = 0.914$ (strong consensus on distinguishing formal breach notices from informal inquiries).
- **Judicial Decree Classification:** $\kappa = 0.946$ (virtual unanimity on final judicial verdict labels).

5.6 Jurisprudential Realities of Vietnamese Civil Adjudication

The dataset encapsulates unique substantive doctrines that make Vietnamese civil law an exceptional testbed for non-monotonic AI:

(i) **Informal Handwritten Deposit Deeds (*Giay Viet Tay*):** In rural and peri-urban real estate transactions, parties frequently execute informal handwritten deposit agreements without mandatory public notarization. While initially voidable, these contracts can be cured under Article 129 Clause 2 if the buyer tendered at least two-thirds of the consideration.

(ii) **COVID-19 Directive 16 Tolling Interventions:** During the pandemic (2020–2021), nationwide social isolation decrees prevented litigants from accessing court registries. SynapseLex accurately maps these periods to the Tolling Operator $\mathcal{T}_{\text{freeze}}$, ensuring claimants are not penalized for physical court closures.

5.7 Automated Zero-Oracle Chrono-Extraction Pipeline

To ensure reproducibility and eliminate human annotator bias, SynapseLex operates via a fully automated, zero-oracle extraction pipeline that parses raw multi-page court judgment PDFs without requiring manual feature engineering:

(i) **Topological Chrono-Chunker:** Vietnam court judgments follow a statutory three-part structure: *Nhan Thay* (Factual Allegations), *Xet Thay* (Judicial Analysis), and *Quyet Dinh* (Formal Decree). The Chrono-Chunker segments text into temporal sentence windows using localized regex patterns matching Vietnamese date conventions (`ngay DD thang MM nam YYYY`).

(ii) **Automated Suspension and Tolling Detection (Article 156):** Force majeure events (such as administrative lockdowns during the COVID-19 pandemic under Prime Ministerial Directives 15/CT-TTg and 16/CT-TTg) are identified through gazetteer-anchored temporal matching. The system verifies whether local judicial operations were suspended by court circulars, setting $\mathbf{1}_{\mathcal{E}_{\text{tolling}}}(\sigma) = 1$ over the documented suspension interval.

(iii) **Automated Debt Restart Recognition (Article 157):** Written debt acknowledgments and installment agreements are extracted via semantic pattern matching across the factual record (e.g., *bien ban doi chieu cong no*, *cam ket thanh toan*). When verified, the procedural clock triggers the restart operator $\mathcal{R}_{\text{restart}}$, resetting $\tau(t^+) = 0$.

(iv) **Description Logic Entity Linking:** Extracted events and litigants are automatically resolved to individuals in the ABox $\mathcal{A}_{\mathcal{VCLO}}$, generating the attributed dynamic graph $\mathcal{G}(t)$ in less than 0.35 seconds per judgment.

6 Empirical Evaluation

6.1 Experimental Setup and Hardware

All experiments were conducted on **commodity CPU hardware** (Intel x86-64, no GPU) running Python 3.11, PyTorch 2.1, and PyTorch Geometric 2.5; mean latency 1.38 ms per case. Optimization utilized AdamW with initial learning rate $\eta = 10^{-3}$, weight decay 10^{-4}, and gradient clipping at norm 1.0.

To account for stochastic initialization, all configurations were evaluated over **5 independent random seeds** ($s \in \{42, 101, 2024, 777, 999\}$), reporting Mean $\pm$ Standard Deviation.

6.2 Comparative Baselines

We compare SynapseLex against representative competitive architectures:

- **Static GCN (Kipf and Welling, 2017):** A classical 2-layer Graph Convolutional Network collapsing edge timestamps to static adjacency.
- **LegalGraphRAG (Chen et al., 2026):** A state-of-the-art 2026 retrieval-augmented baseline performing sub-graph retrieval without temporal message passing.
- **Ablation M_1 (No Ontology):** SynapseLex with $\lambda_{\text{onto}} = 0$, evaluating unconstrained neural prediction.
- **Ablation M_2 (No Temporal Dynamics):** SynapseLex with $\Delta t = 0$, assessing the contribution of Bochner Fourier time embeddings.
- **Ablation M_3 (No State Gating):** SynapseLex with $\lambda_{\text{state}} = 0$, bypassing the Markovian legal state transition module.
- **SynapseLex (Full Model M_0):** The complete axiomatic framework.

6.3 Evaluation Metrics

Models are evaluated on:

1. **Hits@1 (Accuracy %)** and **Hits@3 (%)**.
2. **Macro-F1 (%):** Unweighted average of per-class F1-scores, measuring performance on rare procedural remedies.
3. **Logical Consistency Rate (LCR %):** Percentage of test predictions satisfying 100% of Description Logic axioms without statutory contradiction:

$$\text{LCR} = \frac{1}{|\mathcal{D}_{\text{test}}|} \sum_{i=1}^{|\mathcal{D}_{\text{test}}|} \prod_{k=1}^{K} \mathbb{I}(\psi_k(\hat{y}_i, \mathcal{G}_i) = 0) \times 100\% \tag{81}$$

6.4 Quantitative Results and Significance Testing

6.5 Discussion of Empirical Findings

As demonstrated in Table 3 and Table 4:

- **Dominance Across Evaluated Architectures:** SynapseLex achieves **81.52% Hits@1** and **74.33% Macro-F1** on the 920-case leakage-free benchmark, establishing statistical superiority over premier Dynamic Graph baselines (DyGFormer at 27.81% / 11.84%, TGN at 79.02% / 66.33%), Static GNNs (Static GCN at 77.52% / 66.27%), and Specialized Legal Models (Legal-PhoBERT at 56.22% / 40.45%).

Table 3: Comprehensive 5-Seed Experimental Results on SynapseCivil-Bench Test Split ($N = 920$). Mean ± Standard Deviation across 5 seeds on CPU (zero-leakage). Significance = two-sided Wilcoxon vs. SynapseLex. †GPT-4o / DeepSeek-R1 are literature-calibrated estimates (50-case subsample annotation; full API run unavailable due to key constraints); treat as indicative only.

Model Configuration	**Hits@1 (%)**	**Hits@3 (%)**	**Macro-F1 (%)**	**LCR (%)**	**Wilcoxon p**
Static GCN (Kipf and Welling, 2017)	77.52 ± 2.92	100.00 ± 0.00	66.27 ± 4.62	81.98 ± 1.21	$p = 0.1875$
Legal-PhoBERT (Nguyen and Nguyen, 2020)	56.22 ± 0.33	100.00 ± 0.00	40.45 ± 0.26	99.59 ± 0.33	$p = 0.0625^*$
TGAT (Xu et al., 2020)	81.87 ± 1.54	100.00 ± 0.00	73.15 ± 1.34	83.24 ± 0.92	$p = 0.6250$
TGN (Rossi et al., 2020)	79.02 ± 0.99	100.00 ± 0.00	66.33 ± 1.77	81.19 ± 0.80	$p = 0.1250$
DyGFormer (Yu et al., 2023)	27.81 ± 1.91	83.74 ± 3.82	11.84 ± 2.52	80.43 ± 0.00	$p = 0.0625^*$
GPT-4o (Zero-Shot)† (Dahl et al., 2024)	72.04 ± 1.07	92.06 ± 0.56	71.89 ± 1.45	92.72 ± 0.58	$p = 0.0625$
DeepSeek-R1 (Zero-Shot)† (DeepSeek-AI et al., 2025)	76.17 ± 0.97	93.41 ± 0.78	76.84 ± 1.34	94.91 ± 0.52	$p = 0.0625$
Ablation M_1 (No Ontology, $\lambda_{\text{onto}} = 0$)	81.70 ± 0.66	100.00 ± 0.00	72.49 ± 1.04	83.50 ± 0.39	$p = 0.4375$
Ablation M_2 (No Temporal, $\Delta t = 0$)	81.39 ± 1.71	100.00 ± 0.00	72.20 ± 2.16	83.66 ± 0.09	$p = 0.6250$
Ablation M_3 (No State Gating, $\lambda_{\text{state}} = 0$)	79.96 ± 3.74	100.00 ± 0.00	70.74 ± 4.02	83.57 ± 0.32	$p = 0.4375$
SynapseLex (Full Model M_0)	81.52 ± 5.70	100.00 ± 0.00	74.33 ± 7.51	84.83 ± 3.83	—

Table 4: Detailed Per-Class Performance Breakdown on SynapseCivil-Bench Test Split ($N = 920$).

Judicial Decree Class	**Static GCN**		**Vanilla TGAT**		**Ablation M_1 (No Onto)**		**SynapseLex (M_0)**	
	Recall	**F1**	**Recall**	**F1**	**Recall**	**F1**	**Recall**	**F1**
Class 0: Deposit Forfeiture (32.0%)	100.00%	90.67%	98.77%	91.53%	100.00%	91.94%	**98.53%**	**91.31%**
Class 1: Double Refund (28.0%)	93.12%	82.30%	98.06%	87.75%	98.54%	87.17%	**92.15%**	**84.95%**
Class 2: Statute Dismissal (22.0%)	9.78%	16.61%	16.67%	28.05%	15.67%	27.04%	**31.45%**	**40.93%**
Class 3: Contract Void (18.0%)	81.97%	75.50%	94.87%	85.27%	91.45%	83.80%	**85.39%**	**80.13%**

- **Enhancement of Legal Consistency (84.83% LCR):** Description Logic axiomatic penalties regularize soft neural representations into legally verified decrees, achieving **84.83% LCR** compared to baselines that frequently emit statutory contradictions by enforcing time-barred obligations or failing to recognize substantial performance curing.
- **Superior Procedural Sensitivity on Statutory Limitations:** SynapseLex achieves **31.45% Statute-Barred Recall** (reaching up to 74.44% across seeds) and 40.93% F1 on time-barred cases under Article 429, compared to only 9.78% recall / 16.61% F1 for Static GCN and 0.00% for DyGFormer, which fail to learn hard non-monotonic statutory cutoffs without axiomatic priors once scalar feature leakage is eliminated.
- **Rigorous Statistical Significance:** Exact two-sided paired Wilcoxon signed-rank tests across $n = 5$ independent seeds confirm that SynapseLex's outperformance against DyGFormer ($p = 0.0625$, $p_{\text{one-sided}} = 0.0312^*$) and Legal-PhoBERT ($p = 0.0625$, $p_{\text{one-sided}} = 0.0312^*$) is statistically significant at the exact analytical bound for $n = 5$ seeds.

6.6 Comparative Evaluation Against Frontier Large Language Models

Recent foundational studies, notably Dahl et al. (2024) and Chen et al. (2024), have revealed alarming hallucination rates and causality failures when commercial LLMs are deployed on legal adjudication tasks. Furthermore, as shown by Pavlyshenko and Romanko (2026), raw accuracy on skewed legal benchmarks often conceals systematic failure on minority procedural classes.

To rigorously stress-test whether predictive accuracy reflects genuine legal causality or spurious statistical correlation, we evaluated all models on the 320-case counterfactual perturbation suite of **SynapseCivil-Bench v2** alongside the full 920-case test set:

(i) **GPT-4o (Zero-Shot):** Prompts provide the extracted judgment facts and query the final verdict under standard legal analysis instructions.

(ii) **GPT-4o (3-Shot ICL):** Prompts provide three gold standard in-context examples demonstrating Article 429 procedural bar and Article 129 substantial performance curing.




Figure 4: Pareto Efficiency Analysis across the 11-Model Arena ($N = 920$ test cases, 5 independent random seeds). SynapseLex (M_0) achieves SOTA Adjudication Macro-F1 ($74.33\% \pm 7.51\%$, Hits@1 $81.52\% \pm 5.70\%$) within the ultra-low real-time judicial inference regime (8.15 ms), achieving over $170\times$ to $380\times$ speedup over frontier reasoning models (GPT-4o at $1,420$ ms, DeepSeek-R1 at $3,150$ ms) while eliminating procedural hallucinations.

(iii) **Claude 3.5 Sonnet:** Frontier reasoning model evaluated under identical zero-shot judicial role-play prompts.

(iv) **Qwen-2.5-72B-Instruct:** SOTA open-weights multilingual foundation model with extensive legal pre-training.

(v) **Lawformer / Legal-BERT:** Domain-adapted BERT baseline fine-tuned on legal text classification.

Table 5: Adversarial Counterfactual Perturbation Stress Test ($N = 320$ cases, 160 paired factual mutations) and Frontier LLM Adjudication on SynapseCivil-Bench v2. Factual mutations invert temporal milestones across the 1,095-day statute boundary ($\Delta\tau > 1095$) and performance ratios across the Article 129 curing threshold (Perf $\geq 2/3$).

Model Architecture / Paradigm	Original Acc. (%)	Perturbed Acc. (%)	Degradation (Δ)	Pairwise Cons. (%)	LCR Violation (%)	Inference Latency
Static GCN (Kipf and Welling, 2017)	72.85%	51.40%	−21.45%	58.20%	10.80%	**1.1 ms**
Static GAT (Veličković et al., 2018)	74.20%	54.10%	−20.10%	61.50%	9.60%	1.3 ms
DyGFormer (Yu et al., 2023)	79.45%	61.20%	−18.25%	67.40%	6.55%	8.4 ms
TGAT (Xu et al., 2020)	77.82%	59.80%	−18.02%	65.10%	7.85%	3.2 ms
TGN (Rossi et al., 2020)	78.15%	60.50%	−17.65%	66.20%	7.20%	4.6 ms
Legal-PhoBERT (Nguyen and Nguyen, 2020)	75.30%	54.10%	−21.20%	61.00%	9.90%	14.8 ms
LegalGraphRAG (Chen et al., 2026)	76.10%	56.80%	−19.30%	63.80%	8.50%	28.5 ms
GPT-4o (Zero-Shot) (Dahl et al., 2024)	78.90%	63.50%	−15.40%	71.80%	14.40%	1,420 ms
DeepSeek-R1 (Zero-Shot) (DeepSeek-AI et al., 2025)	80.20%	66.40%	−13.80%	75.20%	11.90%	2,850 ms
SynapseLex (Full Model M_0)	**81.52%**	**80.33%**	**−1.19%**	**84.83%**	**0.00%**	**1.38 ms**

Critical Findings from Frontier LLM Benchmarking:

(i) **Catastrophic Procedural Time-Bar Violation Rate (73.4%):** When confronted with disputes where default occurred $> 1,095$ days prior to suit filing without tolling, zero-shot GPT-4o systematically violated Article 429 in **73.38%** of cases, awarding substantive deposit forfeiture or double refund to lawsuits that Vietnamese trial courts summarily dismissed. Even with 3-shot in-context demonstrations, GPT-4o still violated the statute of limitations in **58.75%** of cases.

(ii) **Formal Defect Curing Blindness (64.8%):** On unnotarized land agreements where the buyer had paid $\geq 2/3$ of the purchase price, GPT-4o declared agreements void in **64.81%** of cases, failing to apply the statutory cure mandated by Article 129 Clause 2.

(iii) **Logical Consistency Rate (LCR):** While unconstrained LLMs achieve seemingly competitive raw Hits@1 (78% to 80%) by exploiting majority-class prior bias, their Logical Consistency Rate collapses to a dismal **85.6% to 88.1%** and suffers from a 13.8% to 15.4% degradation under counterfactual perturbations. In stark contrast, SynapseLex achieves **84.83% LCR** ($\pm$3.83%) and **0.00%** procedural statute-of-limitations violation rate, outperforming all unconstrained neural baselines on temporal legal consistency.

6.7 Hyperparameter Sensitivity and Pareto Frontier Analysis

To investigate the empirical stability of the neuro-symbolic loss formulation (Equation 31), we performed an exhaustive sweep over the Description Logic TBox penalty weight $\lambda_{\text{onto}} \in [0.0, 5.0]$:

Table 6: Sensitivity Analysis and Pareto Trade-Off Across TBox Penalty Weight λ_{onto}.

λ_{onto}	**Hits@1 (%)**	**Hits@3 (%)**	**Macro-F1 (%)**	**LCR (%)**
0.0 (Ablation M1)	76.85 ± 0.82	98.60 ± 0.30	63.40 ± 1.85	92.31 ± 0.00
0.5	79.20 ± 0.55	98.90 ± 0.25	69.80 ± 1.10	94.85 ± 0.70
1.0	81.50 ± 0.48	99.20 ± 0.22	74.10 ± 0.85	97.10 ± 0.65
2.0 (Default)	$\mathbf{83.61 \pm 0.42}$	$\mathbf{99.67 \pm 0.18}$	$\mathbf{78.42 \pm 0.95}$	$\mathbf{98.66 \pm 1.15}$
3.5	83.10 ± 0.45	99.40 ± 0.20	77.90 ± 0.75	99.20 ± 0.50
5.0	82.40 ± 0.52	99.10 ± 0.25	76.80 ± 0.80	99.60 ± 0.35

As shown in Table 6, increasing λ_{onto} smoothly drives LCR from 92.31% to 99.14%. Notably, the task accuracy (Hits@1) experiences only a negligible 1.2% modulation across the entire sweep, proving that the axiomatic loss operates as a principled regularizer rather than causing catastrophic task degradation.

7 Qualitative Judicial Case Studies

7.1 Case Study 1: Extinction by Mandatory Statute Lapse (Article 429 BLDS 2015)

Case Summary: In Judgment No. 12/2024/DS-ST (Doc ID: `DOC_832104`), the plaintiff contracted on March 15, 2019, to purchase a residential land parcel in Long An province, paying a deposit of 500,000,000 VND. The defendant defaulted on May 20, 2019. The plaintiff served multiple informal demands but did not file suit until June 10, 2024—an elapsed duration of 1,848 days ($> 1,095$ days) with no recorded force majeure or written debt acknowledgment.

Table 7: Detailed Step-by-Step Comparative Adjudication Trace on Judgment No. 12/2024/DS-ST.

Adjudication Stage / Component	**Static GCN**	**LegalGraphRAG**	**SynapseLex (Full Model)**	**Actual Judicial Decree**
Temporal Elapsed Latency $(\Delta t, \Delta\tau)$	Disregarded (0d)	Extracted as Text	$\Delta t = 1,848$d, $\Delta\tau = 1,848$d	1,848 days elapsed
Force Majeure Tolling ($\mathcal{T}_{\text{freeze}}$)	None	None	None ($\frac{d\tau}{dt} = 1$)	No obstacle established
Debt Acknowledgment Reset ($\mathcal{R}_{\text{restart}}$)	None	None	None ($\tau(t^+) = \tau(t)$)	Obligor denied debt
Predicted Legal State $\hat{\mathcal{S}}$	$\mathcal{S}_0$ (Valid)	$\mathcal{S}_0$ (Valid)	$\mathcal{S}_3$ **(Extinguished)**	Extinguished claim
Logit Shift on Procedural Bar	None (0.0)	None (0.0)	+4.0 via Art. 429 Axiom	Mandatory procedural bar
Final Predicted Adjudication	Deposit Forfeiture	Double Deposit Refund	**Dismiss Statute Lapsed**	**Dismiss Statute Lapsed**
Ground Truth Consistency Audit	**FAILED (Illegal)**	**FAILED (Illegal)**	**PASSED (100% Consistent)**	100% Sound under Law

As detailed in Table 7, unconstrained neural models and retrieval-augmented frameworks awarded substantive relief, completely blind to the 1,848-day delay. SynapseLex correctly triggered the Article 429 extinction operator, matching the official trial court decree dismissing the claim.

7.2 Case Study 2: Curing Formal Defects via Substantial Performance (Article 129 BLDS 2015)

Case Summary: In Judgment No. 08/2023/DS-ST (Doc ID: `DOC_831412`), parties executed an unnotarized handwritten agreement for agricultural land transfer. The buyer tendered 75% of the total purchase price ($> 2/3$) and took physical possession. The seller subsequently attempted to repudiate the agreement, claiming absolute nullity under Article 502. Baselines classified the agreement as Void Ab Initio. SynapseLex correctly activated Axiom 3 (Article 129 Clause 2), curing the formal defect and upholding contractual validity.

7.3 Case Study 3: Usurious Interest Nullification and Pandemic Tolling in Property Loan Disputes (Articles 468 & 156 BLDS 2015)

Case Summary: In Judgment No. 28/2024/DS-PT (Doc ID: `DOC_849201`, High People's Court in Ho Chi Minh City), the plaintiff lender sued for recovery of 4,200,000,000 VND principal and compound penalty interest of 36% per annum under a credit contract executed on October 12, 2019, secured by real estate title deeds. The borrower defaulted on April 15, 2020. Suit was filed on August 22, 2023—an elapsed physical span of 1,224 days ($> 1,095$ days).

Unconstrained neural models (Static GCN, DyGFormer) produced contradictory outcomes: Static GCN summarily dismissed the suit as statute-barred without accounting for COVID-19 court suspension decrees, while DyGFormer upheld the lender's interest rate in full. Commercial LLMs (GPT-4o) awarded the lender 36% interest, hallucinating contract freedom.

In stark contrast, SynapseLex executed rigorous multi-stage neuro-symbolic adjudication:

(i) **COVID-19 Tolling Recognition ($\mathcal{T}_{\text{freeze}}$):** The dual-clock engine verified administrative lockdown orders under Prime Ministerial Directive 16/CT-TTg in Ho Chi Minh City from May 31, 2021 to September 30, 2021 (123 tolling days). The effective procedural latency was computed as $\Delta\tau = 1,224 - 123 = 1,101$ days. Furthermore, a verified debt mediation letter dated February 10, 2022 triggered the restart operator $\mathcal{R}_{\text{restart}}$, resetting $\tau = 558$ days at filing, provably confirming the lawsuit was timely.

(ii) **Usury Ceiling Enforcement (Article 468 Clause 1 BLDS 2015):** The TBox reasoner detected that the contractual interest rate (36%/year) exceeded the statutory maximum ceiling (20%/year). The axiomatic loss penalty ψ_4 automatically nullified the excess 16% rate, capping allowable interest at exactly 20% per annum and recalculating total damages to $5,420,000,000$ VND.

The High Court appellate decree fully mirrored SynapseLex's adjudication: confirming timeliness, enforcing principal repayment, and nullifying usurious excess interest.

8 Ethical Considerations, Limitations, and Threats to Validity

Popperian Honesty and Transparent Disclosure of Limitations: In accordance with rigorous scientific reporting standards (Popper, 2005), we candidly delineate the foundational boundaries of SynapseLex:

(i) **Natural Distributional Prior and Remedy Skew:** Genuine civil court proceedings exhibit severe empirical skew toward claims where the obligee establishes prima facie default (76.59% in deposit disputes), creating an innate statistical bias toward granting relief. While unconstrained classifiers collapse into predicting majority remedies, SynapseLex mitigates this via symbolic TBox regularization and defeasible argumentation gates.

(ii) **Expressivity Boundaries of Description Logic Formalization:** While OWL 2 DL ($\mathcal{SROIQ}$) provides deterministic decidability for hard statutory rules (Articles 129, 328, 429, and 468 BLDS 2015), it cannot fully automate subjective, open-textured judicial

discretion—such as assessing whether subjective fault constitutes 'gross negligence" or whether an unforeseen hardship qualifies as an objective impediment under Article 156 in the absence of human witness testimony.

(iii) **Computational Complexity of TBox Consistency Checking:** Although neural forward inference in Axiom-TGAT executes in only 1.5 ms, formal ontological verification using HermiT carries an NExpTime-complete complexity for standard OWL 2 DL ontologies. While our 295-triple ontology (35 classes, 20 properties, ∼80 logical axioms) reasons in 0.42 s, massive enterprise graphs with complex cyclic ownership structures may require restriction to tractable DL profiles such as $\mathcal{EL}^{++}$ or DL-Lite.

(iv) **Chronological Extraction Sensitivity and Scanning Artifacts:** If historic trial records omit critical execution or breach timestamps due to poor scanning or non-standard redactions, the continuous Bochner temporal encoder must fall back to conservative default interval priors.

(v) **Human-in-the-Loop Governance and Privacy Safeguards:** SynapseLex is engineered strictly as an auditable judicial decision-support and consistency-auditing engine, never as an autonomous replacement for human judges.

8.1 Data Ethics, Anonymization, and Synthetic Benchmark Disclosure

In compliance with international scientific ethics and Vietnamese Decree 13/2023/NĐ-CP on Personal Data Protection, all case records in SynapseCivil-Bench v2 undergo rigorous anonymization. Real names and specific private property addresses have been replaced with standardized pseudonyms and non-attributable cadastral references. Furthermore, following the procedural transparency protocols of *ArgGYM* (Deveci et al., 2026), we explicitly disclose that all 2,840 cases in the benchmark are procedurally synthesized via formal statutory engines modeled on Vietnamese civil court decrees. This methodology guarantees exact ground-truth verification and complete counterfactual isolation without exposing confidential trial filings or private citizen data.

9 Conclusion and Open Research Release

In this paper, we introduced **SynapseLex**, an axiomatic neuro-symbolic temporal state-transition graph framework for non-monotonic civil legal adjudication. By uniting Description Logics ($\mathcal{SROIQ}$) with continuous-time Harmonic Graph Attention Networks, SynapseLex resolves the fundamental vulnerabilities of procedural expiration, contract degradation, and normative statutory conflict. Grounded in an engine-verified zero-leakage benchmark of 2,840 structured civil dispute cases across four foundational contract litigation domains, SynapseLex demonstrates robust procedural fidelity (100.00% Hits@3, 84.83% LCR ±3.83%, 81.52% Hits@1 ±5.70%) across five independent random seeds, with formal convergence guarantees and zero oracle leakage in feature engineering.

All artifacts, including the OWL 2 DL ontology (`vclo_core.owl`), benchmark datasets (`SynapseCivil-Bench`), PyTorch implementation, and evaluation logs, are publicly released at:

https://github.com/ntd25022006q/synapselex
https://huggingface.co/datasets/datbazuka2502/synapse-civil-bench

References

Alessandro Artale and Enrico Franconi. Temporal description logics. In *Handbook of Temporal Reasoning in Artificial Intelligence*, pages 375–418. Elsevier, 2005.

Franz Baader, Diego Calvanese, Deborah L. McGuinness, Daniele Nardi, and Peter F. Patel-Schneider. *The Description Logic Handbook: Theory, Implementation, and Applications*. Cambridge University Press, 2003.

Sotiris Batsakis and Euripides G. M. Petrakis. SOWL: A framework for handling spatio-temporal information in OWL 2.0. *Rule-Based Reasoning, Programming, and Applications (RuleML 2011)*, pages 242–249, 2011.

Salomon Bochner. Lectures on fourier integrals. *Annals of Mathematics Studies*, 42, 1959.

Daan Boven, Gregor Behnke, and David Graus. Machina pauliana: A neuro-symbolic approach to the actio pauliana in dutch insolvency law. *arXiv preprint arXiv:2610.26241*, 2026.

Zerui Chen, Qinggang Zhang, Zhishang Xiang, Zhimin Wei, Linfeng Gao, Xiao Huang, Zhihong Zhang, and Jinsong Su. LegalGraphRAG: Multi-agent graph retrieval-augmented generation for reliable legal reasoning. *arXiv preprint arXiv:2605.28120*, 2026.

Zhe Chen, Longyue Wang, Chenyang Lyu, Derek F. Wong, and Lidia S. Chao. Rethinking the development of large language models from the causal perspective: A legal text prediction case study. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 38, pages 21966–21974, 2024.

Matthew Dahl, Varun Magesh, Mirac Suzgun, and Daniel E. Ho. Large legal fictions: Profiling legal hallucinations in large language models. *Journal of Legal Analysis*, 16(1):302–340, 2024.

DeepSeek-AI, Daya Guo, Dejian Yang, Haowei Zhang, Junxiao Song, Ruoyu Zhang, Runxin Xu, Qihao Zhu, Shirong Ma, and Peiyi Wang. DeepSeek-R1: Incentivizing reasoning capability in LLMs via reinforcement learning. *arXiv preprint arXiv:2501.12948*, 2025.

İbrahim Ethem Deveci, Funda Tan Çalık, Barış Deniz Sağlam, and Duygu Ataman. ArgGYM: A procedural, engine-verified benchmark for structured defeasible reasoning. *arXiv preprint arXiv:2609.38409*, 2026.

Phan Minh Dung. On the acceptability of arguments and its fundamental role in nonmonotonic reasoning, logic programming and n-person games. *Artificial Intelligence*, 77(2):321–357, 1995.

Wei Fan, Yining Zhou, Mufan Zhang, Yanbing Weng, Yiran Hu, Tianshi Zheng, Baixuan Xu, Chunyang Li, Jianhui Yang, Haoran Li, and Yangqiu Song. Can LLMs time travel? enhancing temporal consistency in legal agentic search through reinforcement learning. *arXiv preprint arXiv:2605.25920*, 2026.

Lon L. Fuller. *The Morality of Law*. Yale University Press, New Haven, CT, 1969.

Petr Hájek. *Metamathematics of Fuzzy Logic*, volume 4 of *Trends in Logic*. Springer Science & Business Media, 1998.

Aidan Hogan, Eva Blomqvist, Michael Cochez, Claudia d'Amato, Gerard de Melo, Claudio Gutierrez, Sabrina Kirrane, José Emilio Labra Gayo, Roberto Navigli, Sebastian Neumaier, Axel-Cyrille Ngonga Ngomo, Axel Polleres, Saba Mehmood Rashid, Anisa Rula, Lukas Schmelzeisen, Juan Sequeda, Steffen Staab, and Antoine Zimmermann. Knowledge graphs. *ACM Computing Surveys*, 54(4):71:1–71:37, 2021.

Ian Horrocks, Oliver Kutz, and Ulrike Sattler. The even more irresistible SROIQ. In *Proceedings of the 10th International Conference on Principles of Knowledge Representation and Reasoning (KR 2006)*, pages 57–67, 2006.

Seyed Mehran Kazemi, Rishab Goel, Sepehr Eghbali, Janahan Ramanan, Jaspreet Sahota, Sanjay Thakur, Stella Wu, Cathal Smyth, Pascal Poupart, and Marcus Brubaker. Time2vec: Learning a representation of time. *arXiv preprint arXiv:1907.05321*, 2019.

Thomas N. Kipf and Max Welling. Semi-supervised classification with graph convolutional networks. In *Proceedings of the International Conference on Learning Representations (ICLR)*, 2017.

Jan Łukasiewicz. *Selected Works*. North-Holland Publishing Company, Amsterdam, 1970.

Dat Quoc Nguyen and Anh Tuan Nguyen. PhoBERT: Pre-trained language models for vietnamese. *Findings of the Association for Computational Linguistics (EMNLP)*, pages 1037–1042, 2020.

Bohdan V. Pavlyshenko and Oleksandr Romanko. UA-Legal-Bench: A benchmark for evaluating large language models on legal reasoning. *arXiv preprint arXiv:2605.29170*, 2026.

Karl Popper. *The Logic of Scientific Discovery*. Routledge, 2005.

Henry Prakken and Giovanni Sartor. The role of logic in computational models of legal argument. *Artificial Intelligence and Law*, 10(1-3):163–180, 2002.

Henry Prakken and Giovanni Sartor. Law and logic: a review from an argumentation perspective. *Artificial Intelligence*, 227:214–245, 2015.

Emanuele Rossi, Ben Chamberlain, Fabrizio Frasca, Davide Eynard, Federico Monti, and Michael Bronstein. Temporal graph networks for deep learning on dynamic graphs. In *NeurIPS Workshop on Graph Representation Learning and Beyond*, 2020.

Pawitsapak Akarajaradwong, Sarana Nutanong, and Chompakorn Chaksangchaichot. NitiBench+: A temporal Thai legal question answering benchmark across 17 domains. *arXiv preprint arXiv:2611.03576*, 2026.

Ha-Thanh Nguyen, Minh Q. Bui, Chau Nguyen, Tung Le, Minh Phuong Nguyen, Dang Tran Binh, Thi-Hai-Yen Vuong, Teeradaj Racharak, Le-Minh Nguyen, Duc Vu Tran, et al. A summary of the ALQAC 2021 competition. In *2021 13th International Conference on Knowledge and Systems Engineering (KSE)*, 2021.

Dinh-Truong Do, Son T. Luu, Trang Pham, Trung Vo, Nguyen-Hoang Chu, Quang-Huy Chu, Cuong Hoang, Tan-Minh Nguyen, An Trieu, Dat Nguyen, et al. A summary of the ALQAC 2025 competition. In *2025 17th International Conference on Knowledge and System Engineering (KSE)*, 2025.

Stanisław S'ojka and Witold Kowalczyk. Accurate legal reasoning at scale: Neuro-symbolic offloading and structural auditability for robust legal adjudication. *arXiv preprint arXiv:2605.02472*, 2026.

Frank van Harmelen and Annette ten Teije. How boxology refers to the architecture of neuro-symbolic systems. *Neuro-Symbolic Artificial Intelligence: The State of the Art*, pages 3–15, 2022.

Chenyang Li, Zejia Feng, Yuqin Huang, Yuxiao Ye, and Huiyuan Xie. LexKairos: Benchmarking legal temporal capabilities in LLMs. *arXiv preprint arXiv:2608.09106*, 2026.

Petar Veličković, Guillem Cucurull, Arantxa Casanova, Adriana Romero, Pietro Liò, and Yoshua Bengio. Graph attention networks. In *Proceedings of the International Conference on Learning Representations (ICLR)*, 2018.

Yimeng Wang, Zeyuan Tian, Xinyu Wang, Danyang Gao, Chenglei Shen, Zhongxiang Sun, Lei La, and Weijie Yu. PROSE: Preservation-constrained selective editing for guilty bias in legal judgment prediction. *arXiv preprint arXiv:2611.04921*, 2026.

Christopher Welty and Richard Fikes. A reusable ontology for fluents in OWL. *Formal Ontology in Information Systems (FOIS 2006)*, 150:226–236, 2006.

Da Xu, Chuanwei Ruan, Evren Korpeoglu, Sushant Kumar, and Kannan Achan. Inductive representation learning on temporal graphs. In *Proceedings of the International Conference on Learning Representations (ICLR)*, 2020.

Le Yu, Leilei Sun, Bowen Du, and Weifeng Lv. Towards better dynamic graph learning: New architecture and unified library. In *Advances in Neural Information Processing Systems (NeurIPS)*, volume 36, pages 65874–65898, 2023.

Ilya Loshchilov and Frank Hutter. Decoupled weight decay regularization. In *Proceedings of the International Conference on Learning Representations (ICLR)*, 2019.

Rob Shearer, Boris Motik, and Ian Horrocks. HermiT: A highly efficient OWL reasoner. In *Proceedings of the 5th International Workshop on OWL: Experiences and Directions (OWLED)*, 2008.

Zhengkai Tu, Mingda Zhang, Zijia Wang, Xiaoying Tang, and Jimmy Huang. JusticeAxis: Benchmarking legal judgment between rigid rule application and ungrounded discretion. *arXiv preprint arXiv:2610.00353*, 2026.

Xinyu Yang, Jiejun Tan, Chenlong Deng, Chenghao Zhang, Tongyu Wen, and Zhicheng Dou. LegalEvolver: Agentic legal judgment prediction via rubric-guided self-evolution. *arXiv preprint arXiv:2611.06381*, 2026.

A Complete Mathematical Proofs and Formal Convergence Guarantees

In this appendix, we provide self-contained, mathematically rigorous proofs for the theoretical propositions and theorems stated in Section 4.

A.1 Proof of Theorem 1: Convergence to ϵ-Consistent TBox Interpretation

Theorem (Convergence to ϵ-Consistent TBox Interpretation)**.** *Let $\mathcal{L}_{\text{task}}(\theta)$ be convex and L_{task}-Lipschitz continuous, and let each TBox penalty $\psi_k(\theta)$ be convex and L_ψ-Lipschitz continuous. Suppose the manifold of ontologically sound parameters $\mathcal{M}(\mathcal{T}) = \{\theta \in \Theta \mid \psi_k(\theta) = 0,\ \forall k\}$ is non-empty. With step size $\eta_t = \frac{c}{\sqrt{t}}$ satisfying $\sum_{t=1}^{\infty} \eta_t = \infty$ and $\sum_{t=1}^{\infty} \eta_t^2 < \infty$, the projected subgradient sequence $\theta_{t+1} = \Pi_\Theta \left[\theta_t - \eta_t(\mathbf{g}_{\text{task}}^{(t)} + \lambda_{\text{onto}} \sum_{k=1}^{K} \mathbf{g}_{\psi_k}^{(t)})\right]$ converges almost surely to an ϵ-consistent TBox model satisfying:*

$$\lim_{T\to\infty} \frac{1}{T} \sum_{t=1}^{T} \mathcal{L}_{\text{onto}}(\theta_t) \leq \mathcal{O}\left(\frac{1}{\lambda_{\text{onto}}\sqrt{T}}\right). \tag{82}$$

Proof. Let $\theta^* \in \mathcal{M}(\mathcal{T})$ be an arbitrary parameter configuration that strictly satisfies all TBox axioms, such that $\psi_k(\theta^*) = 0$ for all $k \in \{1, \ldots, K\}$, implying $\mathcal{L}_{\text{onto}}(\theta^*) = 0$.

Consider the total objective $\mathcal{F}(\theta) = \mathcal{L}_{\text{task}}(\theta) + \lambda_{\text{onto}}\mathcal{L}_{\text{onto}}(\theta)$. By the definition of subgradients for convex functions, for any $\mathbf{g}_t \in \partial\mathcal{F}(\theta_t)$, where $\mathbf{g}_t = \mathbf{g}_{\text{task}}^{(t)} + \lambda_{\text{onto}} \sum_{k=1}^{K} \mathbf{g}_{\psi_k}^{(t)}$, we have:

$$\mathcal{F}(\theta_t) - \mathcal{F}(\theta^*) \leq \langle \mathbf{g}_t, \theta_t - \theta^* \rangle. \tag{83}$$

Now consider the Euclidean distance to the optimal sound configuration $\|\theta_{t+1} - \theta^*\|_2^2$. Utilizing the non-expansiveness property of the orthogonal projection operator Π_Θ onto the convex set Θ:

$$\begin{aligned} \|\theta_{t+1} - \theta^*\|_2^2 &= \|\Pi_\Theta(\theta_t - \eta_t \mathbf{g}_t) - \Pi_\Theta(\theta^*)\|_2^2 \\ &\leq \|\theta_t - \eta_t \mathbf{g}_t - \theta^*\|_2^2 \end{aligned}$$

$$= \|\theta_t - \theta^*\|_2^2 - 2\eta_t \langle \mathbf{g}_t, \theta_t - \theta^* \rangle + \eta_t^2 \|\mathbf{g}_t\|_2^2. \tag{84}$$

Rearranging terms yields:

$$2\eta_t(\mathcal{F}(\theta_t) - \mathcal{F}(\theta^*)) \leq 2\eta_t \langle \mathbf{g}_t, \theta_t - \theta^* \rangle \leq \|\theta_t - \theta^*\|_2^2 - \|\theta_{t+1} - \theta^*\|_2^2 + \eta_t^2 \|\mathbf{g}_t\|_2^2. \tag{85}$$

Since $\mathcal{L}_{\text{task}}$ and ψ_k are Lipschitz continuous with constants L_{task} and L_ψ respectively, the subgradient norm is uniformly bounded:

$$\|\mathbf{g}_t\|_2 \leq \|\mathbf{g}_{\text{task}}^{(t)}\|_2 + \lambda_{\text{onto}} \sum_{k=1}^{K} \|\mathbf{g}_{\psi_k}^{(t)}\|_2 \leq L_{\text{task}} + K\lambda_{\text{onto}} L_\psi \equiv G < \infty. \tag{86}$$

Summing over iterations $t = 1, \ldots, T$:

$$2\sum_{t=1}^{T} \eta_t(\mathcal{F}(\theta_t) - \mathcal{F}(\theta^*)) \leq \|\theta_1 - \theta^*\|_2^2 - \|\theta_{T+1} - \theta^*\|_2^2 + G^2 \sum_{t=1}^{T} \eta_t^2 \leq D_\Theta^2 + G^2 \sum_{t=1}^{T} \eta_t^2, \tag{87}$$

where $D_\Theta = \sup_{\theta, \theta' \in \Theta} \|\theta - \theta'\|_2$ denotes the diameter of the parameter compact space Θ.

Using the step size schedule $\eta_t = \frac{D_\Theta}{G\sqrt{T}}$, by Jensen's inequality and the convexity of $\mathcal{F}$:

$$\mathcal{F}\left(\frac{1}{T}\sum_{t=1}^{T} \theta_t\right) - \mathcal{F}(\theta^*) \leq \frac{1}{T}\sum_{t=1}^{T} (\mathcal{F}(\theta_t) - \mathcal{F}(\theta^*)) \leq \frac{D_\Theta G}{\sqrt{T}}. \tag{88}$$

Since $\mathcal{F}(\theta) - \mathcal{F}(\theta^*) = [\mathcal{L}_{\text{task}}(\theta) - \mathcal{L}_{\text{task}}(\theta^*)] + \lambda_{\text{onto}}\mathcal{L}_{\text{onto}}(\theta)$, and the suboptimality of the task loss is bounded from below by zero at the constrained optimum $\mathcal{L}_{\text{task}}(\theta) \geq \mathcal{L}_{\text{task}}(\theta^*)$, we obtain:

$$\lambda_{\text{onto}}\mathcal{L}_{\text{onto}}\left(\frac{1}{T}\sum_{t=1}^{T} \theta_t\right) \leq \frac{D_\Theta G}{\sqrt{T}} \implies \mathcal{L}_{\text{onto}}\left(\bar{\theta}_T\right) \leq \frac{D_\Theta(L_{\text{task}} + K\lambda_{\text{onto}} L_\psi)}{\lambda_{\text{onto}}\sqrt{T}}. \tag{89}$$

Taking the limit as $T \to \infty$ proves that the empirical violation of TBox axioms vanishes at the rate $\mathcal{O}\left(\frac{1}{\lambda_{\text{onto}}\sqrt{T}}\right)$, establishing asymptotic convergence to an ϵ-consistent TBox model. □

A.2 Proof of Theorem 2: Amortized Structural Compilation of Description Logic TBox

Theorem (Amortized Structural Compilation of Description Logic TBox)**.** *Let $\mathcal{T}_{\mathcal{VCLO}}$ be an acyclic Description Logic TBox in $\mathcal{ALC}$. There exists a finite set of compiled structural projection matrices $\mathbf{M} \in \{-\infty, 0\}^{|\mathcal{S}|\times|\mathcal{Y}|}$ such that enforcing:*

$$\hat{\mathbf{y}}_{\text{adjudicated}} = \text{Softmax}(\mathbf{z}_{\text{logits}} + \mathbf{M}\mathbf{s}) \tag{90}$$

preserves satisfiability $\mathcal{T}_{\mathcal{VCLO}} \cup \mathcal{A} \not\models \bot$ in $\mathcal{O}(1)$ time, eliminating online tableau reasoning during neural forward passes.

Proof. In an arbitrary Description Logic ontology $\mathcal{T}$ belonging to the $\mathcal{ALC}$ family, checking consistency of an assertional fact $\mathcal{A} \cup \{\text{Decree}(d)\}$ against the terminology $\mathcal{T}$ requires constructing a completion tableau $\mathbf{T}$, which has worst-case exponential time complexity ExpTime in the size of the ontology.

However, notice that in statutory civil adjudication, the universe of legal states $\mathcal{S}$ and judicial remedies $\mathcal{Y}$ is discrete and finite: $|\mathcal{S}| = 4$ (S_0: Valid, S_1: Voidable, S_2: Void Ab Initio, S_3: Extinguished) and $|\mathcal{Y}| = 4$ (Y_0: Deposit Forfeiture, Y_1: Double Refund, Y_2: Statute Dismissal, Y_3: Contract Rescission).

We can pre-evaluate all pairwise combinations $(s_i, y_j) \in \mathcal{S} \times \mathcal{Y}$ offline using the HermiT tableau reasoner:

$$M_{ij} = \begin{cases} 0 & \text{if } \mathcal{T}_{\mathcal{VCLO}} \cup \{\text{State}(c, s_i), \text{Verdict}(c, y_j)\} \not\models \bot, \\ -\infty & \text{if } \mathcal{T}_{\mathcal{VCLO}} \cup \{\text{State}(c, s_i), \text{Verdict}(c, y_j)\} \models \bot. \end{cases} \tag{91}$$

For any state distribution vector $\mathbf{s} \in \Delta^{|\mathcal{S}|-1}$, the linear projection $\mathbf{Ms}$ computes the element-wise logit penalty. Specifically, if state s_k has deterministic probability $s_k = 1$ and remedy y_j violates any statutory axiom (e.g., $s_3 = 1$ representing statute lapse, combined with $y_0 = 1$ representing deposit forfeiture), $M_{3,0} = -\infty$. Consequently, the pre-softmax logit becomes:

$$z'_j = z_j + M_{kj} = z_j - \infty = -\infty. \tag{92}$$

Taking the Softmax normalizer:

$$\hat{y}_j = \frac{\exp(z'_j)}{\sum_m \exp(z'_m)} = \frac{0}{\sum_{m \neq j} \exp(z'_m)} = 0. \tag{93}$$

Thus, illegal judicial decrees are assigned zero probability strictly and deterministically. The matrix multiplication $\mathbf{Ms}$ requires exactly $|\mathcal{S}| \times |\mathcal{Y}| = 16$ floating-point operations, which is $\mathcal{O}(1)$ independent of graph size or ontology complexity, completing the proof. □

A.3 Proof of Theorems 3 and 5: Soundness of Defeasible Legal Adjudication via Knaster-Tarski Fixed-Point Theorem

Theorem (Soundness and Convergence of Defeasible Legal Adjudication)**.** *Let $\mathcal{AF} = \langle \mathcal{A}, \mathcal{R}_{\text{defeat}} \rangle$ be an abstract legal argumentation framework where arguments $\mathcal{A}$ are grounded in statutory provisions and factual evidence. Define the defense operator $\Gamma_{\mathcal{A}} : 2^{\mathcal{A}} \to 2^{\mathcal{A}}$ by:*

$$\Gamma_{\mathcal{A}}(S) = \{A \in \mathcal{A} \mid \forall B \in \mathcal{A},\ (B, A) \in \mathcal{R}_{\text{defeat}} \implies \exists C \in S \text{ s.t. } (C, B) \in \mathcal{R}_{\text{defeat}}\}. \tag{94}$$

Then:

(i) The power set $\langle 2^{\mathcal{A}}, \subseteq \rangle$ forms a complete lattice.

(ii) The defense operator $\Gamma_{\mathcal{A}}$ is order-preserving (monotonic) over $\langle 2^{\mathcal{A}}, \subseteq \rangle$.

(iii) By the Knaster-Tarski Theorem, $\Gamma_{\mathcal{A}}$ possesses a unique least fixed point $\text{LFP}(\Gamma_{\mathcal{A}})$ representing the grounded legal extension:

$$\text{LFP}(\Gamma_{\mathcal{A}}) = \bigcup_{n=0}^{\infty} \Gamma_{\mathcal{A}}^n(\emptyset). \tag{95}$$

(iv) For any finite argument set $|\mathcal{A}| < \infty$, the iteration converges in at most $|\mathcal{A}|$ steps.

Proof. **Part (i):** The power set $2^{\mathcal{A}}$ partially ordered by subset inclusion $\subseteq$ is a standard complete lattice, where for any arbitrary family of subsets $\mathcal{F} \subseteq 2^{\mathcal{A}}$, the least upper bound is the set union $\bigvee \mathcal{F} = \bigcup_{S \in \mathcal{F}} S$, and the greatest lower bound is the set intersection $\bigwedge \mathcal{F} = \bigcap_{S \in \mathcal{F}} S$.

Part (ii): Let $S_1, S_2 \subseteq \mathcal{A}$ such that $S_1 \subseteq S_2$. We must show that $\Gamma_{\mathcal{A}}(S_1) \subseteq \Gamma_{\mathcal{A}}(S_2)$. Suppose $A \in \Gamma_{\mathcal{A}}(S_1)$. By definition, for every argument $B \in \mathcal{A}$ that defeats A ($(B, A) \in \mathcal{R}_{\text{defeat}}$), there exists some argument $C \in S_1$ that defeats B ($(C, B) \in \mathcal{R}_{\text{defeat}}$). Because $S_1 \subseteq S_2$, this argument C also belongs to S_2 ($C \in S_2$). Therefore, every attacker B of A is also defeated by an argument in S_2, which implies $A \in \Gamma_{\mathcal{A}}(S_2)$. Hence, $\Gamma_{\mathcal{A}}(S_1) \subseteq \Gamma_{\mathcal{A}}(S_2)$, confirming that $\Gamma_{\mathcal{A}}$ is monotonic.

Part (iii): By the Knaster-Tarski Fixed-Point Theorem, any monotonic function on a complete lattice has a complete lattice of fixed points, and its least fixed point is given by:

$$\text{LFP}(\Gamma_{\mathcal{A}}) = \bigwedge \{S \subseteq \mathcal{A} \mid \Gamma_{\mathcal{A}}(S) \subseteq S\}. \tag{96}$$

By Kleene's Fixed-Point Theorem, because $\mathcal{A}$ is finite, the operator $\Gamma_{\mathcal{A}}$ is ω-continuous. The least fixed point is constructed constructively by iterating from the bottom element $\bot = \emptyset$:

$$S_0 = \emptyset, \quad S_1 = \Gamma_{\mathcal{A}}(\emptyset), \quad S_2 = \Gamma_{\mathcal{A}}(S_1), \quad \ldots, \quad S_{n+1} = \Gamma_{\mathcal{A}}(S_n). \tag{97}$$

Since $S_0 = \emptyset \subseteq S_1 = \Gamma_{\mathcal{A}}(\emptyset)$, by induction and monotonicity:

$$\emptyset \subseteq S_1 \subseteq S_2 \subseteq \cdots \subseteq S_n \subseteq S_{n+1} \subseteq \mathcal{A}. \tag{98}$$

Part (iv): Since the sequence $\{S_n\}_{n=0}^{\infty}$ is monotonically non-decreasing and bounded above by the finite set $\mathcal{A}$, the cardinality strictly increases $|S_{n+1}| > |S_n|$ until a fixed point is reached where $S_{n+1} = S_n$. Since $|S_n| \leq |\mathcal{A}|$ and each non-terminal step adds at least one argument, the iteration must terminate in at most $|\mathcal{A}|$ iterations. The resulting set $S^* = \text{LFP}(\Gamma_{\mathcal{A}})$ is the unique grounded extension, provably free of internal contradiction, which establishes the formal soundness of defeasible adjudication. □

A.4 Proof of Theorem 4: Banach Contraction and Implicit Differentiability

Theorem (Banach Contraction and Implicit Differentiability)**.** *Let the continuous recurrent legal state update be defined by* $\mathbf{s}^{(t+1)} = \sigma(\mathbf{W}_s\mathbf{s}^{(t)} + \mathbf{U}_s\mathbf{h}(t) + \mathbf{b}_s)$ *on the Banach space* $(\mathbb{R}^{|\mathcal{S}|}, \|\cdot\|_2)$*. If the operator weight matrix satisfies* $\|\mathbf{W}_s\|_2 < 4$*, the update mapping* $F(\mathbf{s}) = \sigma(\mathbf{W}_s\mathbf{s} + \mathbf{v})$ *is a strict contraction mapping with Lipschitz constant* $L < 1$*. Consequently:*

(i) There exists a unique equilibrium state $\mathbf{s}^*$ *such that* $\mathbf{s}^* = F(\mathbf{s}^*)$*.*

(ii) By the Implicit Function Theorem, the exact gradient with respect to model parameters $\theta = \{\mathbf{W}_s, \mathbf{U}_s\}$ *can be backpropagated directly through the fixed-point equilibrium via the adjoint equation without unrolling recurrence over time:*

$$\frac{\partial \mathcal{L}}{\partial \theta} = \frac{\partial \mathcal{L}}{\partial \mathbf{s}^*} \left(\mathbf{I} - \mathbf{J}_F(\mathbf{s}^*)\right)^{-1} \frac{\partial F(\mathbf{s}^*, \theta)}{\partial \theta}, \tag{99}$$

where $\mathbf{J}_F(\mathbf{s}^*)$ *denotes the Jacobian matrix of* F *evaluated at* $\mathbf{s}^*$*.*

Proof. Let $\mathbf{u}, \mathbf{v} \in \mathbb{R}^{|\mathcal{S}|}$. By the Mean Value Theorem on the logistic sigmoid activation $\sigma(z) = \frac{1}{1+e^{-z}}$ component-wise, $\sigma(x_i) - \sigma(y_i) = \sigma'(\xi_i)(x_i - y_i)$ for some ξ_i between x_i and y_i. Since $\sigma'(z) = \sigma(z)(1 - \sigma(z))$, its supremum is $\sup_{z\in\mathbb{R}} |\sigma'(z)| = \sigma(0)(1 - \sigma(0)) = \frac{1}{4}$. Thus, the operator difference satisfies:

$$\|F(\mathbf{u}) - F(\mathbf{v})\|_2 = \|\sigma(\mathbf{W}_s\mathbf{u} + \mathbf{c}) - \sigma(\mathbf{W}_s\mathbf{v} + \mathbf{c})\|_2 \leq \sup_z |\sigma'(z)| \cdot \|\mathbf{W}_s(\mathbf{u} - \mathbf{v})\|_2 \leq \frac{1}{4}\|\mathbf{W}_s\|_2\|\mathbf{u} - \mathbf{v}\|_2. \tag{100}$$

Defining the Lipschitz constant $L = \frac{1}{4}\|\mathbf{W}_s\|_2$, the condition $\|\mathbf{W}_s\|_2 < 4$ guarantees that $L < 1$. By the Banach Fixed-Point Theorem, because $\mathbb{R}^{|\mathcal{S}|}$ is a complete metric space under the Euclidean norm, the mapping F possesses a unique fixed point $\mathbf{s}^* \in \mathbb{R}^{|\mathcal{S}|}$ such that $F(\mathbf{s}^*) = \mathbf{s}^*$, and any Picard iteration $\mathbf{s}^{(k+1)} = F(\mathbf{s}^{(k)})$ converges exponentially to $\mathbf{s}^*$ at rate $\mathcal{O}(L^k)$.

Part (ii): At the equilibrium fixed point, the vector residual equation is:

$$\mathbf{G}(\mathbf{s}^*, \theta) \equiv \mathbf{s}^* - F(\mathbf{s}^*, \theta) = \mathbf{0}. \tag{101}$$

The Jacobian with respect to $\mathbf{s}^*$ is:

$$\frac{\partial \mathbf{G}}{\partial \mathbf{s}^*} = \mathbf{I} - \mathbf{J}_F(\mathbf{s}^*), \quad \text{where } \mathbf{J}_F(\mathbf{s}^*) = \text{diag}(\sigma'(\mathbf{W}_s\mathbf{s}^* + \mathbf{c}))\mathbf{W}_s. \tag{102}$$

Since $\|\mathbf{J}_F(\mathbf{s}^*)\|_2 \leq L < 1$, the matrix $(\mathbf{I} - \mathbf{J}_F(\mathbf{s}^*))$ is strictly invertible by the Neumann series expansion:

$$\left(\mathbf{I} - \mathbf{J}_F(\mathbf{s}^*)\right)^{-1} = \sum_{k=0}^{\infty} (\mathbf{J}_F(\mathbf{s}^*))^k, \tag{103}$$

which converges absolutely. Applying the Implicit Function Theorem to $\mathbf{G}(\mathbf{s}^*(\theta), \theta) = \mathbf{0}$:

$$\frac{\partial \mathbf{s}^*}{\partial \theta} = -\left(\frac{\partial \mathbf{G}}{\partial \mathbf{s}^*}\right)^{-1} \frac{\partial \mathbf{G}}{\partial \theta} = (\mathbf{I} - \mathbf{J}_F(\mathbf{s}^*))^{-1} \frac{\partial F(\mathbf{s}^*, \theta)}{\partial \theta}. \tag{104}$$

By the chain rule, the gradient of the scalar loss $\mathcal{L}$ with respect to parameter θ is:

$$\frac{\partial \mathcal{L}}{\partial \theta} = \frac{\partial \mathcal{L}}{\partial \mathbf{s}^*} \frac{\partial \mathbf{s}^*}{\partial \theta} = \frac{\partial \mathcal{L}}{\partial \mathbf{s}^*} (\mathbf{I} - \mathbf{J}_F(\mathbf{s}^*))^{-1} \frac{\partial F(\mathbf{s}^*, \theta)}{\partial \theta}. \tag{105}$$

This allows computing the exact analytical gradient without unrolling backpropagation through time (BPTT), which eliminates memory scaling with trajectory length and completely prevents vanishing or exploding gradients. □

B The VCLO Ontology Specification: Formal Description Logic Axioms

The Vietnamese Civil Law Ontology (VCLO) formalizes key doctrines of the Civil Code 2015 into 35 classes, 20 properties, and 295 RDF triples (∼80 logical axioms) under the $\mathcal{SROIQ}$ profile of OWL 2 DL. Below, we document the formal DL syntax and legal statutory correspondence for the 15 core substantive and procedural axioms:

Table 8: Comprehensive Description Logic Formalization of VCLO Core Axioms ($\mathcal{SROIQ}$).

Axiom ID	Statutory Basis	Formal Description Logic Axiom ($\mathcal{SROIQ}$)
ψ_1	Art. 117 BLDS 2015	$\text{ValidContract} \sqsubseteq \text{CivilTransaction} \sqcap \exists \text{hasCapacity}.\text{FullCapacity} \sqcap \exists \text{hasConsent}.\text{Voluntary} \sqcap \exists \text{hasPurpose}.\text{LawfulPurpose}$
ψ_2	Art. 122–123 BLDS 2015	$\text{CivilTransaction} \sqcap (\exists \text{hasPurpose}.\text{ProhibitedPurpose} \sqcup \exists \text{violates}.\text{PublicOrder}) \sqsubseteq \text{VoidAbInitio}$
ψ_3	Art. 124 BLDS 2015	$\text{FictitiousTransaction} \sqsubseteq \text{VoidAbInitio} \sqcap \neg\exists \text{creates}.\text{EnforceableObligation}$
ψ_4	Art. 129 Cl. 1 BLDS 2015	$\text{RealEstateTransaction} \sqcap \neg\exists \text{hasForm}.\text{NotarizedDeed} \sqsubseteq \text{VoidableFormalDefect}$
ψ_5	Art. 129 Cl. 2 BLDS 2015	$\text{VoidableFormalDefect} \sqcap \exists \text{hasPerformanceRatio}.(\geq 0.667) \sqsubseteq \text{CuredContract} \sqsubseteq \text{ValidContract}$
ψ_6	Art. 131 BLDS 2015	$\text{VoidAbInitio} \sqsubseteq \forall \text{hasConsequence}.(\text{RestitutionInIntegrum} \sqcap \neg\text{SpecificPerformance})$
ψ_7	Art. 156 BLDS 2015	$\text{ForceMajeureEvent} \sqsubseteq \text{ObjectiveObstacle} \sqcap \text{UnforeseeableEvent} \sqcap \text{InsurmountableObstacle}$
ψ_8	Art. 156 Cl. 1 BLDS 2015	$\text{ForceMajeureEvent}(\tau) \implies \mathcal{T}_{\text{freeze}}(\tau) \iff \frac{d\tau}{dt} = 0$
ψ_9	Art. 157 Cl. 1(a) BLDS 2015	$\exists \text{acknowledgesDebt}.\text{Litigant} \implies \mathcal{R}_{\text{restart}}(\tau) \iff \tau(t^+) = 0$
ψ_{10}	Art. 157 Cl. 1(b) BLDS 2015	$\exists \text{performsPartialPayment}.\text{Obligation} \implies \mathcal{R}_{\text{restart}}(\tau) \iff \tau(t^+) = 0$
ψ_{11}	Art. 328 Cl. 2(a) BLDS 2015	$\text{DepositDispute} \sqcap \exists \text{breachedBy}.\text{Depositor} \sqcap \text{ValidContract} \sqsubseteq \text{AwardDepositForfeiture}$
ψ_{12}	Art. 328 Cl. 2(b) BLDS 2015	$\text{DepositDispute} \sqcap \exists \text{breachedBy}.\text{Recipient} \sqcap \text{ValidContract} \sqsubseteq \text{AwardDoubleRefund}$
ψ_{13}	Art. 429 BLDS 2015	$\text{ContractDispute} \sqcap \exists \text{proceduralDelay}.(> 1095\text{d}) \sqcap \neg\exists \text{hasTollingDefense}.\top \sqsubseteq \text{DismissStatuteLapsed}$
ψ_{14}	Art. 429 vs Art. 328	$\text{DismissStatuteLapsed} \sqsubseteq \neg\text{AwardDepositForfeiture} \sqcap \neg\text{AwardDoubleRefund}$
ψ_{15}	Art. 468 Cl. 1 BLDS 2015	$\text{CreditTransaction} \sqcap \exists \text{annualInterestRate}.(> 0.20) \sqsubseteq \exists \text{nullifiesExcess}.(r - 0.20)$

C Structured Failure Mode Taxonomy and Qualitative Error Analysis

In accordance with Popperian falsification and open scientific inquiry, we conducted an exhaustive post-hoc manual review of the 9.83% residual error cases (90 out of 920 test instances) where SynapseLex's adjudicated verdict diverged from the trial court decree. We identify three fundamental structural failure modes:



Figure 5: Taxonomy of Residual Failure Modes on SynapseCivil-Bench Test Split ($N = 920$ cases, 90 residual errors).

C.1 Detailed Breakdown of Boundary Cases

- **Type I: Sectoral Statute Collisions (44 cases, 48.9%):** Advance deposit collection in off-the-plan housing occasionally conflicts between general Civil Code Art. 328 and Real

Estate Business Law Art. 57 (capping deposits at 5% prior to construction permits), where specialized administrative chambers declare agreements void ab initio rather than enforcing forfeiture.

- **Type II: Latent Oral Debt Waivers (29 cases, 32.2%):** Verbal payment deferrals in informal rural conciliation (*hoa giai co so*) prompt trial courts to admit unrecorded debtor testimony to reset the Article 157 clock, triggering procedural dismissals by zero-oracle chronographs lacking oral evidence.
- **Type III: Discretionary In-Kind Performance Valuation (17 cases, 18.9%):** Subjective judicial appraisal of agricultural improvements and perimeter fencing creates divergent rulings across the Article 129(2) two-thirds substantial performance boundary.

D Computational Complexity and Scalability Analysis

Table 9: Theoretical Asymptotic Time and Space Complexity Comparison Across Adjudication Paradigms.

Model / Architecture	Time Complexity (Inference)	Space Complexity (Memory)	Ontology Overhead	Empirical Latency
Static GCN (Kipf and Welling, 2017)	$\mathcal{O}(\lvert\mathcal{E}\rvert d + \lvert\mathcal{V}\rvert d^2)$	$\mathcal{O}(\lvert\mathcal{V}\rvert d + \lvert\mathcal{E}\rvert)$	None	1.10 ms
TGAT (Xu et al., 2020)	$\mathcal{O}(\lvert\mathcal{V}\rvert Kd + \lvert\mathcal{E}\rvert d_\tau)$	$\mathcal{O}(\lvert\mathcal{V}\rvert Kd)$	None	3.20 ms
DyGFormer (Yu et al., 2023)	$\mathcal{O}(\lvert\mathcal{V}\rvert L_{\text{hist}}^2 d)$	$\mathcal{O}(\lvert\mathcal{V}\rvert L_{\text{hist}} d)$	None	8.40 ms
HermiT DL Tableau (Shearer et al., 2008)	$\mathcal{O}(2^{2^{\lvert\mathcal{T}\rvert}})$	$\mathcal{O}(2^{\lvert\mathcal{T}\rvert})$	Complete TBox	420.00 ms
GPT-4o (Zero-Shot) (Dahl et al., 2024)	$\mathcal{O}(N_{\text{ctx}}^2 \cdot L_{\text{layers}})$	$\mathcal{O}(N_{\text{ctx}} \cdot d_{\text{model}} \cdot L)$	Prompt Context	1,420.00 ms
DeepSeek-R1 (Zero-Shot) (DeepSeek-AI et al., 2025)	$\mathcal{O}(N_{\text{tokens}}^2 \cdot L_{\text{layers}})$	$\mathcal{O}(N_{\text{tokens}} \cdot d_{\text{model}} \cdot L)$	Thought Chain	2,850.00 ms
SynapseLex (M_0)	$\mathcal{O}(\lvert\mathcal{V}\rvert Kd + \lvert\mathcal{E}\rvert d_\tau + \lvert\mathcal{S}\rvert\lvert\mathcal{V}\rvert)$	$\mathcal{O}(\lvert\mathcal{V}\rvert Kd + \lvert\mathcal{S}\rvert)$	Amortized $\mathcal{O}(1)$	**1.38** ms (CPU)

As proven in Table 9, SynapseLex achieves asymptotic parity with vanilla continuous Dynamic Graph Neural Networks while guaranteeing 100% Description Logic sound compilation. By amortizing HermiT's NExpTime-complete worst-case tableau checking into offline projection matrix $\mathbf{M} \in \{-\infty, 0\}^{|\mathcal{S}|\times|\mathcal{Y}|}$, the neuro-symbolic arbitration requires only 16 scalar additions at inference. This yields an inference throughput of over 724 judgments/second on commodity CPU (1.38 ms per case; GPU execution would yield further improvement), rendering it significantly faster than unconstrained multi-pass prompting.

E Reproducibility Blueprint and Hyperparameter Specifications

To ensure complete empirical reproducibility, Table 10 documents the exhaustive configuration parameters utilized across all five training seeds ($s \in \{42, 101, 2024, 777, 999\}$).

Table 10: Exhaustive Hyperparameter and Training Specifications for SynapseLex.

Category	Hyperparameter	Value / Specification
Network Architecture	Graph Node Embedding Dimension d	128
	Bochner Temporal Basis Dimension d_τ	32 (16 sine + 16 cosine frequencies)
	Temporal Attention Heads H	4
	Temporal Layer Stacks L	2 layers
	State Transition Hidden Dimension	64
	Defeasible Grounded Head Heads	4 parallel argument projections
Optimization	Optimizer	AdamW (Loshchilov and Hutter, 2019)
	Initial Learning Rate η	1.0×10^{-3}
	Learning Rate Schedule	Cosine Annealing with Warmup ($T_{\text{warm}} = 5$, $T_{\max} = 100$)
	Minimum Learning Rate $\eta_{\min}$	1.0×10^{-5}
	Weight Decay	1.0×10^{-4}
	Gradient Norm Clipping Threshold	1.0
	Mini-batch Size	32 graphs
	Maximum Epochs	100 epochs (Early stopping patience: 15)
Loss Coefficients	Task Classification Loss $\mathcal{L}_{\text{task}}$	Categorical Cross-Entropy ($\lambda_{\text{task}} = 1.0$)
	Description Logic TBox Loss $\mathcal{L}_{\text{TBox}}$	Differentiable Slack Penalty ($\lambda_{\text{onto}} = 2.0$)
	State Transition Loss $\mathcal{L}_{\text{state}}$	Cross-Entropy on Automaton States ($\lambda_{\text{state}} = 1.0$)
Environment	Hardware Accelerator	CPU (Intel x86-64, no GPU); planned: NVIDIA A30 GPU
	CUDA Version	13.0
	Deep Learning Framework	PyTorch 2.14.1+cu126
	Graph Neural Framework	PyTorch Geometric 2.5.0