

Transfusion Reaction Reporting Form (TRRF) for Blood & Blood Products

For Reporting of Transfusion Reaction by Healthcare Professionals

A) PATIENT INFORMATION

Mandatory Field

Blood Group : Diagnosis Indication /reason for transfusion

Date & Time of Transfusion.....Date & Time of reaction Date & Time of recovery.....

B) TRANSFUSION PRODUCT DETAILS (Blood Products (Please Specify))

Components	Select Components	Unit Number (transfused)	Date of donation	Expiry Date	Batch Number	1st time / Repeat Transfusion (No. Of Repeats)
Whole Blood						
Packed Red Blood Cells(PRBC)						
Platelets Apheresis						
Platelets concentrate / RDP						
Single Donor platelet (SDP)						
FFP						
Cryoprecipitate						
Any other						

C) NATURE OF IMMEDIATE ADVERSE REACTIONS

DELAYED TRANSFUSION REACTIONS

Fever, chills	Fever, rash
Back/flank pain	Mild jaundice
Hypotension, shock	Falling Hb
Hemoglobinuria, renal failure	Hepatitis B, Hepatitis C ,
Urticaria, itching	Syphilis
Hypotension, wheezing, shock	Malaria
Acute respiratory distress	Severe thrombocytopenia
Hypoxemia	Purpura, bleeding
Bilateral pulmonary infiltrates	Diarrhoea
Dyspnoea, hypertension	Liver dysfunction
Pulmonary oedema	Bone marrow suppression
Raised JVP	HIV

D) OUTCOMES OF THE ADVERSE REACTIONS:

ANY OTHER INFORMATION:

- ☐ Death following the adverse reactions
- ☐ Recovered
- ☐ Recovered with sequelae
- ☐ Permanently disabled
- Unknown

NOTE: After the transfusion reaction

Please collect 2 ml clotted and 2 ml plain citrate blood sample from the opposite site hand.

Collect the patient's urine sample, along with the blood bag, send to the concerned blood bank for reaction report.

Reported by: Name of the Doctor: REG NO: Date & Time:	Name of the institution /hospital with address & seal
--	--

