Overview

The three user-focused tables work together to manage demo requests, alert settings, and survey responses. Each table has a distinct purpose but is connected through shared fields such as email. Together, they support the workflow from user signup → alert setup → feedback collection. These tables form a core part of the system that handles user requests, alert preferences, and ongoing improvements based on survey data.

Purpose

Each table supports a specific part of the system and together, these tables support the workflow.

Table	Function
demo_requests	Stores information about users who ask for a demo or access to the system. Helps track requests and manage approvals.
emailAlerts	Stores user alert settings, such as keywords, timing, and format for receiving updates.
Survey_Data	Stores survey responses and feedback from users or organizations. Used to improve system performance and features.

Table Columns and Definitions

1. **demo_requests**

Column	Type	Default Value	Nullable	Character Set	Collation	Privileges	Extra
created_at	timestamp	CURRENT_TIME...	YES			select,insert,update,references	DEFAULT_GE...
email	varchar(255)		NO	utf8mb3	utf8mb3_gen...	select,insert,update,references	
id	int		NO			select,insert,update,references	auto_increment
ip_address	varchar(45)		NO	utf8mb3	utf8mb3_gen...	select,insert,update,references	
status	enum('pending','...	pending	YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
updated_at	timestamp	CURRENT_TIME...	YES			select,insert,update,references	DEFAULT_GE...

Keys:

- Primary Key: id
- Foreign Keys: email may link to emailAlerts.email and Survey_Data.email

2. emailAlerts

Column	Type	Default Value	Nullable	Character Set	Collation	Privileges	Extra
alertId	varchar(64)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
city	text		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
country	text		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
denverTelevision	text		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
digiViewAndAnalysis	tinyint		YES			select,insert,update,references	
digiViewType	tinyint		YES			select,insert,update,references	
email	text		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
emails	text		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
endDate	text		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
endTime	text		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
formatDoc	tinyint		YES			select,insert,update,references	
formatEmail	tinyint		YES			select,insert,update,references	
formatExcel	tinyint		YES			select,insert,update,references	
formatHTML	tinyint		YES			select,insert,update,references	
formatPDF	tinyint		YES			select,insert,update,references	
groupId	varchar(64)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
hitReport	tinyint		YES			select,insert,update,references	
hitReportAndAnaly...	tinyint		YES			select,insert,update,references	
idemailAlerts	int		NO			select,insert,update,references	auto_increment
keywords_string	text		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
magazineName	varchar(128)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
market	varchar(128)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
mediaType	varchar(128)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
mediaTypeTelevision	tinyint		YES			select,insert,update,references	
negativePhrases	varchar(45)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
newspaperName	varchar(128)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
numOfResults	int		YES			select,insert,update,references	
phrases	varchar(45)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
positivePhrases	varchar(45)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
realTimeAlerts	tinytext		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
socialMediaName	varchar(128)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
startDate	text		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
startTime	text		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
stateProv	text		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
textReport	tinyint		YES			select,insert,update,references	
textReportAnalysis	tinyint		YES			select,insert,update,references	

Count: 36

Keys:

- Primary Key: idemailAlerts
- Foreign Keys: email links to demo_requests.email
- Indexes: Should include email and keywords_string for faster searches.

3. Survey_Data

Column	Type	Default Value	Nullable	Character Set	Collation	Privileges	Extra
bothFormatData	varchar(3)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
competitors	varchar(255)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
competitorsOther	text		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
connectionData	text		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
contactsInformation	text		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
contractData	varchar(255)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
copyrightData	varchar(3)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
currentCost	text		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
dislikeComments	text		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
doesProfessionalD...	varchar(3)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
email	varchar(255)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
hdResolution	varchar(3)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
id	int		NO			select,insert,update,references	auto_increment
improveComments	text		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
keywordsData	text		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
likeComments	text		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
macFormat	varchar(3)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
marketData	text		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
mediaList	varchar(3)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
missedData	varchar(3)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
monitoredMedia	text		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
name	varchar(255)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
needAnalytics	varchar(3)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
needArchived	varchar(3)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
needBasis	varchar(255)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
needContacts	varchar(3)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
needHitReports	varchar(3)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
needMediaReport	varchar(3)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
needStreamingRe...	varchar(3)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
needTranscripts	varchar(3)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
organization	varchar(255)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
pcFormat	varchar(3)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
perNeed	varchar(3)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
phone	varchar(255)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
reportNeeds	varchar(255)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
satelliteData	varchar(3)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
scrapedData	varchar(3)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
subscriptionPrefer...	varchar(3)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
subscriptionRene...	varchar(3)		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	
typeOfMedia	text		YES	utf8mb3	utf8mb3_gen...	select,insert,update,references	

Count: 40

Keys:

- Primary Key: id
- Foreign Keys: email can link to emailAlerts.email and demo_requests.email

Observations:

- The table captures a mix of contact data, opinions, and service preferences, making it one of the most complete user datasets.
- Many columns are yes/no or text-based, allowing both structured and descriptive feedback.

Indexes and Key Relationships

Table	Primary Key	Foreign Key Links	Description
demo_requests	id	email → emailAlerts.email	Links user demo requests to alert settings.
emailAlerts	idemailAlerts	email → Survey_Data.email	Connects alert setups to survey feedback.
Survey_Data	id	email → demo_requests.email	Links survey responses to original requests.

Why the Lack of Stored Procedures Shows There Is No Real Structure

Reference pictures



Query 1 | Insert_Email_Alert - Routine | emailAlerts | EmailAlertList

Limit to 1000 rows

```
SELECT * FROM dc.emailAlerts;
```

100% 1:1

Result Grid Filter Rows: Search Edit: Export/Import:

idemailAler...	email	keywords_stri...	denverTelevisi...	realTimeAlerts	mediaTypeTelevision	country	stateProv	city	startDate	startTime	endDate	endTime	emails
51	hbremers@gmail.com	house	NULL	7 minutes	NULL	NULL	NULL	NULL	2023-01-01	03:00	2023-03-09	NULL	hbremers@gma
52	hbremers@gmail.com	house	NULL	7 minutes	NULL	NULL	NULL	NULL	2023-01-01	03:00	2023-03-09	NULL	hbremers@gma
53	hbremers@gmail.com	house	NULL	7 minutes	NULL	NULL	NULL	NULL	2023-01-01	03:00	2023-03-09	NULL	hbremers@gma
54	hbremers@gmail.com	house	NULL	7 minutes	NULL	Albania	NULL	NULL	2023-01-01	03:00	2023-03-09	NULL	hbremers@gma
55	hbremers@gmail.com	house	NULL	7 minutes	NULL	Angola	NULL	NULL	2023-01-01	03:00	2023-03-09	NULL	hbremers@gma
56	hbremers@gmail.com	house	NULL	7 minutes	NULL	Algeria	NULL	NULL	2023-01-01	03:00	2023-03-09	NULL	hbremers@gma
57	hbremers@gmail.com	house	NULL	7 minutes	NULL	Antiqua and Barbuda	NULL	NULL	2023-01-01	03:00	2023-03-09	NULL	hbremers@gma
58	hbremers@gmail.com	house	NULL	7 minutes	NULL	Andorra	NULL	NULL	2023-01-01	03:00	2023-03-09	NULL	hbremers@gma
59	hbremers@gmail.com	house	NULL	7 minutes	NULL	NULL	NULL	NULL	2023-01-01	03:00	2023-03-09	NULL	hbremers@gma
60	hbremers@gmail.com	house	NULL	7 minutes	NULL	Afghanistan	NULL	NULL	2023-01-01	03:00	2023-03-09	NULL	hbremers@gma
61	hbremers@gmail.com	house	NULL	7 minutes	NULL	Argentina	NULL	NULL	2023-01-01	03:00	2023-03-09	NULL	hbremers@gma
62	hbremers@gmail.com	house	NULL	7 minutes	NULL	Australia	NULL	NULL	2023-01-01	03:00	2023-03-09	NULL	hbremers@gma
63	hbremers@gmail.com	house	NULL	7 minutes	NULL	Bahamas	NULL	NULL	2023-01-01	03:00	2023-03-09	NULL	hbremers@gma
64	hbremers@gmail.com	house	NULL	7 minutes	NULL	Austria	NULL	NULL	2023-01-01	03:00	2023-03-09	NULL	hbremers@gma
65	hbremers@gmail.com	house	NULL	7 minutes	NULL	Azerbaijan	NULL	NULL	2023-01-01	03:00	2023-03-09	NULL	hbremers@gma
66	hbremers@gmail.com	house	NULL	7 minutes	NULL	Armenia	NULL	NULL	2023-01-01	03:00	2023-03-09	NULL	hbremers@gma
67	hbremers@gmail.com	house	NULL	7 minutes	NULL	Barbados	NULL	NULL	2023-01-01	03:00	2023-03-09	NULL	hbremers@gma
68	hbremers@gmail.com	house	NULL	7 minutes	NULL	Bahrain	NULL	NULL	2023-01-01	03:00	2023-03-09	NULL	hbremers@gma
69	hbremers@gmail.com	house	NULL	7 minutes	NULL	Belarus	NULL	NULL	2023-01-01	03:00	2023-03-09	NULL	hbremers@gma
70	hbremers@gmail.com	house	NULL	7 minutes	NULL	Belgium	NULL	NULL	2023-01-01	03:00	2023-03-09	NULL	hbremers@gma
71	hbremers@gmail.com	house	NULL	7 minutes	NULL	Belize	NULL	NULL	2023-01-01	03:00	2023-03-09	NULL	hbremers@gma
72	hbremers@gmail.com	house	NULL	7 minutes	NULL	Bosnia and Herzeg...	NULL	NULL	2023-01-01	03:00	2023-03-09	NULL	hbremers@gma
73	hbremers@gmail.com	house	NULL	7 minutes	NULL	Bolivia	NULL	NULL	2023-01-01	03:00	2023-03-09	NULL	hbremers@gma
74	hbremers@gmail.com	house	NULL	7 minutes	NULL	Botswana	NULL	NULL	2023-01-01	03:00	2023-03-09	NULL	hbremers@gma
75	hbremers@gmail.com	house	NULL	7 minutes	NULL	Brazil	NULL	NULL	2023-01-01	03:00	2023-03-09	NULL	hbremers@gma
76	hbremers@gmail.com	house	NULL	7 minutes	NULL	Benin	NULL	NULL	2023-01-01	03:00	2023-03-09	NULL	hbremers@gma

```
CREATE DEFINER=`root`@`localhost` PROCEDURE `Insert_Email_Alert`(
    AlertFrequency VARCHAR(45),
    Keywords VARCHAR(100),
    MediaType VARCHAR(45),
    EmailParam VARCHAR(45)
)
BEGIN
    INSERT INTO dc.EmailAlertList (AlertFrequency, Keywords, MediaType, Email) VALUES (AlertFrequency, Keywords, MediaType, EmailParam);
END
```

1. The EmailAlerts Table Contains Data While EmailAlertList Is Empty

The emailAlerts table is full of inserted test data and contains columns used for alert settings. The EmailAlertList table has only five columns and is completely empty. The only relevant stored procedure that exists inserts data only into EmailAlertList, not into the actual emailAlerts table. Currently, there is no defined connection between the EmailAlertList table and the emailAlerts table, meaning that the two tables function independently.

2. Missing Stored Procedures Means Missing Functional Logic

Stored procedures are used to manage how data enters a table, enforce field requirements, and maintain consistent workflows. The tables hosts, demo_requests, and emailAlerts do not have stored procedures, meaning their records must be added manually or through external processes. Without procedures, these tables do not have built-in methods to handle inserts, validations, or updates. They operate only as storage tables without useful functionalities.

3. emailAlerts Contains Test Data Entered Without a Defined Workflow

The emailAlerts table contains many entries with values such as repeated emails, generic keywords, and the same alert timing. Since there are no procedures that populate this table, these values were entered manually or through direct queries.

4. Core Tables Operate Without Defined Routines

The tables related to user flow do not have stored procedures of inserts, updates, or general processing. Only EmailAlertList has a procedure, and it is not connected to the other tables. Each table holds data independently rather than working together through defined routines.

5. Recommendations

- Create a stored procedure to add insert and update functionalities ot the emailAlerts table
- Create a connection between the EmailAlertLists table and the emailAlerts table