

MVP / TECHNICAL OVERVIEW

Private content, authorized ledger actions.

The browser runs OpenMLS and the Canton dApp wallet SDK. Canton stores messaging ciphertext and signed business records. A token Allocation supplies the escrow settlement rail.

Invitation and messaging

Wallet binding. A link or QR carries the invitation descriptor. The guest signs a `KeyPackageRequest` and publishes a `KeyPackage`. The creator resolves the `Party/installation` binding before MLS admission.

Delivery. `KeyPackageOffer` supplies public MLS material. `MLSDelivery` carries `Welcome/Commit`. `EncryptedMessage` carries application ciphertext and envelope metadata. The Canton path processes events in ledger order.

Groups. The creator admits wallet-bound guests with MLS `Welcome/Commit` and encrypted membership state. The UI limits groups to 32 members and one installation per `Party`.

Storage and privacy

Local browser. IndexedDB keeps sent/decrypted history as plaintext, scoped by network, `Party` and installation. MLS checkpoints are separately encrypted at rest using a non-exportable device key.

Ledger visibility. The sender and designated recipients can see message contracts. Authorized infrastructure can see ciphertext and metadata. Deal viewers see amounts, assets, `Parties` and lifecycle records.

Recovery boundary. Clearing browser storage removes local history and keys. History and checkpoint writes are not atomic. There is no cross-device history or cross-tab MLS write lock.

Offer, review and settlement

Business authority. `DealProposal` creates `DealAgreement` on acceptance. `FundEscrow` validates the referenced `Allocation`. The fulfiller submits funded work, the reviewer approves or requests revision, and the fulfiller exercises `Settle`.

Token execution. `Settle` exercises `Allocation_ExecuteTransfer` and records a `SettlementReceipt` with receiver holding references. VINSS references the allocation rather than custodying funds.

Current scope. Acceptance and allocation/funding are separate wallet steps. No dispute/refund choice or group escrow is implemented. Sample jobs and /demo are simulated previews.

Sources: ARCHITECTURE.md. Full code links in TECHNICAL_OVERVIEW.md.