

NULL Functions

Table 1: Employees

1. SELECT employee-id,
name,
IF NULL (salary, 0) AS salary-with-default
FROM employees;

employee-id	name	salary-with-default	<u>employees</u>
1	Alice	5000	
2	Bob	0	
3	Charlie	7000	
4	Dana	0	

2. SELECT employee-id,
name

IF NULL (department, 'Not Assigned') AS department-name

FROM employees;

employee-id	name	department-name	<u>Employee's Table</u>
1	Alice	HR	
2	Bob	IT	
3	Charlie	Not Assigned	
4	Dana	Finance	

Table 2: Orders

3. SELECT order-id,
customer-id

FROM Orders

WHERE ISNULL (customer-id, 0) = 0;

Table: Orders

order-id	customer-id
101	201
102	202
103	0

4. SELECT order-id,

customer-id
delivery
IF NULL (date, 'Pending') AS delivery-status

FROM orders

WHERE ISNULL (customer_id, 0) = 0

Table: Orders

order-id	customer-id	delivery-status
101	201	2024-12-01
102	202	Pending
103	0	2024-12-03

Table 3: Students

5. SELECT student-id,

name,

IF NULL (grade, 0) AS final-grade

FROM students

Students

student-id	name	grade
1	Ethan	85
2	Maya	0
3	Olivia	90

6. SELECT COUNT(*) AS not-graded-count

FROM students

WHERE grade IS NULL;

Students

student-id	name	grade
2	Maya	NULL

∴ There is only 1 student that is not graded

Table 4: Products

1. SELECT product-id,
name,
IF NULL (discount, 0), price - ISNULL (discount, 0) AS final price
final price
FROM products;

Students

product-id	name	final-price
501	Keyboard	25
502	Mouse	10
503	Monitor	100

Table 5: Customers

8. SELECT COUNT (*) AS missing-email-count
FROM Customers
WHERE email IS NULL;

2 customers which are Linda and Nia have no mail

customer-id	name
1	Linda
3	Nia

9. SELECT customer-id,
name,
ISNULL IF NULL (email, 'No Email') AS email-display
FROM Customers;

Customers

customer-id	name	email-display
1	Linda	No Email
2	Joseph	joseph@mail.com
3	Nia	No Email

Table 6: Payments

10. SELECT payment-id,

IF NULL (method, Unknown) AS method - display

status

FROM payments

Payment		
payment-id	method	status
301	Credit	NULL
302	PayPal	Success
303	Unknown	failed

Table 7: Inventory

11. SELECT item-id,

item-name,

IF NULL (quantity, 0) AS quantity-checked

FROM Inventory

Inventory		
item-id	item-name	Quantity-checked
1	Pen	0
2	Notebook	150
3	Eraser	0

Table 8: Employees-Extra

12. SELECT emp-id,

COALESCE (bonus, commission) AS first-available-reward

FROM Employees-Extra;

Employees-Extra	
emp-id	first-available-reward
1	300
2	100
3	NULL

Table 9: Classes

13. SELECT COUNT(*) AS no-room-count

FROM classes

WHERE room IS NULL;

no-room-count
2

Table 10: Attendance

14. SELECT student-id,

----date,

---IF NULL (status, 'Not Marked') AS attendance-status

FROM Attendance;

student-id	date	attendance-status
1	2025-04-01	Not Marked
2	2025-04-01	Present
3	2025-04-01	Absent

Table 11: Bank-Accounts

15. SELECT account-id,

IF NULL (account-type, 'Unknown') AS type-display,

IF NULL (balance, 0) AS balance-checked

FROM Bank-Accounts;

account-id	type-display	balance-checked
A1	Savings	0
A2	Current	5000
A3	Unknown	2000

Table 12: Projects

16. SELECT product-id,

title

IF NULL (start-date, 'TBD') AS start-display

FROM projects;

project-id	title	start - display
1	Website Revamp	2025-01-10
2	Mobile App	TBD
3	Data Migration	TBD

Table: Projects

Table 13: Reviews

17. SELECT review-id,

product-id,

IF NULL (comment, 'No Comment') AS comment-display

IF NULL (rating, 0) AS rating-display

FROM Reviews

Table : Reviews

review-id	product-id	comment-display	rating-display
1	501	Great product	4
2	502	No Comment	0
3	503	Works fine	3

Table 14: Suppliers

18. SELECT supplier-id,

name,

COALESCE (phone, alt-phone, 'No Contact') AS contact-number

FROM Suppliers

Supplier-id	name	contact
1	Global Goods	123456789
2	Best Supplies	987654321
3	Value Source	No Contact

Table: Suppliers

Table 15: User-Settings

19. SELECT ~~se~~ user-id

IF NULL (Theme, 'light') AS theme-set

IF NULL (language, 'English') AS language-set

IF NULL (timezone, 'UTC') AS timezone-set

FROM User-Settings,

User-Settings

user-id	theme-set	language-set	timezone-set
1	Light	English	UTC
2	Dark	English	UTC +1
3	Light	English	UTC

Table 16: Maintenance

20. SELECT record-id,

machine-id,

IF NULL (issue, 'Unknown Issue') AS issue-log,

IF NULL (technician, 'Not Assigned') AS technician-name

FROM maintenance