

100
110
USER DEVICE
DISPLAY
TARGET APPLICATION (not instrumented)
190
112
INPUT DEVICE
116
user performs
SCREEN-CAPTURE INTERFACE
114
GUIDANCE CLIENT (read-only)
CAPTURE MODULE
122
POLICY-ENFORCEMENT MODULE
128
ON-DEVICE REDACTION ENGINE
124
TOKEN MAP (volatile memory only)
126
read
PRESENTATION LAYER
132
LOCAL REHYDRATION MODULE
130
FLOATING OVERLAY
134
CLARIFICATION CARD
136
no input path from 120 to 190:
no input event is injected
120
redacted frame + plan
NETWORK
140
single instruction;
effective policy
policy;
reports
150
GUIDANCE SERVER
PLANNING MODULE
152
NAVIGATION AND VERIFICATION MODULE
154
SERVER-SIDE POLICY RE-ENFORCEMENT
155
AUDIT LOG (append-only)
156
CLARIFICATION HANDLER
157
EVIDENCE STORE (encrypted at rest)
158
POLICY STORE
160
SECURITY GATE
162
INSTRUCTION-SHAPING RULE SET
164
WORKFLOW TEMPLATE STORE
166
TEMPLATE DISTILLER AND MATCHER
168
redacted frame + checklist
navigation record
MODEL SERVICES
FIRST MODEL (vision, low latency)
172
SECOND MODEL (stronger)
174
170
TENANT ADMINISTRATION CONSOLE
author, arm, lock egress policy;
retrieve reports and audit log (own tenant only)
180

FIG. 1



200
RECEIVE GOAL
202
GENERATE PLAN; EACH STEP HAS A PLANNER-GENERATED VISIBLE-WHEN-DONE CONDITION
204
re-plan signal
CAPTURE FRAME
206
REDACT FRAME ON DEVICE
208
TRANSMIT REDACTED FRAME AND FULL CHECKLIST
210
OBTAIN NAVIGATION RECORD: completed set, current step, guidance, observation, flag, done
212
230
IF PREREQUISITE ABSENT FROM FRAME: CURRENT STEP := STEP THAT ESTABLISHES THE PREREQUISITE
232
IF NAMED CONTROL ABSENT AND AN EQUIVALENT CONTROL VISIBLE: INSTRUCTION TARGETS THE EQUIVALENT
234
RECORD DISCREPANCY INDICATION (session record and report; re-plan signal; template supersede, FIG. 6)
next frame
218
MARK STEP COMPLETED; TIMESTAMP; STORE REDACTED FRAME AS EVIDENCE ONCE (if policy permits)
YES
VISIBLE-WHEN-DONE CONDITION OF INSTRUCTED STEP SATISFIED IN FRAME?
NO
DO NOT ADVANCE; CORRECTIVE INSTRUCTION (exact fix, make content visible, missing prerequisite)
216
214
220
SURFACE FLAG (clears when back on track)
222
PRESENT INSTRUCTION, OBSERVATION, FLAG
USER PERFORMS ACTION IN THE TARGET APPLICATION (no input injected)
224
NO
DONE?
YES
END: SESSION REPORT
226
228

FIG. 2




110
300
USER DEVICE
OUTBOUND TEXT
302
DETECTOR
(sensitive spans;
same rules as server)
306
ACTION ROUTER
send | redact |
withhold | tokenize
310
tokenize
TOKEN GENERATOR
[[EMAIL_1]] [[IP_2]]
(typed, stable per session)
312
314
send / redact /
withhold
EGRESS POLICY
(per-category action,
block words, mode)
308
TOKENIZED /
REDACTED TEXT
322
TOKEN MAP
(volatile memory only;
never transmitted;
zeroed on reset)
126
each line
316
OUTBOUND FRAMES
304
OPTICAL CHARACTER
RECOGNITION
(on device, per line)
OCR unavailable
LINE MASK
(opaque box over whole
line bounding box)
318
AUDIT ENTRY
(counts, flags,
placeholders;
no values)
336
FAIL-SAFE
DOWNSCALER
(illegible resolution;
legibility criterion)
338
REDACTED FRAME
(re-encoded)
320
324
TRANSMISSION
(user shown summary)
downscaled copy in lieu of frame
audit record (no values)
token map read locally
DISPLAYED ANSWER
(real values; never
left the device)
334
MISSING-TOKEN
HANDLER (leave in
place; flag incomplete;
never guess)
332
REHYDRATION
(token -> value;
nested walk)
330
STREAMING BUFFER
(tail held across
chunk boundary)
340
RESPONSE WITH
PLACEHOLDER
TOKENS
328
response
326
REMOTE MODEL
(sees tokens only)
via guidance server 150 (policy re-applied, 155)

FIG. 3



The subsequently captured frame is the verification oracle; the guidance client has no arrow into the target application.

FIG. 4



TENANT ADMINISTRATOR
502
POLICY EDITOR (wizard, presets)
504
500
LOCK-RELEASE OPERATION (re-authentication of role above tenant admin; audit entry: prior and new version)
536
506
EGRESS POLICY OBJECT (version; last changed by)
PER-CATEGORY ACTIONS (send, redact, withhold, tokenize)
508
BLOCK WORDS (always removed)
510
MODE (redact | tokenize)
512
SCREENSHOT-EVIDENCE SETTING
514
RETENTION WINDOW
516
ARMED AND LOCKED STATE (version, last changed by)
518
compile
SCOPE RESOLUTION (member -> tenant's armed policy; individual -> own; platform admin -> any)
520
INSTRUCTION-SHAPING RULE SET (forbid rules, require rules; versioned with the policy object)
534
522
distribute effective policy
MEMBER GUIDANCE CLIENTS (enforce on device)
CLIENT
CLIENT
CLIENT
120
inbound
SERVER RE-APPLICATION (same engine, inbound path)
524
gated by setting 514
reports, audit
530
TRANSMISSION AUDIT (one record per transmission)
EVIDENCE STORE (redacted frames; encrypted)
526
ADMINISTRATOR RETRIEVAL (reports and audit log; own tenant only)
532
538
AUDIT RECORD SCHEMA (closed list): policy version; mode; per-category counts; frame sent; purpose
RETENTION SWEEP (sessions older than window 516)
528
540
SINGLE-OPERATION PURGE
together
{ session record, evidence frames, audit records }

FIG. 5



CAPTURE
600
COMPLETED SESSION RECORD
602
CLEAN-SUCCESS PREDICATE (all steps done from screen; final event not an open flag)
604
DISTILLER (deterministic; no model call)
606
608
WORKFLOW TEMPLATE
610
GOAL SIGNATURE (normalized token set)
612
APPLICATION KEY (+ version)
616
ORDERED STEPS (kind, first on-screen target, visible-when-done)
618
SUCCESS SIGNAL (last visible-when-done)
614
ENVIRONMENT RECORD (jurisdiction, software list, manual vs software, conventions)
POLICY SCRUB AT PERSIST (holder's stored policy; keys preserved)
622
PRE-SCRUB (emails, digit runs; commands and code exempt)
620
tenant switch (capture and retrieval disabled together)
HOLDER-SCOPED STORE
TENANT PRIVATE STORE (company)
626
SHARED DE-IDENTIFIED STORE (consented)
628
624
DRIFT-TRIGGERED SUPERSEDE (one prior version retained)
650
DISCREPANCY INDICATION (step 234, FIG. 2)
CLARIFICATION PREFILL (environment record answers scoping questions)
648
to FIG. 7 (card 136, handler 157)
templates in requesting user's holder store
RETRIEVAL
NEW GOAL
630
SIGNATURE COMPUTATION
632
SCORER
goal similarity (Jaccard, overlap)
application similarity
environment compatibility
weighted sum (0.6 / 0.25 / 0.15)
634
TIER GATE (named floors and weights)
636
weighted >= first floor; keys match; no contradiction; env >= env floor
weighted >= second floor
otherwise
SERVING TIER
638
SEEDING TIER
640
WITHHOLD (near miss never force-fitted)
642
ADAPTATION PASS (single; adjust for environment differences)
644
PLANNER SEEDING (template as context for full planning pass)
646
PLAN WITHOUT TEMPLATE
every resulting plan is live-verified step by step by loop 200

FIG. 6




700
PLANNING CALL
(goal, scope answers, redacted frame)
702
MODEL GENERATES PLAN AND AT MOST ONE QUESTION; TWO TO FIVE OPTIONS INFERRED FROM THE FRAME
704
ANSWER DETERMINABLE FROM THE FRAME?
706
YES
NO QUESTION; PLAN ONLY
NO
CLARIFICATION CARD
708
OPTIONS
(2 to 5 chips)
710
FREE-TEXT ENTRY
712
SKIP CONTROL
714
re-ask
REOPEN OR CHANGE ANSWER
(removes stored answer)
724
answer
skip
716
STORE ANSWER IN SESSION SCOPE
STORE SKIPPED RECORD AND STATED ASSUMPTION
726
REGENERATION REQUEST
(carries clarification-origin indicator)
718
reopen
YES
INDICATOR PRESENT?
(server check)
NO
720
BYPASS LIMIT CHECK; NO DECREMENT OF PER-TASK REGENERATION LIMIT
CHECK AND DECREMENT PER-TASK REGENERATION LIMIT
(user-initiated re-plan)
REGENERATED PLAN
(incorporates answer or assumption)
722

FIG. 7



The floating window lies within a whole-display share; it is not excluded from the device's own capture (the model is told it is not the target application).

FIG. 8A






FIG. 8B




The gate controls display, not execution;
the guidance client never executes a command.

FIG. 9




Each guided session is the loop of FIG. 2; the display, read from redacted frames, remains the oracle at both tiers.

FIG. 10




Over-splitting is an error; under-splitting is advisory.
No machine-learning model is invoked by the gate.

FIG. 11



The stored map is replaced only by the committed result; a refused placement leaves the project unchanged.

FIG. 12



A one-off read outside the loop escalates immediately; a model error escalates immediately; a successful response with no content is a retriable model failure, not an unreadable frame.

Alternative embodiment: a sliding window over the most recent frames (a first number of the last second number of frames unreadable) in place of the consecutive count.

FIG. 13