Lab 2 – Cardinality Estimation

- Quick review query optimization and cardinality estimation
- Discuss how to estimate the cardinality for one column and multiple columns
- Try to estimate cardinality for multiple columns

Review: Query Optimization

- Main goal: generate efficient execution approaches for queries
- Among all the optimization goals, finding good join-orders for product plans is one of the most important goals in query optimization

Join-Orders Matter

```
SELECT * FROM a, b WHERE 5 < a.x < 9 AND 20 < b.y < 2000 AND a.z = b.z

nested-loop join
```

```
for outer_record in outer_table:
    for inner_record in inner_table:
        print(outer_record + inner record)
```

Option 1: a as outer table, b as inner table

Option 2: b as outer table, a as inner table

Assume the DBMS currently has 100 available buffers








Table b










Action	Cost (# of blocks accessed)
scan table a	1
scan table b	100 * 1000 = 100000










Action	Cost (# of blocks accessed)
scan table a	1
scan table b	1000

Cardinality Estimation

- How to estimate cardinality?
 - cardinality = # of total records * seletivity
- How to estimate selectivity?
 - a naïve approach: assume uniform distribution
 - a better approach: histogram
 - how about machine learning?

One-Column Selectivity Estimation

Learn CDF



SELECT * **FROM** a **WHERE** 110 < x < 210

Multi-Column Selectivity Estimation

- Assume columns are independent
 - estimate the selectivity of each column and obtains the product of them
- Correlation between columns


Multi-Column Selectivity Estimation

Assume

- half of the population is order than 45
- half of the population has salary more than 45K
- Under the independent-column assumption
 - -sel = 0.5 * 0.5 = 0.25
 - however, the actual selectivity may be far less than that

Multi-Column Selectivity Estimation

- How about high-dimensional histogram
 - high storage cost (exponential to dimensionality)
- Use machine learning model to estimate selectivity



Problem Formulation

- Input
 - k fields, 2k boundaries
- Output
 - selectivity

```
SELECT * FROM population
WHERE 0 < age < 45 AND 45000 < salary < max_salary</pre>
```

