Class 17: Obtaining and processing SRA datasets on AWS

Nathalie Huang (PID: A19134713)

Table of contents

Downstream analysis 1
Principal Component Analysis 2

Downstream analysis

#BiocManager::install("tximport")

```
library(tximport)

folders <- dir(pattern="SRR21568*")
samples <- sub("_quant", "", folders)
files <- file.path( folders, "abundance.h5" )
names(files) <- samples

txi.kallisto <- tximport(files, type = "kallisto", txOut = TRUE)
```

```
1 2 3 4
```

```
head(txi.kallisto$counts)
```

```
                 SRR2156848 SRR2156849 SRR2156850 SRR2156851
ENST00000539570          0          0    0.00000          0
ENST00000576455          0          0    2.62037          0
ENST00000510508          0          0    0.00000          0
ENST00000474471          0          1    1.00000          0
ENST00000381700          0          0    0.00000          0
ENST00000445946          0          0    0.00000          0
```

```r
colSums(txi.kallisto$counts)
```

```
SRR2156848 SRR2156849 SRR2156850 SRR2156851
   2563611    2600800    2372309    2111474
```

```r
sum(rowSums(txi.kallisto$counts)>0)
```

```
[1] 94561
```

```r
to.keep <- rowSums(txi.kallisto$counts) > 0
kset.nonzero <- txi.kallisto$counts[to.keep,]
```

```r
keep2 <- apply(kset.nonzero,1,sd)>0
x <- kset.nonzero[keep2,]
```

Principal Component Analysis

```r
pca <- prcomp(t(x), scale=TRUE)
summary(pca)
```

```
Importance of components:
                            PC1      PC2      PC3   PC4
Standard deviation     183.6379 177.3605 171.3020 1e+00
Proportion of Variance   0.3568   0.3328   0.3104 1e-05
Cumulative Proportion    0.3568   0.6895   1.0000 1e+00
```

```r
plot(pca$x[,1], pca$x[,2],
     col=c("blue","blue","red","red"),
     xlab="PC1", ylab="PC2", pch=16)
```



Q. Use ggplot to make a similar figure of PC1 vs PC2 and a separate figure PC1 vs PC3 and PC2 vs PC3.

```
library(ggplot2)
library(ggrepel)

mycols <- c("blue","blue","red","red")

ggplot(pca$x) +
  aes(PC1, PC2, label=rownames(pca$x)) +
  geom_point( col=mycols ) +
  geom_text_repel( col=mycols ) +
  theme_bw()
```


SRR2156848
SRR2156851
SRR2156850
SRR2156849
200
100
0
−100
−200
PC2
−100
0
100
PC1