Arrays

Define more than one variable for similar purpose

Example:

Grades of a student group – define 30 variable for them

Solution:

Define 30 variable of type double to hold the information

Is this so rational?

- An array is a sequence of elements

- Arrays keep variables of only one type

- The order of the elements remains the same

- Arrays have a fixed length

- The access to the elements is direct

- The elements are accessed through an index

Declaration

Type of the array   *Name of the array(variable)*

```
int[] array;
```

```
int array[];
```

Initialization

Type of the array   *Size of the array*

```
array = new int[10];
```

Declaration and initialization

```
int[] array = new int[10];
```

```
int[] array = { 5, 7, -2, 12, 0, 4 };
```

- Elements are accessed by index

- The index of the first is 0

- The index of the last is equal to the length – 1

- The elements can be read and changed

array[i] returns the element with index i

```java
System.out.println(array[0]);
```

Print the fisrt element

```java
System.out.println(array[1]);
```

Print the second element

```java
array[2] = 100;
```

Change the value of the third element

- array.length returns the length

```
System.out.println(array.length);
```

- Getting an element beyond the size will result in a runtime error

```
array[11] = 20;
```

```
Console ☒
<terminated> Test (6) [Java Application] C:\Program Files\Java\jre6\bin\javaw.exe (11.02.2012 19:00:04)
Exception in thread "main" java.lang.ArrayIndexOutOfBoundsException: 11
        at Test.main(Test.java:7)
```

- Usually using loop

- The most common case is using a **for** loop

```java
public static void main(String[] args) {
    int[] array = new int[10];
    for (int i = 0; i < array.length; i++) {
        array[i] = 7;
    }
}
```

- You can iterate array with **while** loop and any other

```java
public static void main(String[] args) {
    int[] array = new int[10];
    int i = 0;
    while (i < array.length) {
        array[i] = 7;
        i++;
    }
}
```

- The array is iterated

- The value of the current element is printed using System.out.print()

```java
double[] array = { 2.5 ,3, 5, 8, -12.9, 7.0 };

for (int i = 0; i < array.length; i++) {
    System.out.print(array[i] + " ");
}
```

```
Console ✕
<terminated> Test (6) [Java Application] C:\Program Files\Java\jre6\bin\javaw.exe
2.5 3.0 5.0 8.0 -12.9 7.0
```

Add a whitespace to separate the elements

- The array is iterated

- Use scanner to read the value from the console

- Assign the read value to the current element

```java
public static void main(String[] args) {
    int[] array = new int[10];

    Scanner sc = new Scanner(System.in);

    for (int i = 0; i < array.length; i++) {
        System.out.println("Enter value:");
        array[i] = sc.nextInt();
    }
}
```

Declaration and initialization of the array

*Create **Scanner***

*Iterate the array using **for** loop and read the value for each element from the console*

- Arrays are referred types and can't be compared using **==** operator

- To compare two arrays, you have to iterate them and compare their elements respectively

Try it!

```
double[] array = { 2.5 , 3, 5.8 };
double[] array2 = new double[3];
array2[0] = 2.5;
array2[1] = 3;
array2[2] = 5.8;
...
```

Copying arrays

`int[] newArray = oldArray;` is not exactly what you want

```java
public static void main(String[] args) {
    int[] oldArray = { 1, 2, 3};
    int[] newArray = oldArray;

    oldArray[0] = -10;
    System.out.println(newArray[0]);
}
```

What will be printed to the console?

- Have more than one dimension (2, 3, 4, ...)
- The 2-dimensional arrays are called matrices
- A matrix is an array in which each element is an array

A matrix with 4 rows and 6 columns

Creating and iterating matrix

The multidimensional arrays use the same concept as an ordinary arrays

```java
public static void main(String[] args) {
    int[][] matrix = new int[3][4];

    for (int i = 0; i < matrix.length; i++) {
        for (int j = 0; j < matrix[0].length; j++) {
            matrix[i][j] = 10;
        }
    }

    matrix[0][0] = 1;
    matrix[2][3] = 100;
}
```

Create matrix with 3 rows and 4 columns

Set 1 to the element in the upper left corner

Set 100 to the element in the bottom right corner

- What is array

- How to declare and initialize array

- How to access and change elements

- How to get the array length

- How to read an array from the console

- How to copy an array

- What is a matrix