

Brand Email Setup

From Gmail to brand@yourdomain.com
in about 45 minutes.

Receive and send from your own domain.

WHAT'S INSIDE

Phase 1	Cloudflare Email Routing — receive at custom addresses
Phase 2	Brevo account — the SMTP relay for sending
Phase 3	DNS records — DKIM, SPF, DMARC (the gotcha-heavy part)
Phase 4	Brevo verification + SMTP key generation
Phase 5	Gmail "Send mail as" — reply from your domain
Phase 6	Testing, troubleshooting, and your email signature

Table of Contents

START HERE	Why This Matters & What You Need	3
PHASE 1	Cloudflare Email Routing	5
	→ Enable routing, verify Gmail, create addresses	5
PHASE 2	Brevo Account & Domain	7
PHASE 3	DNS Records in Cloudflare	8
	→ DKIM, SPF merge (the critical gotcha), DMARC	8
PHASE 4	Verify in Brevo + SMTP Key	11
PHASE 5	Gmail "Send Mail As"	13
PHASE 6	Testing & Email Signature	15
REFERENCE	Common Gotchas & Troubleshooting	17
MORE TOOLS	About DigitalForge Pro	18
APPENDIX 1	Gmail SMTP Alternative (No Unsubscribe Link)	19
APPENDIX 2	Version History	21

START HERE

Why This Matters & What You Need

If you sell digital products under a brand name, your email address matters. Replying to a customer from `yourname@gmail.com` signals "side project." Replying from `support@yourbrand.com` signals "real business." Buyers notice. So do affiliates, press contacts, and platform reviewers.

This guide gets you there in about 45 minutes, using only free services on top of your existing domain. At the end you will be able to receive email at any address on your domain, and send from those addresses directly inside your existing Gmail.

What You Will Have at the End

- `support@yourdomain.com`, `info@yourdomain.com`, and any other address you want — all forwarding to your Gmail inbox
- A catch-all address — every email to `anything@yourdomain.com` lands in your Gmail
- The ability to compose and reply as those addresses from Gmail — recipients see your brand domain, not your Gmail
- SPF, DKIM, and DMARC authentication so your replies land in inboxes, not spam

What You Need Before Starting

REQUIREMENT	NOTES
A registered domain	Already owned (e.g. yourbrand.com or .ai or .shop)
DNS managed by Cloudflare	Free tier is fine. Transfer DNS first if you registered elsewhere
A Gmail account	Personal or workspace, both work
About 45 minutes	Plus a few hours of DNS propagation wait time

✓ TOTAL COST

Zero on top of what you already pay for the domain. Cloudflare Email Routing is free. Brevo's free tier allows 300 emails per day — more than enough for personal support replies. Gmail is free. The only thing you pay for is the domain itself, which you already own.

How This Stack Works

Three free services, each doing one job:

- **Cloudflare Email Routing** — receives mail at your domain, forwards to Gmail
- **Brevo** — relays outgoing mail from Gmail using your domain's authentication
- **Gmail** — your inbox and composer; configured with "Send mail as" aliases

⚠ BREVO FREE PLAN TRIGGERS AN UNSUBSCRIBE BUTTON

Brevo's free tier adds a `List-Unsubscribe` header to all outgoing emails. In Gmail, this causes a small **Unsubscribe** link to appear next to the sender name at the top of the message — it is not a footer in the email body. Other email clients (Outlook, Apple Mail) may show it differently or not at all. It does not break delivery, but it signals to recipients that your reply came through a marketing relay rather than a personal server — which can undermine trust. **Two remedies:**

1. **Upgrade to Brevo Starter** (~\$9/month) — removes the List-Unsubscribe header entirely. Complete all phases as written.
2. **Use Gmail SMTP instead of Brevo** (free, no unsubscribe header) — complete Phase 1, skip Phases 2–4, then follow **Appendix 1** in place of Phase 5. This uses Google's own servers to send your domain alias replies.

If you are comfortable with the unsubscribe button for now, continue with all phases as written. You can switch to either remedy at any time. For a new or growing shop, this is not a significant issue — most buyers will not notice or care. As your shop scales, upgrade to **Brevo Starter** to simply remove the header (~\$9/month), or upgrade to **Google Workspace** (~\$6–12/month) giving you a native @yourdomain.com Gmail account with no workarounds needed at all.

PHASE

1

Cloudflare Email Routing

Cloudflare Email Routing receives mail sent to any address on your domain and forwards it to a verified destination — in this case, your Gmail.

Step 1 — Get to the Email Routing Page

1. Log in to the Cloudflare dashboard at `dash.cloudflare.com`
2. From the home screen, click **Domains** in the left sidebar
3. Click on your domain (the domain name itself, not just hover)
4. In the left sidebar, look for **Email** — listed right below DNS
5. Click **Email** → click **Email Routing**

⚠ COMMON STUCK POINT

If you do not see "Email" in the sidebar, you are not inside a specific domain. Go back to **Domains**, click the domain name itself, and try again.

Step 2 — Enable Email Routing

1. Click **Get Started** (or **Enable Email Routing**)
2. Cloudflare shows the DNS records it needs to add automatically — typically 3 MX records and 1 TXT record for SPF
3. Click **Add records and enable**

These records are locked so you do not accidentally break them later. Email Routing is now active on the domain.

Step 3 — Verify Your Gmail as the Destination

1. On the Email Routing page, find the **Destination addresses** section
2. Click **Add destination address**
3. Enter your Gmail address → click **Save**
4. Switch to Gmail — Cloudflare just sent a verification email
5. Open the email from Cloudflare → click **Verify email address**
6. Back in Cloudflare, the destination should now show **Verified**

✓ TIP

If the verification email does not arrive within a minute, check spam in Gmail. Whitelist `cloudflare.com` in your Gmail filters if needed.

Step 4 — Create Your Custom Addresses

Click the **Routes** tab. Under **Custom addresses**, click **Create address** and add each one:

CUSTOM ADDRESS	ACTION	DESTINATION
support	Send to an email	your Gmail
info	Send to an email	your Gmail

Cloudflare auto-fills @yourdomain.com . Click **Save** after each.

Step 5 — Enable the Catch-All

This is the key step. With catch-all on, every email to any address on your domain forwards to Gmail — no per-address configuration required.

1. Still on the **Routes** page, scroll to the **Catch-all address** section
2. Toggle the catch-all switch to **Active**
3. Action: **Send to an email**
4. Destination: your Gmail
5. Click **Save**

Step 6 — Test It

From your phone email or a different account, send a test to support@yourdomain.com . It should arrive in Gmail within a minute. Send a second test to a random address like random123@yourdomain.com — the catch-all should deliver this one too.

⚠ IF TEST EMAILS BOUNCE

DNS records have not propagated yet. Wait 5–15 minutes and try again. New domains sometimes take longer than established ones.

What You Have Now

Receiving is fully working. You can hand out any address on your domain — support@ , info@ , hello@ , press@ , affiliates@ — and they all land in your Gmail inbox.

You cannot yet send *from* those addresses. That is what Phases 2 through 5 set up.

PHASE

2

Brevo Account & Domain

Brevo (formerly Sendinblue) provides the SMTP relay that Gmail will use to send mail authenticated as your domain. The free plan allows 300 emails per day — far more than personal support replies need.

Step 1 — Create Your Brevo Account

1. Go to `brevo.com`
2. Click **Sign up free** → use your Gmail address
3. Verify your email (Brevo sends a confirmation link)
4. Fill in basic info — company name, address, phone. Use real info: Brevo verifies for fraud prevention
5. When asked about plan, select **Free plan**

⚠ ACCOUNT REVIEW

Brevo manually reviews new accounts before activating sending. This can take a few hours to a day. They are filtering spammers. Mention your account is for "transactional support replies on a digital product business." If asked for a website, give your domain.

Step 2 — Add Your Domain in Brevo

1. In Brevo dashboard, click your **profile icon** (top-right)
2. Select **Settings**
3. Select **Senders, domains, IPs** (or **Senders, Domains, and Dedicated IPs**)
4. Click the **Domains** tab → click **Add a domain**
5. Enter your domain → click **Save this email domain**
6. Brevo asks how you want to authenticate. Select **Authenticate the domain automatically** (Recommended) → click **Continue**. Brevo adds your DKIM CNAMEs, verification TXT, and a basic DMARC record to Cloudflare, then verifies the domain automatically. Your domain may already show **Authenticated** in Brevo before you reach Phase 4. **Two manual steps are still required regardless** — SPF merge and DMARC alignment fix — covered in Phase 3 Steps 3 and 4.

✓ IF AUTOMATIC FAILS

If Brevo cannot connect to your Cloudflare account, select **Authenticate the domain yourself** → click **Continue**. Brevo shows you the DNS records to add manually. Keep this tab open — you will copy values from it directly into Cloudflare in Phase 3.

PHASE

3

DNS Records in Cloudflare

✓ USED AUTOMATIC AUTHENTICATION?

If Brevo's automatic mode succeeded, your DKIM CNAMEs and verification TXT are already in Cloudflare. **Skip Steps 1 and 2 — go straight to Step 3 (SPF merge) and Step 4 (DMARC fix).** Both are still required — automatic mode does not add SPF, and adds a minimal DMARC without alignment settings.

If you used manual authentication, all four steps below are required.

Step 1 — Add the DKIM Records

In Cloudflare, click your domain → **DNS** → **Records** → **Add record**. Brevo provides **two** DKIM CNAMEs — you need to add both, one at a time.

DKIM RECORD 1 OF 2

FIELD	VALUE
Type	CNAME
Name	brev01._domainkey
Target	The first DKIM value Brevo shows (something like b1.yourdomain.dkim.brevo.com)
Proxy status	DNS only (gray cloud, NOT orange)
TTL	Auto

DKIM RECORD 2 OF 2

FIELD	VALUE
Type	CNAME
Name	brev02._domainkey
Target	The second DKIM value Brevo shows (something like b2.yourdomain.dkim.brevo.com)
Proxy status	DNS only (gray cloud, NOT orange)
TTL	Auto

⚠ CRITICAL: GRAY CLOUD, NOT ORANGE

Email CNAME records must be set to **DNS only** (gray cloud). If left on **Proxied** (orange cloud), the record will not resolve for mail servers and Brevo's verification will fail. Click the orange cloud icon to toggle it gray before saving each record.

Step 2 — Add the Brevo Verification TXT

FIELD	VALUE
Type	TXT
Name	@ (root domain)
Content	The <code>brevo-code:xxxxxxxxxx</code> string Brevo shows
TTL	Auto

✓ SETTING UP A SECOND DOMAIN?

The `brevo-code` is per-account, not per-domain. If another domain is already on this Brevo account, the verification TXT is already in your DNS and Brevo treats this step as complete.

Step 3 — Merge SPF (The Critical Gotcha)

This is where most people get it wrong. You already have an SPF record from when Cloudflare Email Routing was enabled in Phase 1. **You can only have one SPF record per domain — never add a second one.** We will merge Brevo's SPF into the existing record.

1. In Cloudflare DNS Records, find your existing SPF record (a TXT record at root with content starting `v=spf1`)
2. It currently looks something like:

```
v=spf1 include:_spf.mx.cloudflare.net ~all
```

3. Click the **Edit** (pencil) icon
4. Modify the content to add Brevo's include — insert `include:spf.brevo.com` **before** `~all` :

```
v=spf1 include:_spf.mx.cloudflare.net include:spf.brevo.com ~all
```

5. Click **Save**

⚠ THREE SPF RULES TO LIVE BY

These rules apply to the SPF record only — not to DMARC. **One record only** — multiple SPF records cause both to fail. **Keep `~all` at the very end** — it is the policy directive. **Single spaces between entries** — no commas, no semicolons. (DMARC uses semicolons intentionally — that is correct syntax.)

Step 4 — Fix the DMARC Record

DMARC is required for inbox delivery. Brevo's automatic mode adds a minimal DMARC record (`v=DMARC1; p=none; rua=mailto:rua@dmARC.brevo.com`), but it is missing the alignment settings that prevent failures when sending through Brevo's relay.

If automatic mode added a DMARC record: find the existing `_dmARC` TXT in Cloudflare → click **Edit** → replace the content with the full policy below.

If you used manual mode: add a new TXT record as shown.

FIELD	VALUE
Type	TXT
Name	<code>_dmARC</code>
TTL	1 hr

For **Content**, paste this (replace the email with your Gmail):

```
v=DMARC1; p=none; rua=mailto:rua@dmARC.brevo.com, mailto:you@gmail.com; fo=1; aspf=r; adkim=r
```

`p=none` is monitoring mode — it reports without blocking, which is the safe starting policy. After verifying mail flow works correctly for a few weeks, you can tighten to `p=quarantine` or `p=reject` .

PHASE

4

Verify in Brevo + SMTP Key

⚙️ WAIT FOR DNS PROPAGATION FIRST

DNS changes typically propagate within 5–30 minutes on Cloudflare, but can take up to a few hours. Before clicking Verify in Brevo, confirm your records exist using mxtoolbox.com:

1. Go to mxtoolbox.com/SuperTool
2. In the search box, type `brevo1._domainkey.yourdomain.com` (replace with your actual domain)
3. Click the ▼ **down arrow** next to the orange button to open the tool menu → select **CNAME Lookup**
4. A passing result shows the record resolving to something like `b1.yourdomain.dkim.brevo.com`
5. Repeat for `brevo2._domainkey.yourdomain.com`

If the lookups return no results, wait 15 minutes and try again before clicking Verify in Brevo.

Step 1 — Verify Your Domain in Brevo

1. Back in Brevo → profile icon → **Settings** → **Senders, domains, IPs** → **Domains** tab
2. Check your domain's status. If it already shows a green dot and **Authenticated**, automatic mode completed verification for you — **skip to Step 2**.
3. If the status is not yet authenticated, click **Authenticate this email domain**
4. Brevo checks the DNS records you just added
5. You should see green checkmarks next to DKIM and verification records

⚠️ IF VERIFICATION FAILS

DNS may still be propagating. Wait 30 minutes and re-click **Verify**. If a record still fails after 2 hours, double-check the value matches Brevo exactly — no trailing spaces, correct format (CNAME vs TXT), gray cloud on CNAMEs.

Step 2 — Generate the SMTP Key

The SMTP key is the password Gmail will use to authenticate when sending through Brevo's relay. It is generated once and shown once — copy it immediately.

1. In Brevo dashboard, click your **profile icon** (top-right) → click **Settings**
2. In the Settings left sidebar, click **SMTP & API**
3. Click the **SMTP** tab
4. Note these three values — Gmail needs them in Phase 5:

FIELD	VALUE
SMTP server	smtp-relay.brevo.com
Port	587
Login	shown on the page — usually <code>username@smtp-brevo.com</code> format

5. Click **Generate a new SMTP key**
6. Name it `Gmail Send Mail As`
7. Key type: select **Standard** (not Short)
8. Expiration: select **No expiry date**
9. Click **Generate**
10. **Copy the key immediately** — Brevo only shows it once

✓ SAVE IT SOMEWHERE SAFE

Paste the key into a password manager right now. If you lose it before Phase 5, you can always generate a new one — the key is rotatable. But saving it for 5 minutes saves a regeneration step.

PHASE

5

Gmail "Send Mail As"

This is the final piece. After this, Gmail can compose and reply as `support@yourdomain.com` and any other address on your domain.

Step 1 — Open Gmail's Account Settings

1. Open Gmail in your browser
2. Click the **gear icon** (top-right) → **See all settings**
3. Click the **Accounts and Import** tab
4. Find the **Send mail as:** row → click **Add another email address**

Step 2 — Fill the Identity Popup

FIELD	VALUE
Name	The name recipients see (e.g. "YourBrand Support")
Email address	<code>support@yourdomain.com</code>
Treat as an alias	Leave checked

Click **Next Step**.

Step 3 — Fill the SMTP Connection Popup

FIELD	VALUE
SMTP Server	<code>smtp-relay.brevo.com</code>
Port	<code>587</code>
Username	Your Brevo SMTP Login (from Phase 4)
Password	Your Brevo SMTP key (from Phase 4)
Secured connection	TLS (the default radio button)

Click **Add Account**.

⚠ IF "ADD ACCOUNT" FAILS

"Authentication failed" → wrong SMTP key. Regenerate in Brevo and paste again. **"Could not connect"** → wrong port; must be 587 with TLS (not 465, not 25). **"Sender not authorized"** → Brevo has not approved your account yet; wait for the approval email.

Step 4 — Verify the Address

Gmail sends a verification email to your new alias. Because of Cloudflare Email Routing (Phase 1), that verification email arrives in your regular Gmail inbox.

1. Open the verification email from Gmail
2. Click the verification link, OR copy the verification code into Gmail's popup
3. Done — your alias is now usable

Step 5 — Set Reply Behavior

Gmail no longer prompts for this during setup — you need to set it manually.

1. In Gmail, click the **gear icon** (top-right) → **See all settings**
2. Click the **Accounts and Import** tab
3. Find the **"When replying to a message:"** section
4. Select **"Reply from the same address the message was sent to"**
5. Click **Save Changes** at the bottom of the page

This means when someone emails `support@yourdomain.com`, your reply automatically sends from that address — no manual dropdown selection needed.

Optional — Set Default for New Mail

Still under **Accounts and Import** → **Send mail as**, you can choose which address is the default for composing new emails. Keep your personal Gmail as default for everyday mail. Use the **From** dropdown when composing brand-related messages.

Repeat for Additional Addresses

If you want to also send from `info@yourdomain.com` or any other address, repeat Steps 1–5 with the new address. The SMTP credentials are the same — only the identity (Name + Email address) changes.

✓ ONE SMTP KEY, MANY ADDRESSES

The Brevo SMTP key authenticates your domain as a sender, not a specific address. You can add unlimited custom addresses in Gmail using the same key. Just keep adding "Send mail as" entries.

PHASE

6

Testing & Email Signature

The End-to-End Test

1. From a separate email (phone, second Gmail, another account), send a message to `support@yourdomain.com`
2. Confirm it lands in your Gmail inbox (not spam)
3. Open the email in Gmail → click **Reply**
4. Verify the **From** dropdown shows your brand identity and address
5. Send the reply
6. Check the receiving inbox — the reply should arrive showing your brand address as the sender

Verify Authentication Passes

In Gmail, open the received reply → click the three dots → **Show original**. Look for:

CHECK	EXPECTED RESULT
SPF	PASS
DKIM	PASS
DMARC	PASS

If all three pass, your setup is bulletproof and your emails will land in inboxes, not spam. If DMARC fails but SPF and DKIM pass, that is a sign of alignment misconfiguration — usually fixable by confirming `aspf=r` and `adkim=r` in your DMARC record.

Set Up Your Email Signature

In Gmail Settings → General → Signature → create a new signature for your support address. Keep it plain text — corporate signature blocks with large logos make replies feel automated. Plain text feels more genuine for customer support.

Your Name
YourBrand
yourdomain.com

One-line tagline describing what your brand does.

Your First Week

✓ FIRST-WEEK TIP

Even with perfect authentication, brand-new domains have zero sender reputation. Send 5–10 manual messages over the first week, ask recipients to mark "Not Spam" if any land there. Reputation builds in 2–4 weeks of normal sending.

That is the entire setup. Your domain is now configured as a legitimate sender, your inbox routes to Gmail, and you can reply from any address on your domain in seconds.

If you run into trouble during real-world use, the next page lists every common issue we have seen — chances are good your problem (and its fix) is already there.

REFERENCE

Common Gotchas & Troubleshooting

Every issue in this guide has been seen at least once in practice. If you hit something not listed here, the problem is almost always in one of three places: DNS propagation, the SPF merge, or the Brevo account approval queue.

SYMPTOM	LIKELY CAUSE AND FIX
"Email" not in Cloudflare sidebar	You are not inside a specific domain. Go to Domains → click your domain name → look again.
Verification email from Cloudflare never arrives	Check Gmail spam folder. Click Resend in Cloudflare. Whitelist <code>cloudflare.com</code> in Gmail filters.
Test emails to your domain bounce	DNS not yet propagated. Wait 15 minutes and retry.
Brevo says DKIM mismatched	Propagation delay. Wait 30 minutes, click Verify. After 2 hours, check for trailing spaces in the record value.
DKIM CNAME will not resolve	Cloudflare proxy is on (orange cloud). Click the cloud icon to toggle DNS-only (gray) and save.
Cloudflare says "SPF conflict"	You created a second SPF record. Delete extras. Merge all includes into one record before <code>~all</code> .
Gmail "Add Account" → Authentication failed	Wrong SMTP key. Regenerate in Brevo and paste freshly — keys often have invisible trailing whitespace when copied poorly.
Gmail "Add Account" → Could not connect	Wrong port. Must be <code>587</code> with TLS. Not <code>465</code> , not <code>25</code> .
Gmail "Add Account" → Sender not authorized	Brevo has not approved your account for sending yet. New accounts take a few hours to a day. Check your Brevo dashboard for verification prompts.
SMTP works but DMARC fails	Alignment misconfigured. Confirm DMARC record contains <code>aspf=r</code> and <code>adkim=r</code> (relaxed alignment, required for Brevo).
Replies land in recipients' spam	New domain, zero reputation. Send 5–10 messages manually over first week and ask recipients to mark "Not Spam." Reputation builds in 2–4 weeks.
Verification email from Gmail "Send mail as" never arrives	Catch-all in Cloudflare not enabled. Go back to Phase 1 Step 5 and toggle catch-all to Active.

MORE TOOLS

About DigitalForge Pro

This guide is part of the DigitalForge family of tools for digital product sellers. If you are setting up custom email, you are probably also building (or planning to build) a digital product shop.

DigitalForge Pro is the toolkit that turns one idea into a complete, SEO-ready digital product listing — in hours instead of weeks.

THE DIGITAL SELLER TOOLKIT

DigitalForge Pro

Four browser-based tools that turn one prompt into a complete, SEO-ready digital product listing — ready to upload, ready to sell.

- **Prompt Generator** — 12 niche presets, 10 to 50 AI prompts per run
- **Prompt Player** — work through prompts with progress tracking
- **Listing Generator** — SEO titles, bilingual descriptions, validated tags
- **Resize Tool** — batch image processing into print-ready ZIPs
- **Workflow Guide PDF** — 19-page end-to-end pipeline

[GET DIGITALFORGE PRO AT DIGITALFORGEPRO.AI →](#)

Who DigitalForge Pro Is For

- Sellers running Etsy, Gumroad, Creative Market, or TeachersPayTeachers shops
- Anyone using AI image tools (Midjourney, Firefly, Leonardo.ai, Ideogram, Canva, etc.) to create products
- Solo creators who want to scale to hundreds of listings without hiring a team
- Builders comfortable with browser tools and free APIs (Claude, ~\$0.002 per prompt set)

What It Costs

\$67 one-time. Free updates forever. The price increases to \$97 at v2.0 — early buyers lock in \$67 permanently.

APPENDIX 1

Gmail SMTP Alternative

Use this appendix instead of Phases 2–4 if you want to send replies without triggering Gmail's Unsubscribe button. Gmail SMTP routes your outgoing mail through Google's own servers — no `List-Unsubscribe` header is added, so recipients see a clean personal reply with no unsubscribe prompt.

What You Still Need

- **Phase 1** — complete as written (Cloudflare Email Routing handles receiving)
- **Appendix 1** — replaces Phases 2, 3, and 4 entirely
- **Phase 5** — complete, but substitute the SMTP credentials from Step 3 below
- **Phase 6** — complete as written (testing still applies)

Trade-offs vs. Brevo

FACTOR	BREVO FREE	EMAIL SMTP
Best for	Correct long-term email foundation as your shop grows	Getting started quickly with no unsubscribe prompt
Domain authentication	Full alignment: DKIM, SPF, and DMARC all signed under your own domain ✓	Signs with Google's DKIM — your sending domain and signing domain don't fully align
Cost	Free (paid removes button)	Free
Setup complexity	More involved	Simpler
Daily send limit	300 emails	500 emails
Unsubscribe button	Gmail shows one ⚠	None ✓

For most new sellers, either path works fine. Brevo free is the better technical foundation — Gmail SMTP is the simpler fix if the unsubscribe button is your only concern.

Step 1 — Enable 2-Step Verification

App Passwords require 2-Step Verification to be active on your Google account. If it is already on, skip this step.

1. Go to `myaccount.google.com`
2. Click **Security** in the left sidebar
3. Find **2-Step Verification** → click through to enable it

Step 2 — Create an App Password

1. Go to `myaccount.google.com` → **Security**
2. Under "How you sign in to Google," click **2-Step Verification**
3. Scroll to the bottom → click **App passwords**
4. Name it `Gmail Send Mail As` → click **Create**
5. **Copy the 16-character password immediately** — Google only shows it once

✓ APP PASSWORD FORMAT

Google displays the App Password as four groups of four letters (e.g. `abcd efgh ijkl mnop`). When pasting into Gmail in Step 3, paste it exactly as shown — Gmail accepts it with or without spaces.

Step 3 — Add "Send Mail As" in Gmail

Follow Phase 5 Steps 1–3 as written, but use these SMTP credentials instead of Brevo's:

FIELD	VALUE
SMTP Server	<code>smtp.gmail.com</code>
Port	<code>587</code>
Username	Your full Gmail address (e.g. <code>you@gmail.com</code>)
Password	The 16-character App Password from Step 2 — not your Gmail password
Secured connection	TLS

Continue with Phase 5 Steps 4–6 (verify the address and set reply behavior) and then Phase 6 (testing) as written.

APPENDIX 2

Version History

This page lists every release of the Brand Email Setup guide, newest first. When a new version ships, this page is updated and the latest PDF is re-posted at digitalforgepro.ai.

v1.0 Initial Release

MAY 2026

TOPICS COVERED

- **Cloudflare Email Routing** — receive at custom addresses with catch-all support
- **Brevo SMTP relay** — free plan setup, domain verification, SMTP key generation
- **DNS configuration** — DKIM, SPF merge (the critical gotcha), DMARC policy
- **Gmail "Send mail as"** — reply from your brand domain inside existing Gmail
- **Authentication testing** — verifying SPF, DKIM, and DMARC pass in production

REFERENCE MATERIAL

- 12-row troubleshooting table covering every issue seen in real-world setup
- Email signature template

FREE UPDATES & DISTRIBUTION

This guide is **free** and shareable. New versions ship at digitalforgepro.ai whenever Cloudflare, Brevo, or Gmail change their setup flows. If you found this useful, share it with another digital seller who is still replying from a personal Gmail address.