




# **Execution Test Report**

## Execution Summary

TestCases total	1	100 %
Passed	1	100.0%

SumUp Chart




## PO Creation from PR NB

### PO Creation from PR NB PASSED

Started: 12/15/2025 3:16:54 PM Executed by Savitha T  
 Ended: 12/15/2025 3:20:40 PM


Name	Value	Action	LoginInfo
✓ PreCondition			
✓ SAP Logon			
✓ Store Machine Name			
✓ GetHostName	""\${COMPUTERNAME}""	Input	Buffer with name 'GetHostName' has been set to value ""\${COMPUTERNAME}"".
✓ HostName	{B[GetHostName]}	Input	Buffer with name 'HostName' has been set to value 'PWXHS8MZH3'.
✓ Existing Login Check			
✗ Condition			
SAP Toolbar			Could not find Window 'SAP Toolbar' with the following properties: - Caption: *
✗			
✓ Close Open SAP Logon Windows			Started 'TaskKill' with arguments '/im saplogon.exe /f'
✓ Path	TaskKill	Input	Process stopped after '0' minutes.
✓ SAP Logon			
✓ SAP Login			
✓ SAP Login			
✓ Client	{PL[Client]}	Input	
✓ User	{PL[User]}	Input	
✓ Password	***** ***** ***** ***** ***** ***** **	Input	
✓ Language	{PL[Language]}	Input	
✓ Enter	X	Input	
✓ If			
✗ Condition			
SAP Multiple Logon_Custom			Could not find Window 'SAP Multiple Logon_Custom' with the following properties: - Caption: License Information for Multiple Logon*
✗			
✓ Process			
✓ ME51N   Create Purchase Requisition			
✓ SAP Toolbar			
✓ SAP Toolbar			
✓ Transaction code	{PL[Transaction code]}	Input	
✓ Buttons	{PL[Buttons]}	Input	
✓ TBox Wait			Waited for 3000ms.
✓ Expand Item Details			The keys were successfully sent!
✓ Caption	Create*	Input	
✓ Keys	"^{F3}"	Input	

✓ TBox Wait	Waited for 5000ms.		
✓ Create Purchase Requisition			
✓ NB Purchase Requisition	{SENDKEYS[{PL[Order Type]]}}	Input	
✓ SAPGUI.GridViewCtrl.1	{NULL}	Select	
✓ \$1	{NULL}	Select	
✓ Material	{PL[Material]}	Input	
✓ Plant	{PL[Plant]}	Input	
✓ Storage Location	{PL[Storage Location]}	Input	
✓ Purchasing Group	{PL[Purchasing Group]}	Input	
✓ Purch. Organization	{PL[Purch. Organization]}	Input	
✓ \$7	{PL[Quantity Requested]}	Input	
✓ Screenshot			
✓ Store TestCase Name	Buffer with name 'TC Name' has been set to value 'PO Creation from PR NB'.		
✓ TBox Take Screenshot	The screenshot successfully saved in 'C:\Users\10122150\Documents\TOSCA Execution Screenshots\15.12.2025\PO Creation from PR NB\Evidence_20251215151759_20251215151759667.jpg'		




✓ SAP Toolbar			
✓ SAP Toolbar			
✓ Buttons	{PL[Buttons]}	Input	
✓ Check for warnings			
✗ Condition			
✗ Check for warning message			
✗ MessageType	Warning	Verify	Verification has failed. Expected value == "Warning" Actual value: "Success"
✓ Validate success message			
✓ Message	{PL[Success Message]}	Verify	
✓ MessageType	Success	Verify	

✓ Screenshot	
✓ Store TestCase Name	Buffer with name 'TC Name' has been set to value 'PO Creation from PR NB'.
✓ TBox Take Screenshot	The screenshot successfully saved in 'C:\Users\10122150\Documents\TOSCA Execution Screenshots\15.12.2025\PO Creation from PR NB\Evidence_202512151803_20251215151803860.jpg'



✓ ME57   Assign and Process PR			
✓ SAP Toolbar			
✓ SAP Toolbar			
✓	Transaction code	{PL[Transaction code]}	Input
✓	Buttons	{PL[Buttons]}	Input
✓ Enter PR doc No and click Execute			
✓	Purchase requisition	{PL[Purchase requisition No]}	Input
✓	Execute (F8)	X	Input
✓ Select the record and click on Assign Automatically			
✓	GuiUserArea	True	WaitOn
			WaitOn was successful. Expected value == "True" Actual value: "True"
✓	GuiUserArea	{NULL}	Select
✓	\$1	{NULL}	Select
✓	\$1	{Click}	Input
✓	Assign Automatically (Shift+F6)	X	Input
✓ TBox Wait			Waited for 3000ms.
✓ If   Select Supplier Popup Exists			
✗ Condition			
✗ Select Supplier			Could not find Window 'Select Supplier' with the following properties: - Caption: *Source*
✓ Screenshot			


✓ Store TestCase Name	Buffer with name 'TC Name' has been set to value 'PO Creation from PR NB'.
✓ TBox Take Screenshot	The screenshot successfully saved in 'C:\Users\10122150\Documents\TOSCA Execution Screenshots\15.12.2025\PO Creation from PR NB\Evidence_20251215151827_20251215151827582.jpg'



✓ Click on Assignment Overview	
✓ Assignment Overview (Shift+F5)	X
✓ TBox Wait	Input
✓ Screenshot	Waited for 2000ms.
✓ Store TestCase Name	Buffer with name 'TC Name' has been set to value 'PO Creation from PR NB'.

✓ TBox Take Screenshot

The screenshot successfully saved in 'C:\Users\10122150\Documents\TOSCA Execution Screenshots\15.12.2025\PO Creation from PR NB\Evidence\_20251215151832\_20251215151832718.jpg'




✓ Seelct record and click Process Assignment

✓ GuiUserArea	True	WaitOn	WaitOn was successful. Expected value == "True" Actual value: "True"
✓ GuiUserArea	{NULL}	Select	
✓ \$last	{NULL}	Select	
✓ POrg OTy. CoCd Outl.Agmt. ATy. Valid from .. to PReqs Processing Note	{CLICK}	Input	
✓ Process Assignment (F2)	X	Input	
✓ Click on Continue to create PO			
✓ Continue (Enter)	X	Input	
✓ Screenshot			
✓ Store TestCase Name			Buffer with name 'TC Name' has been set to value 'PO Creation from PR NB'.

✓ TBox Take Screenshot

The screenshot successfully saved in 'C:\Users\10122150\Documents\TOSCA Execution Screenshots\15.12.2025\PO Creation from PR NB\Evidence\_20251215151842\_20251215151842679.jpg'




✓ Create Purchase Order			
✓ Create Purchase Order	{NULL}	Select	
✓ TableTreeNode	{NULL}	Select	
✓ TableTreeNode	{NULL}	Select	
✓ TableTreeNode	{NULL}	Select	
✓ *{B[PR Doc No]}*	{Click}	Input	
✓ Toolbar	Adopt	Input	
✓ TBox Wait			Waited for 2000ms.
✓ Enter Pricing condition			
✓ Order Type	{PL[Order Type]} {SENDKEYS["{TAB}"]}	Input	
✓ Supplier	{PL[Supplier]}	Input	
✓ Screenshot			
✓ Store TestCase Name			Buffer with name 'TC Name' has been set to value 'PO Creation from PR NB'.



✓ TBox Take Screenshot


The screenshot successfully saved in 'C:\Users\10122150\Documents\TOSCA Execution Screenshots\15.12.2025\PO Creation from PR NB\Evidence\_20251215151907\_20251215151907925.jpg'



✓	SAP Toolbar			
✓	SAP Toolbar			
✓	Buttons	{PL[Buttons]}	Input	
✓	Check for warnings			
✗	Condition			
✗	Check for warning message			
✗	MessageType	Warning	Verify	Verification has failed. Expected value == "Warning" Actual value: ""
✓	TBox Wait			Waited for 5000ms.
✓	Validate success message			
✓	Message	{PL[Success Message]}	Verify	
✓	MessageType	Success	Verify	
✓	Screenshot			
✓	Store TestCase Name			Buffer with name 'TC Name' has been set to value 'PO Creation from PR NB'.

## ✓ TBox Take Screenshot

The screenshot successfully saved in 'C:\Users\10122150\Documents\TOSCA Execution Screenshots\15.12.2025\PO Creation from PR NB\Evidence\_20251215151937\_20251215151937941.jpg'



## ✓ MIGO| Goods Receipt

### ✓ SAP Toolbar

#### ✓ SAP Toolbar

✓ Transaction code	{PL[Transaction code]}	Input
--------------------	------------------------	-------

✓ Buttons	{PL[Buttons]}	Input
-----------	---------------	-------

### ✓ Enter PO Number

✓ A01 Goods Receipt	{SENDKEYS[{PL[A01 Goods Receipt]}]}	Input
---------------------	-------------------------------------	-------

✓ R01 Purchase Order	{SENDKEYS[{PL[R01 Purchase Order]}]}	Input
----------------------	--------------------------------------	-------

✓ PO Number	{Click}{PL[PO Number]} {ENTER}	Input
-------------	-----------------------------------	-------


### ✓ Screenshot

#### ✓ Store TestCase Name

Buffer with name 'TC Name' has been set to value 'PO Creation from PR NB'.

✓ TBox Take Screenshot


The screenshot successfully saved in 'C:\Users\10122150\Documents\TOSCA Execution Screenshots\15.12.2025\PO Creation from PR NB\Evidence\_20251215151945\_20251215151945622.jpg'



✓ Click on Item OK			
✓ Item OK	True	Input	
✓ TBox Wait			Waited for 2000ms.
✓ Screenshot			
✓ Store TestCase Name			Buffer with name 'TC Name' has been set to value 'PO Creation from PR NB'.

✓ TBox Take Screenshot

The screenshot successfully saved in 'C:\Users\10122150\Documents \TOSCA Execution Screenshots \15.12.2025\PO Creation from PR NB \Evidence\_20251215151951\_20251215151951613.jpg'



✓ MIGO|Enter Date of Manufacture

✓ GuiTabStrip	Batch	Input
✓ Date of Manufacture	{DATE}	Input


✓ Screenshot

✓ Store TestCase Name

Buffer with name 'TC Name' has been set to value 'PO Creation from PR NB'.

✓ TBox Take Screenshot

The screenshot successfully saved in 'C:\Users\10122150\Documents\TOSCA Execution Screenshots\15.12.2025\PO Creation from PR NB\Evidence\_20251215151954\_20251215151954443.jpg'




✓ Click on Post			
✓ Post Document (Shift+F11)	X	Input	
✓ If			
✗ Condition			
✗ Display logs			Could not find Window 'Display logs' with the following properties: - Caption: Display logs*
✓ Validate success message			
✓ Message	{PL[Success Message]}	Verify	
✓ MessageType	Success	Verify	
✓ Screenshot			
✓ Store TestCase Name			Buffer with name 'TC Name' has been set to value 'PO Creation from PR NB'.



✓ TBox Take Screenshot

The screenshot successfully saved in 'C:\Users\10122150\Documents\TOSCA Execution Screenshots\15.12.2025\PO Creation from PR NB\Evidence\_20251215152009\_20251215152009318.jpg'



✓ PostCondition

✓ SAP Logoff

✓ Click on LogOff

✓ Menubar	System -> *Log*	Input
-----------	-----------------	-------

✓ Log Off

✓ Yes	X	Input
-------	---	-------

✓ Write result into Excel file P2P

✓ Clear Buffer

✓ Output_Order Type		Input	Buffer with name 'Output_Order Type' has been set to value ''.
✓ Output_Company code		Input	Buffer with name 'Output_Company code' has been set to value ''.
✓ Output_Purchase Org		Input	Buffer with name 'Output_Purchase Org' has been set to value ''.
✓ Output_Purchasing group		Input	Buffer with name 'Output_Purchasing group' has been set to value ''.
✓ Output_Supplying plant		Input	Buffer with name 'Output_Supplying plant' has been set to value ''.
✓ Output_Plant		Input	Buffer with name 'Output_Plant' has been set to value ''.
✓ Output_Storage location		Input	Buffer with name 'Output_Storage location' has been set to value ''.
✓ Output_Material		Input	Buffer with name 'Output_Material' has been set to value ''.
✓ Output_Batch		Input	Buffer with name 'Output_Batch' has been set to value ''.
✓ Output_PO Number		Input	Buffer with name 'Output_PO Number' has been set to value ''.
✓ Output_Outbound Delivery No		Input	Buffer with name 'Output_Outbound Delivery No' has been set to value ''.

✓	Output_TO Number		Input	Buffer with name 'Output_TO Number' has been set to value ''.
✓	Output_Inbound Delivery No		Input	Buffer with name 'Output_Inbound Delivery No' has been set to value ''.
✓	Output_PR Number		Input	Buffer with name 'Output_PR Number' has been set to value ''.
✓	TBox Set Buffer			
✓	Output_Order Type	{PL[Input Data.Order Type]}	Input	Buffer with name 'Output_Order Type' has been set to value 'NB*'.
✓	Output_Company code	{PL[Input Data.Sold To Party]}{PL[Input Data.Company code]}	Input	Buffer with name 'Output_Company code' has been set to value ''.
✓	Output_Purchase Org	{PL[Input Data.Distribution channel]}{PL[Input Data.Purchase Org]}	Input	Buffer with name 'Output_Purchase Org' has been set to value '2000'.
✓	Output_Purchasing group	{PL[Input Data.Division]}{PL[Input Data.Purchasing group]}	Input	Buffer with name 'Output_Purchasing group' has been set to value '065'.
✓	Output_Supplying plant	{PL[Input Data.Supplying plant]}	Input	Buffer with name 'Output_Supplying plant' has been set to value ''.
✓	Output_Plant	{PL[Input Data.Plant]}	Input	Buffer with name 'Output_Plant' has been set to value '4402'.
✓	Output_Material	{PL[Input Data.Material]}	Input	Buffer with name 'Output_Material' has been set to value '10242489'.
✓	Output_Batch	{PL[Input Data.Batch]}	Input	Buffer with name 'Output_Batch' has been set to value ''.
✓	Output_PO Number	{PL[Transactional Data.PO Number]}	Input	Buffer with name 'Output_PO Number' has been set to value '4500773234'.
✓	Output_Outbound Delivery No	{PL[Transactional Data.Outbound Delivery No]}	Input	Buffer with name 'Output_Outbound Delivery No' has been set to value ''.
✓	Output_TO Number	{PL[Transactional Data.TO Number]}	Input	Buffer with name 'Output_TO Number' has been set to value ''.
✓	Output_Inbound Delivery No	{PL[Transactional Data.Inbound Delivery No]}	Input	Buffer with name 'Output_Inbound Delivery No' has been set to value ''.
✓	Output_PR Number	{PL[Transactional Data.PR Number]}	Input	Buffer with name 'Output_PR Number' has been set to value '7228424151'.
✓	Check for File Existence			
✗	Condition			
✗	TBox File Existence			<p>Verification has failed.</p> <p>Expected value: "One or more file(s) in C:\Users\10122150\Documents\B&amp;B\ match(es) pattern P2P.xlsx"</p> <p>Actual value: "0 file(s) in C:\Users\10122150\Documents\B&amp;B\ match(es) pattern P2P.xlsx"</p>
✗	File	{PL[FileName(with extension .xlsx)]}	Verify	<p>Verification has failed.</p> <p>Expected value: "One or more file(s) in C:\Users\10122150\Documents\B&amp;B\ match(es) pattern P2P.xlsx"</p> <p>Actual value: "0 file(s) in C:\Users\10122150\Documents\B&amp;B\ match(es)..."</p>
✓	Else			
✓	Create file and write Excel output			
✓	Open Excel Workbook			Workbook 'C:\Users\10122150\Documents\B&B\P2P.xlsx' is created successfully.
✓	Define Excel Range			Range P2P is updated successfully.
✓	Check for Testcase Name			

✗ Verify TestCase Name exist			
✗ Manipulate Excel Range			
✗ Data Table	{NULL}	Select	
✗ Testcase name	{NULL}	Select	Could not find Column 'Testcase name'.
✓ Else Write New Record			
✓ Manipulate Excel Range - Write Header			
✓ Data Table	{NULL}	Select	
✓ \$firstEmptyRow	{NULL}	Select	
✓ \$1	Testcase name	Input	
✓ \$2	Order Type	Input	
✓ \$3	Company code	Input	
✓ \$4	Purchase Org	Input	
✓ \$5	Purchasing group	Input	
✓ \$6	Supplying plant	Input	
✓ \$7	Plant	Input	
✓ \$8	Storage location	Input	
✓ \$9	Material	Input	
✓ \$10	Batch	Input	
✓ \$11	PO Number	Input	
✓ \$12	PR Number	Input	
✓ \$13	Outbound Delivery No	Input	
✓ \$14	TO Number	Input	
✓ \$15	Inbound Delivery No	Input	
✓ Manipulate Excel Range			
✓ Data Table	{NULL}	Select	
✓ \$firstEmptyRow	{NULL}	Select	
✓ Testcase name	{B[TC Name]}	Input	
✓ Order type	{B[Output_Order Type]}	Input	
✓ Company code	{B[Output_Company code]}	Input	
✓ Purchase Org	{B[Output_Purchase Org]}	Input	
✓ Purchasing group	{B[Output_Purchasing group]}	Input	
✓ Supplying plant	{B[Output_Supplying plant]}	Input	
✓ Plant	{B[Output_Plant]}	Input	
✓ Storage location	{B[Output_Storage location]}	Input	
✓ Material	{B[Output_Material]}	Input	
✓ Batch	{B[Output_Batch]}	Input	
✓ PO Number	{B[Output_PO Number]}	Input	
✓ Outbound Delivery No	{B[Output_Outbound Delivery No]}	Input	
✓ TO Number	{B[Output_TO Number]}	Input	
✓ Inbound Delivery No	{B[Output_Inbound Delivery No]}	Input	
✓ PR Number	{B[Output_PR Number]}	Input	
✓ Close/Save Excel Workbook			Workbook "P2P.xlsx" is saved successfully.