Table 1: Benchmark results. FAcc is flow accuracy rate for an error threshold of 5 pixels in a normalized scale. SAcc is segmentation accuracy by intersection-over-union ratios. SAcc scores ($\star$) of optic flow mothods are computed by post-processing using left right consistency check.

Optic flow / cosegment. Methods	FG3DCar		JODS		PASCAL	
	FAcc	SAcc	FAcc	SAcc	FAcc	SAcc
Ours	**0.830**	**0.744**	**0.595**	0.495	**0.483**	**0.624**
Our single layer ([5])	0.728	**0.746**	0.473	0.500	0.414	0.616
SIFT Flow [4]	0.634	(0.405)	0.522	(0.242)	0.453	(0.392)
DSP [3]	0.487	(0.279)	0.465	(0.224)	0.382	(0.329)
DFF [6]	0.495	(0.312)	0.304	(0.210)	0.224	(0.195)
Factor and Irani [1]	–	0.678	–	**0.539**	–	0.492
Joulin *et. al.* [2]	–	0.450	–	0.318	–	0.389

References

[1] A. Faktor and M. Irani. Co-segmentation by composition. In *Proc. of Int'l Conf. on Computer Vision (ICCV)*, pages 1297–1304, 2013.

[2] A. Joulin, F. Bach, and J. Ponce. Discriminative clustering for image co-segmentation. In *Proc. of IEEE Conf. on Computer Vision and Pattern Recognition (CVPR)*, 2010.

[3] J. Kim, C. Liu, F. Sha, and K. Grauman. Deformable spatial pyramid matching for fast dense correspondences. In *Proc. of IEEE Conf. on Computer Vision and Pattern Recognition (CVPR)*, pages 2307–2314, 2013.

[4] C. Liu, J. Yuen, and A. Torralba. SIFT Flow: Dense Correspondence across Scenes and Its Applications. *IEEE Trans. Pattern Anal. Mach. Intell. (TPAMI)*, 33(5):978–994, 2011.

[5] T. Taniai, Y. Matsushita, Y. Sato, and T. Naemura. Continuous Stereo Matching Using Local Expansion Moves. arXiv:1603.08328, `http://arxiv.org/abs/1603.08328`, 2016.

[6] H. Yang, W. Lin, and J. Lu. DAISY filter flow: A generalized discrete approach to dense correspondences. In *Proc. of IEEE Conf. on Computer Vision and Pattern Recognition (CVPR)*, pages 3406–3413, 2014.