The Aalborg Beamer Theme

September 2, 2020

Jesper Kjær Nielsen



Agenda



Introduction

License

Installation

GNU/Linux

Microsoft Windows

Subsubsection 1 Subsubsection 2

Mac OS X

Required Packages

User Interface

Loading the Theme and Theme Options

Compilation

Modifying the theme

AAU Waves

Widescreen Support

Feedback

Known Problems Bugs, Comments and Suggestions

The Aalborg Beamer Theme

Jesper Kjær Nielsen

User Interface



Why the Aalborg beamer theme?

► In August 2010, I gave a presentation at the European Signal Processing Conference (EUSIPCO) here in Aalborg. For that purpose, I created the AAU sidebar beamer theme

The Aalborg Beamer Theme

Jesper Kjær Nielsen

Introduction

User Interface





Why the Aalborg beamer theme?

- ► In August 2010, I gave a presentation at the European Signal Processing Conference (EUSIPCO) here in Aalborg. For that purpose, I created the AAU sidebar beamer theme.
- Since there was no Aalborg University (AAU) branded beamer theme, I published the theme after the conference on my website so that other researches and students at AAU could use the theme for their presentations.

The Aalborg Beamer Theme

Jesper Kiær Nielsen

Introduction

User Interface



Why the Aalborg beamer theme?

- ► In August 2010, I gave a presentation at the European Signal Processing Conference (EUSIPCO) here in Aalborg. For that purpose, I created the AAU sidebar beamer theme
- Since there was no Aalborg University (AAU) branded beamer theme, I published the theme after the conference on my website so that other researches and students at AAU could use the theme for their presentations.
- ► I have received a lot of positive feedback. To my surprise, several people not affiliated with AAU have used the theme despite the heavy AAU branding.

The Aalborg Beamer Theme

Jesper Kiær Nielsen

Introduction

User Interface



Why the Aalborg beamer theme?

- ► In August 2010, I gave a presentation at the European Signal Processing Conference (EUSIPCO) here in Aalborg. For that purpose, I created the AAU sidebar beamer theme.
- ► Since there was no Aalborg University (AAU) branded beamer theme, I published the theme after the conference on my website so that other researches and students at AAU could use the theme for their presentations.
- ▶ I have received a lot of positive feedback. To my surprise, several people not affiliated with AAU have used the theme despite the heavy AAU branding.
- ➤ To make the theme more usable to people not affiliated with AAU, I have decided to create this theme called Aalborg which is very similar to the AAU sidebar theme, but it does not come with the heavy AAU branding.

The Aalborg Beamer Theme

Jesper Kjær Nielsen

2 Introduction

LICENSE

Installation

GNU/Linux

icrosoft Windows

Subsubsection 2

Mac OS X

Required Packages

User Interface

Loading the Theme and Theme Options

ompilation

Nodilying the the NAU Waves

AU waves Videscreen Supp

eedback

Known Problems

Bugs, Comments and Suggestions

License



The AAU logo is covered by copyright rules. I have used the logo from http://aau.designguiden.dk. As long as you use the theme for making presentations in connection with your work at AAU, you are allowed to use the AAU logo.

The Aalborg Beamer Theme

Jesper Kiær Nielsen

License

User Interface

License



- ► The AAU logo is covered by copyright rules. I have used the logo from http://aau.designguiden.dk. As long as you use the theme for making presentations in connection with your work at AAU, you are allowed to use the AAU logo.
- ► The rest of the theme is provided under the GNU General Public License v. 3 (GPLv3). This basically means that you can redistribute it and/or modify it under the same license. For more information on the GPL license see http://www.gnu.org/licenses/

The Aalborg Beamer Theme

Jesper Kiær Nielsen

License

User Interface



The Aalborg Beamer Theme

Jesper Kjær Nielsen

Installation

User Interface

Audio Analysis Lab CREATE Aalborg University Denmark

19

The theme consists of four files

- beamerthemeAalborg.sty
- 2. beamerinnerthemeAalborg.sty
- 3. beamerouterthemeAalborg.sty
- 4. beamercolorthemeAalborg.sty

The theme can either be installed for local or global use.



The theme consists of four files

- beamerthemeAalborg.sty
- 2. beamerinnerthemeAalborg.sty
- 3. beamerouterthemeAalborg.sty
- 4. beamercolorthemeAalborg.sty

The theme can either be installed for local or global use.

Local Installation

The simplest way of installing the theme is by placing the four theme files in the same folder as your presentation. When you download the theme, the four theme files are located in the local folder.

The Aalborg Beamer Theme

Jesper Kiær Nielsen

Installation

User Interface



Global Installation

- ▶ If you wish to make the theme globally available, you must put the files in your local latex directory tree. The location of the root of the local directory tree depends on the operating system and the latex distribution. On the following slides, you can read the instructions for some common setups.
- ► When you download the theme, the four theme files are embedded in a directory structure (in the global folder) ready to be copied directly to the root of your local directory tree.
- ► On the following slides, we refer to this directory structure as <dirstruct>. Note that some parts of the directory may already exist if you have installed other packages in your local latex directory tree. If this is the case, you simply merge <dirstruct> with your existing setup.

The Aalborg Beamer Theme

Jesper Kjær Nielsen

Introduction

. . . .

Installation

GNU/Linu

Cubsubsection 1

lac OS X

Required Package

User Interface

Loading the Theme and Theme Ontions

ompliation lodifying the th

AAU Waves

Widescreen Sup

eedback

Known Problems

Bugs, Comments and

Installation GNU/Linux



Ubuntu with TeX Live

1. Place the <dirstruct> in the root of your local latex directory tree. By default it is

~/texmf

If the root does not exist, create it. The symbol ~ refers to your home folder, i.e., /home/<username>

In a terminal run

\$ texhash ~/texmf

The Aalborg Beamer Theme

Jesper Kjær Nielsen

GNU/Linux

User Interface

Installation Microsoft Windows



Windows with MiKTeX

Apparently, MiKTeX does not include a local latex directory tree by default. Therefore, you first have to create it.

- 1. To do this, create a folder <somewhere> named, e.g., texmf
- 2. Add this folder in the Roots tab of the MiKTeX Settings dialog
- 3. Place the <dirstruct> in your newly created local latex directory tree <somewhere>\texmf
- 4. Open the MiKTeX Settings dialog and click Refresh FNDB.

The Aalborg Beamer Theme

Jesper Kjær Nielsen

Subsubsection 1

User Interface



Windows with TeX Live

In the advanced TeX Live Installer, you can manually change the default position of the root of the local latex directory tree. However, we assume the default position below.

- Place the <dirstruct> in your local latex directory tree %USERPROFILE%\texmf
 If it does not exist, create it. In XP %USERPROFILE% is c:\Document and Settings\<username> by default, and in Vista and above it is by default c:\Users\<username>
- 2. Open the TeX Live Manager dialog and select 'Update filename database' under 'Actions'.

The Aalborg Beamer Theme

Jesper Kjær Nielsen

ntroduction

Installation

Aicrosoft Windows

Subsubsection 2 Mac OS X

Required Packages

Required Packages

User Interface
Loading the Theme and

Compilation

Modifying the theme

Videscreen Suppor

Feedback

Known Problems

Bugs, Comments and
Suggestions

Installation Mac OS X



Mac OS X with MacTeX

Place the <dirstruct> in the root of your local latex directory tree. By default it is

~/Library/texmf

If the root does not exist, create it. The symbol ~ refers to your home folder, i.e., /home/<username>

The Aalborg Beamer Theme

Jesper Kjær Nielsen

Mac OS X

User Interface

Installation Required Packages



Of course, you have to have the Beamer class installed. In addition, the theme loads two packages

- ► Tik7¹
- ► calc

These packages are very common and should therefore be included in your latex distribution.

Jesper Kjær Nielsen

Introduction

License

Installation

GNU/Linu

licrosoft Windows

Subsubsection 2

10 Required Packages

Required Packages

User Interface Loading the Theme and

Modifying the then

AU Waves

idescreen Suppor

eedback

Known Problems
Bugs, Comments a

Bugs, Comments and Suggestions

Audio Analysis Lab, CREATE Aalborg University Denmark

19

The Aalborg Beamer Theme

¹By the way, TikZ is an awesome package for creating beautiful graphics. If you do not believe me, then have a look at these online examples or the pgf user manual. If you want to create beautiful plots, you should use the pgfplots package which is based on TikZ.

Loading the Theme and Theme Options



The Aalborg Beamer Theme

Jesper Kiær Nielsen

User Interface Loading the Theme and

Theme Ontions

Audio Analysis Lab

CREATE Aalborg University Denmark

The Presentation Theme

It is very simple to load the presentation theme. Just type \usetheme[<options>]{Aalborg} which is exactly the same way other beamer presentation themes are loaded. The presentation theme loads the inner. outer and color Aalborg theme files and passes the <options> on to these files

The Inner Theme

You can load the inner theme directly by \useinnertheme{Aalborg} and it has no options.

Loading the Theme and Theme Options



The Outer Theme

You can load the outer theme directly by \useoutertheme[<options>]{Aalborg}

Currently, the theme options are

- ▶ hidetitle: Hide the (short) title in the sidebar
- ▶ hideauthor: hide the (short) author in the sidebar
- hideinstitute: hide the (short) institute in the bottom of the sidebar
- shownavsym: show the navigation symbols
- ▶ left or right: position of the sidebar (default is right)
- ▶ width=<length>: width of the sidebar (default is 2 cm).
- ► hideothersubsections: hide all subsections but the subsections in the current section
- ► hideallsubsections: hide all subsections

The last four options are inherited from the outer sidebar theme.

The Aalborg Beamer Theme

Jesper Kjær Nielsen

ntroduction

landa Hadisa

nstallation

licrosoft Windows

Subsubsection 2

Mac OS X

Required Packages

User Interface Loading the Theme and

Theme Options

Compilation

Modifying the th

Videscreen Support

-eedback

Known Problems

Bugs, Comments and

Loading the Theme and Theme Options



The Color Theme

You can load the color theme directly by \usecolortheme{Aalborg} and it has no options.

The Aalborg Beamer Theme

Jesper Kjær Nielsen

User Interface

Loading the Theme and Theme Ontions

Loading the Theme and Theme Options



The Color Theme

You can load the color theme directly by \usecolortheme{Aalborg} and it has no options.

The Color Element Aalborg

The color theme defines a new beamer color element named Aalborg whose foreground and background colors are

- ► fg: light blue ({RGB}{194,193,204})
- ▶ bg: dark blue ({RGB}{33,26,82})

You can use these colors in the standard beamer way by using the command \usebeamercolor[<fg or bg>]{Aalborg}. See the beamer manual for instructions.

The Aalborg Beamer Theme

Jesper Kjær Nielsen

Loading the Theme and Theme Ontions

Loading the Theme and Theme Options



The Color Theme

You can load the color theme directly by \usecolortheme{Aalborg} and it has no options.

The Color Element Aalborg

The color theme defines a new beamer color element named Aalborg whose foreground and background colors are

- ► fg: light blue ({RGB}{194,193,204})
- ▶ bg: dark blue ({RGB}{33,26,82})

You can use these colors in the standard beamer way by using the command \usebeamercolor[<fg or bg>]{Aalborg}. See the beamer manual for instructions.

Note that this version of the theme is an official AAU version and is in accordance with the AAU design guide. However, you can easily change it (including the colour of the logo) by following the steps in beamercolorthemeAalborg.sty.

The Aalborg Beamer Theme

Jesper Kjær Nielsen

Loading the Theme and

Theme Ontions

User Interface Compilation



Compiling Your Presentation With the Aalborg Theme

Unlike most other beamer themes, this theme must be compiled at least **three** times to make everything look right. For most other themes, you do not have to compile your presentation more than two times. For the Aalborg theme, the third compilation is necessary to determine the position of the circle with the current frame number and the length of the "progress bar".

The Aalborg Beamer

Jesper Kjær Nielsen

ntroduction

License

Installation

GNU/Linu

E----------

Subsubsection 1

fac OS X

Required Packages

User Interface

Loading the Theme and Theme Options

Compilation

Modifying the theme

Videscreen Suppor

eedback

Known Prof

Bugs, Comments and

User Interface Modifying the Theme



► The default configuration of fonts, colors, and layout complies with the AAU design guidelines and is the official version of the theme.

The Aalborg Beamer Theme

Jesper Kjær Nielsen

Modifying the theme

Audio Analysis Lab. CREATE **Aalborg University** Denmark

19

User Interface Modifying the Theme



- ▶ The default configuration of fonts, colors, and layout complies with the AAU design guidelines and is the official version of the theme.
- ► However, you can modify specific elements of the theme through the templates provided by the beamer class. Please refer to the beamer user manual for instructions.

The Aalborg Beamer Theme

Jesper Kjær Nielsen

Modifying the theme

User Interface Modifying the Theme



- ► The default configuration of fonts, colors, and layout complies with the AAU design guidelines and is the official version of the theme.
- However, you can modify specific elements of the theme through the templates provided by the beamer class. Please refer to the beamer user manual for instructions.
- For example, on this slide the following commands have been used
 - Change the bar and sidebar colors: \setbeamercolor{Aalborg}{fg=gray!50,bg=gray} \setbeamercolor{sidebar}{bg=red!20}
 - Change the color of the structural elements: \setbeamercolor{structure}{fg=red}
 - Change the frame title text color:
 \setbeamercolor{frametitle}{use=structure,
 fg=structure.fg}
 - Change the background color of the text \setbeamercolor{normal text}-{bg=gray!20}

The Aalborg Beamer

Jesper Kjær Nielsen

ntroduction

Industrial and a second

installation

licrosoft Windows

Subsubsection 2

Required Packages

In a state of a second

Loading the Theme and Theme Options

Modifying the theme

Widescreen Suppo

Feedback

Known Problems
Bugs, Comments as

Bugs, Comments a Suggestions

User Interface The AAU Waves Background Image



The AAU Waves Background Image

► In this documentation, the title page frame and the last frame have the AAU waves as the background image. The AAU waves background image can be added to any single frame by wrapping a frame in the following way {\aauwavesbg}

```
\begin{frame} [<options>] {Frame Title} {Frame Subtitle}
...
\end{frame}}
```

The Aalborg Beamer Theme

Jesper Kjær Nielsen

ntroduction

License

Installation

NU/Linux

Crosoft Windows

ac OS X

Required Packages

User Interface

Loading the Theme and Theme Options

AAU Waves

Nidescreen Support

eedback

Known Problems Bugs, Comments a

User Interface The AAU Waves Background Image



The AAU Waves Background Image

► In this documentation, the title page frame and the last frame have the AAU waves as the background image. The AAU waves background image can be added to any single frame by wrapping a frame in the following way {\aauwavesbg \begin{frame}{coptions>]{Frame Title}{Frame Subtitle}

. . .

\end{frame}}

► Ideally, I would like to create a new frame option called aauwavesbg which can enable the AAU waves background. However, I have not been able to figure out how such an option can be added. If you know how this can be done, please contact me. The Aalborg Beamer Theme

Jesper Kjær Nielsen

ntroduction

Installation

SNU/Linux

Subsubsection 1 Subsubsection 2

Mac OS X
Required Packages

User Interface

Loading the Theme and

Compilation Modifying the theme

AAU Waves

Widescreen Support

Feedback

Known Problems Bugs, Comments and

User Interface Widescreen Support



Widescreen Support

Newer projectors and almost any modern TV support a widescreen format such as 16:10 or 16:9. Beamer (>= v. 3.10) supports various aspect ratios of the slides. According to section 8.3 on page 77 of the Beamer user guide v. 3.10, you can write

\documentclass[aspectratio=1610]{beamer} to get slides with an aspect ratio of 16:10. You can also use 169, 149, 54, 43 (default), and 32 to get other aspect ratios.

The Aalborg Beamer Theme

Jesper Kiær Nielsen

User Interface

Widescreen Support

Feedback Known Problems



Overlapping footnote You might have problems with a too wide footnote text width. This is problem with older versions of Beamer, and it can be resolved by updating Beamer to a newer version. You can read more about it in this bugreport.

The Aalborg Beamer Theme

Jesper Kjær Nielsen

ntroduction

Installation

Installation

licrosoft Windows

Subsubsection 2

Required Packages

Hequired Packag

User Interface
Loading the Theme and

Theme Options
Compilation

Modifying the t

Widescreen S

reedback

Known Problems

Bugs, Comments and Suggestions

Feedback

Bugs, Comments and Suggestions



► There are probably still some bugs in the theme. If you should find one, then please submit it on https://github.com/jkjaer/aauLatexTemplates.

The Aalborg Beamer Theme

Jesper Kjær Nielsen

User Interface

Bugs. Comments and Suggestions

Thank you for using this theme!

