JobBOSS
Shop management solutions.

An ECi Software Solutions Company

JobBOSS Data Dictionary

Release 2018

© 2018 ECi JobBOSS, LLC

Contents

Recent Database Changes by Release **6**
Changes in Release 2018 6
JobBOSS Mobile 6
Extended IDs 6
Changes in Release 12.1 7
Changes in Release 12.0 7
Core JobBOSS Tables **8**
Account Table 8
Additional_Charge Table 8
Address Table 10
AddressCountry Table 12
AddressState Table 12
AP_Check Table 13
AP_Doc_Check Table 15
AP_Doc_Detail Table 15
AP_Document Table 16
Attachable_Report Table 18
Attachment Table 19
Attachment_Print Table 20
Auto_Number Table 20
Bank_History Table 21
Bar_Stock_Cutoff Table 22
Bill_Of_Jobs Table 22
Bill_Of_Quotes Table 24
Breaks Table 25
Change_History Table 26
Contact Table 28
Cost Table 28
Currency_Def Table 29
Currency_Rate Table 30
Customer Table 30
Customer_Part Table 32
Delivery Table 33
Deposit Table 35
Employee Table 36

FinPref Table 38
Fiscal_Period Table 40
Fiscal_Year Table 40
GL_Entry Table 41
Global_Pref Table 41
Holiday Table 42
Invoice_Detail Table 42
Invoice_Header Table 45
Invoice_Receipt Table 47
Job Table 47
Job_Exception Table 57
Job_Operation Table 59
Job_Operation_Time Table 72
Journal_Entry Table 75
Location Table 77
Material Table 78
Material_Location Table 82
Material_Req Table 84
Material_Trans Table 92
Operation Table 97
Packlist_Detail Table 98
Packlist_Header Table 100
PO_Detail Table 102
PO_Header Table 104
Preferences Table 106
Price_Break Table 113
Quote Table 114
Quote_Additional_Charge Table 116
Quote_Operation Table 116
Quote_Operation_Qty Table 120
Quote_Qty Table 121
Quote_Req Table 124
Quote_Req_Qty Table 127
Raw_Stock_OLD 128
Raw_Stock_Weight Table 128
Receipt Table 128
Receipt_Distribution Table 129
RFQ Table 130

RFQ_Vendor Table 132
RptPref Table 133
Scenario_Detail Table 137
Scenario_Header Table 137
Sched_Bill_Dist Table 138
Scheduled_Bill Table 138
SerialNumber Table 139
SerialNumberDetail Table 140
Service Table 141
Shape_Dimension Table 141
Shapes Table 142
Shift Table 142
Shift_Day Table 144
Shift_Override Table 146
SO_Detail Table 146
SO_Header Table 149
Source Table 151
Status_Change Table 155
Status_Definitions Table 155
Stock_Item Table 155
Tax_Code_Detail Table 157
Tax_Detail Table 158
Taxer Table 159
Temp_ID Table 160
TFM_Alloy Table 160
Third_Party_Integration Table 160
User_Code Table 160
User_Labels Table 162
User_Values Table 163
Vendor Table 163
Vendor_Material Table 165
Vendor_Service Table 166
WCDisplay_Sequence Table 167
WCEmployee Table 167
WCMaterialClass Table 167
WCMaterialShape Table 168
WCShift_Override Table 168
WCShift_Standard Table 169

Work_Center Table 170
WorkCenter_Load Table 173
JobBOSS Data Collection Tables 175
Attendance Table 175
Emp_Assignment Table 175
OP_Group Table 176
Permission Table 177
Transaction_Data 177
Transaction_Definition Table 181
Transaction_Detail Table 182
Transaction_Setting Table 184
Transaction_Value Table 185
JobBOSS Integration for Synergy Tables 187
Synergy_Entry_Point Table 187
Synergy_Workflow_Page Table 187

Recent Database Changes by Release

Changes in Release 2018

JobBOSS Mobile

Due to deprecation of the JobBOSS Mobile app (12/31/2017), in the Preferences table, the MobileLogoutIdleTime field has been removed from all JobBOSS databases.

Extended IDs

Extended the lengths allowed in the database for the following JobBOSS fields:

- Job ID
- Quote ID
- Quote Assembly ID
- Sales Order ID
- Sales Order Line

Affected tables and database fields:

Table	Field	New Length	Previous Length
Additional_Charge	Job	30	10
Auto_Number	Last_Nbr	30	10
Bill_of_Jobs	Component_Job	30	10
	Parent_Job	30	10
	Root_Job	30	10
Change_History	Job	30	10
Delivery	Job	30	10
Invoice_Detail	Job	30	10
Job	Job	30	10
	Quote	30	10
	Top_Lvl_Job	30	10
Job_Operation	Job	30	10
Material	Job	30	10

Table	Field	New Length	Previous Length
Material_Req	Job	30	10
Material_Trans	Job	30	10
Packlist_Detail	Job	30	10
Quote	RFQ	30	10
	Assembly_ID	20	5
RFQ	RFQ	30	10
SO_Detail	Job	30	10
	Quote	30	10
	Sales_Order	30	10
	SO_Line	10	6
SO_Header	Sales_Order	30	10
Transaction_Data	Job	30	10
Transaction_Detail	Job	30	10

Changes in Release 12.1

None

Changes in Release 12.0

None

Core JobBOSS Tables

Account Table

Field	Type	Description
Account	C10	PRIMARY KEY
Type	C12	Identifies account type. Values are: Asset, Liability, Capital, Revenue, NonOperRev, Expense, CostOfSales, NonOperExp
Description	C30	Describes the account
Section_Name	C25	Identifies what section of the Financial Statements to report dollars
Rollup_Account	C10	Identifies the account these dollars rollup into for financial reporting purposes
QB_ID	C50	QuickBooks ID in the QuickBooks database
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Additional_Charge Table

Field	Type	Description
Additional_Charge	Long Int	PRIMARY KEY
Job	C30	FGN-KEY to Job table (referential integrity on)
Sales_Code	C15	FGN-KEY to User_Code table (no referential integrity) Updated by Job Entry Updated by Customer Invoice
Invoice	C8	FGN-KEY to Invoice_Header table (no referential integrity) Updated by Post Invoices
SO_Detail	Long Int	FGN-KEY to SO_Detail table (no referential integrity)

Field	Type	Description
Description	C25	Description of additional charge Updated by Job Entry Updated by Customer Invoice
Note_Text	Memo	Extended Description for this additional charge. This is printed on the Order Acknowledgment. (This extended description does not come over when job is placed on an Invoice. When additional charges are added on an Invoice, the 'notes' are saved to the Invoice_ Detail.Notes field and print on the Invoice) Updated by Job Entry
Est_Price	Currency	Estimated Price of additional charge Updated by Job Entry
Act_Price	Currency	Actual Price of additional charge Updated by Customer Shipments – Jobs if no accounting (AR) Updated by Post Invoices
Job_Revenue	Yes/No	Include this additional charge in Job Revenue? Updated by Job Entry Updated by Customer Invoice
Commssionable	Yes/No	Include this Additional Charge in Commission? Updated by Job Entry Updated by Customer Invoice
Processed	Yes/No	Has this Additional Charge been processed? Updated by Customer Shipments – Jobs if no accounting (AR) Updated by Customer Invoice when a job is invoiced (that has an additional charge). An additional charge record is created and

Field	Type	Description
		set to posted when an additional charge is created on an Invoice (not from the job).
Due_Date	Date/Time	Due date
Tax_Code	C15	FGN KEY to User_Code table; Type TaxCds
Due_Date	Date/Time	Date Additional Charge is due
Approved	Yes/No	Has charge been approved?
Charge_Type	Integer	Type of charge 0 = Addl Charge 1 = Prepayment
Recurring	Yes/No	Is this a recurring charge?
Delivery	Long Int	FGN KEY to Delivery table. Final Payment is due when order shipped
Taxable	Yes/No	This field is not used.
QB_ID	C50	QuickBooks ID in the QuickBooks database
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated
commissionincluded	True/False	Indicates whether Sales Commission is included in the Price

Address Table

Field	Type	Description
Address	Long Int	PRIMARY KEY
Customer	C10	FGN KEY to Customer table (referential integrity is on - Null is valid)
Vendor	C10	FGN KEY to Vendor table (referential integrity is on - Null is valid)
Ship_Via	C15	FGN-KEY to User_Code table (no referential integrity)

Field	Type	Description
Type	C5	Defines the type of Address. Values are Main, Ship, Bill or Remit. String of 3 numbers, 0 or 1. 1 in 1st position is Default Main 1 in 2nd position is Default Bill/Remit 1 in 3rd position is Default Ship To Updated by Customer and Vendor
Status	C8	Status of the Address. Values are Active or Inactive
Ship_To_ID	C6	Ship To Identifier for this Address Updated by Customer and Vendor
Name	C45	Could be Company Name defined on Preferences/General tab Could be Contact name entered on Customer/Contacts or Vendor/Contacts tab Could be Ship To location name entered on Customer/Shipping or Vendor/Purchasing tab
Line1	C45	Line 1 of the address Updated by Customer and Vendor
Line2	C45	Line 2 of the address Updated by Customer and Vendor
City	C20	City Updated by Customer and Vendor
State	C3	State Updated by Customer and Vendor
Zip	C10	Postal Code Updated by Customer and Vendor
Country	C50	Updated by Customer and Vendor
Phone	C20	Telephone Number

Field	Type	Description
		Updated by Customer and Vendor
Fax	C20	Fax Number Updated by Customer and Vendor
Lead_Days	Integer	Lead days to ship
Billable	Yes/No	Is this a billable address?
Shippable	Yes/No	Is this a shippable address?
Cell_Phone	C20	The cell phone for the contact.
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

AddressCountry Table

Field	Type	Description
ObjectID	ReplicationID	PRIMARY KEY
CountryCode	C3	3-character code for the Country
CountryName	C100	Name of the Country
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

AddressState Table

Field	Type	Description
ObjectID	ReplicationID	PRIMARY KEY
CountryCode	C3	3-character code for the Country
StateCode	C3	2-3 character code for the State
StateName	C100	Name of the State
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

AP_Check Table

Field	Type	Description
AP_Check	C50	PRIMARY KEY (GUID)
Vendor	C10	FGN KEY to Vendor Table (referential integrity is on) Vendor that this check was for. Vendor is not required; check can be to anyone, not necessarily a Vendor.
Bank	C15	FGN KEY to User_Code Table (no referential integrity). Bank check was drawn on
Check_Number	Long Int	Check number of check Updated by Check Print when check is actually printed.
Check_Date	Date	Date of check Updated by Payment Processing or check writer
Check_Amt	Currency	Amount of check
Discount_Amt	Currency	Amount of the discount taken on check
Status	C10	Status of this check. Values are Open, Void, Cleared.
Type	C1	Identifies Type of payment. Values Area: M (Manual), C (Computerized), P (Prepaid).
Statement_Date	Date	Identifies the date of the statement the check was cleared on
Remit_To	Long Int	FGN KEY to Address table
Period	C50	FGN KEY to Fiscal_Period table
Void_Entry	C50	Contains value in AP_Check for the original check
Description	C25	
Reference	C8	
Adjust_Type	Integer	Type of transaction. Values are: 0 (Vendor Check), 1 (GL Check), 2

Field	Type	Description
		(Vendor Adjustment)
Currency_Conv_Rate	Double	Currency exchange rate for international currency conversion Stores Currency_Rate.Rate based on the Source_Currency and Target_Currency. Gets updated until Fixed_Rate = Yes
Trade_Currency	Long Int	FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the vendor associated with the invoice
Fixed_Rate	Yes/No	Identifies whether the exchange rate has been fixed
Trade_Date	Date	Identifies the date the exchange rate on the invoice was updated
Base_Amount	Double	Amount of check in base currency
Base_Discount_Amt	Double	Amount of discount in base currency
Posted	Yes/No	Has this check been posted?
Void_Date	Date	Date check was voided
GL_Account	C10	GL Account
Note_Text	Memo	Memo field for check Updated by AP Adjustments
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

AP_Doc_Check Table

Field	Type	Description
AP_Doc_Check	C50	PRIMARY KEY (GUID)
AP_Check	C50	FGN KEY to AP_Check Table (referential integrity is on)
AP_Document	C50	FGN KEY to AP_Document Table (referential integrity is on)
Amount_Applied	Currency	Amount of the Check that was applied to this Document (vendor invoice)
Application_Type	Integer	Corresponds to Adjust_Type of AP_Check record. Values are 0 (Receipt), 4 (Adjustment), 5 (Void).
Discount_Amt	Double	Discount Amount
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

AP_Doc_Detail Table

Field	Type	Description
AP_Doc_Detail	C50	PRIMARY KEY (GUID)
AP_Document	C50	FGN KEY to AP_Document table
Amount	Double	Amount for detail line
GL_Account	C10	GL Account for detail line
Description	C30	AP Description
PO_Detail	Long Int	FGN KEY to PO_Detail table
Qty_UofM	C10	Unit of measure for Quantity value
Quantity	Double	Quantity
Source	Long Int	no values in database
Source_Type	Integer	Values are 0 (PO Item), 1 (Job Item, 2 (PO addl chrg), 3 (Job addl chrg), 4 (Misc Item or

Field	Type	Description
		from recurring invoice)
Unit_Price	Double	Price per Unit
Price_UofM	C10	Unit of measure for Unit_Price value
Addl_Position	Integer	Identifies whether this detail is for the first or second additional charge
Discountable	Yes/No	Can a discount be applied?
Tax_Code	C15	FGN KEY to User_Code table; Type TaxCds
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

AP_Document Table

Field	Type	Description
AP_Document	Long Int	PRIMARY KEY
Terms	C15	FGN-KEY to User_Code table (no referential integrity)
Remit_To	Long Int	FGN-KEY to Address table
User_Values	Long Int	FGN_KEY to User_Values table
Vendor	C10	Vendor the invoice came from
Document	C15	Identifies the document used to pay the invoice Updated from Document Entry
Document_Date	Date	Date of the document Updated from Document Entry
Period	C50	Identifies the accounting period this trans-action will be processed in (GUID) Updated from Document Entry
Original_Amt	Currency	Identifies the original amount of the invoice Updated from Document Entry

Field	Type	Description
Open_Amt	Currency	Identifies the open amount of the invoice as of today Updated from Document Entry
Open_Amt_Curr_Per	Currency	Identifies the open amount through the current accounting period Updated from Document Entry
Due_Date	Date	Identifies the date the document is due to be paid Updated from Document Entry
Type	C3	Identifies the Type of AP Document, invoice or credit memo. Values are INV or CM. Updated from Document Entry
Status	C10	Identifies the Status of this AP Document. Values are Posted, Unposted, Hold Updated from Document Entry Updated by Payment Processing
Entry_Date	Date	Date the AP_Document record was added Updated from Document Entry
Startup	Yes/No	Is this a Startup entry? Updated from Beginning Balances dialog in Vendor. If Startup, there won't be any other associated records
Discount_Amt	Currency	Estimated discount to be taken Updated from Document Entry
Discount_Date	Date	The date required to be paid by in order to obtain the discount Updated from Document Entry
Currency_Conv_Rate	Double	Currency conversion rate for international currency conversion Stores Currency_Rate.Rate based on the

Field	Type	Description
		Source_Currency and Target_Currency. Gets updated until Fixed_Rate = Yes
Trade_Currency	Long Int	FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the vendor on this document
Fixed_Rate	Yes/No	Identifies whether the exchange rate has been fixed.
Trade_Date	Date	Identifies the date the exchange rate on the job was updated
Note_Text	Memo	Used to maintain Notes associated with an AP document
Invoiced_By	C30	Person that created invoice
Paid_Date	Date/Time	Date Document was paid
Tax_Code	C15	FGN KEY to User_Code table; Type TaxCds
Taxable_Amt	Currency	Amount of payment that is taxable
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Attachable_Report Table

Field	Type	Description
Attachable_Report	C50	PRIMARY KEY (GUID)
Name	C50	
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Attachment Table

Field	Type	Description
Attachment	Long Int	PRIMARY KEY
Owner_Type	C50	Owner Type of the attachment. Values are Job (Job notes), Quote (Quote notes), JobOperation (job routing notes), MaterialReq (job material req notes), QuoteOperation (quote routing notes), QuoteReq (quote material req notes), PartSpec (part notes), Customer (customer ntoes), Vendor (Vendor notes), Material (material notes), Operation (operation notes), Employee (employee notes), POHeader (PO notes), PODetail (PO line item comments), PackList (PackList comments), PackListItem (Packlist line item comments)
Owner_ID	C50	The ID for the attachment, depending on Owner Type. E.g. for Owner Type of Job, Owner ID would be the Job Number.
Attach_Path	C254	Path to the attachment
Description	C254	Description of the attachment
Print_Attachment	Yes/No	Should this attachment be printed?
Attach_Type	C10	Indicates whether this is a file path for an attachment or web link. Values are: File (Attachment), Link (URL)
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Attachment_Print Table

Field	Type	Description
Attachment_Print	Long Int	PRIMARY KEY
Attachment	Integer	FGN-KEY to Attachment table
Report_ID	C50	Report ID (GUID) Identifies the report the attachment is for
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Auto_Number Table

Field	Type	Description
Type	C15	PRIMARY KEY. Types are: Invoice, Jentry, Job, Packlist, PurchaseOrder, Quote, SalesOrder. BOL, Group
System_Generated	Yes/No	Should the system auto-generate values when adding records?
Last_Nbr	C30	Last Number Used. This number + 1 would be the next number to use. Updated by Quote Entry Updated by Job Entry Updated by Customer Shipments – Jobs Updated by Customer Shipments – SO Updated by Vendor Shipments Updated by Other Shipments Updated by Purchasing Updated by SO Entry Updated by Customer Invoice Updated by GL Journal Entry Updated by DC Group Entry
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Bank_History Table

Used by Bank Reconciliation Report; saved data from GL Bank Reconciliation function

Field	Type	Description
Bank_History	C50	PRIMARY KEY.
Bank	C15	FGN KEY to User_Codes table.
Statement_Date	Date	Statement Date
Beginning_Balance	Double	Bank Beginning Balance
Ending_Balance	Double	Bank Ending Balance
Bank_Statement_Other-Checks	Double	Other Checks on Bank Statement
Account_OtherChecks	Double	Other Checks for Accout
Account_Ending_Bal	Double	Account Ending Balance
Filter_Date	Yes/No	Was checkbox on form checked or not
Bank_Statement_JE_ Additions	Double	Journal Entry Additions
Bank_Statement_JE_ Subtractions	Double	Journal Entry Subtractions
Outstanding_Deposits	Double	Outstanding Deposits
Outstanding_JE	Double	Outstanding Journal Entries
Outstanding_Checks	Double	Outstanding Check Amount
Cleared_Deposits	Double	Outstanding Deposits
Cleared _JE	Double	Outstanding Journal Entries
Cleared _Checks	Double	Outstanding Check Amount
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Bar_Stock_Cutoff Table

Field	Type	Description
Bar_Stock_Cutoff	Long Int	PRIMARY KEY
To_Diameter	Double	Up to Diameter of Material
Cut_Off	Double	Cutoff Amount
Std_Bar_End	Double	Standard Bar End
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Bill_Of_Jobs Table

Field	Type	Description
ObjectID	Replication ID	
Parent_Job	C30	PRIMARY KEY. FGN-KEY to Job.Job Job representing the 'Parent' (Assembly, Blanket, Split From) side of the relationship
Parent_Job_OID	Replication ID	FGN-KEY to Job.ObjectID Job representing the 'Parent' (Assembly, Blanket, Split From) side of the relationship.
Component_Job	C30	PRIMARY KEY. FGN-KEY to Job.Job Job representing the 'Child' (Component, Release, Split to) side of the relationship
Component_Job_OID	Replication ID	FGN-KEY to Job.ObjectID Job representing the 'Child' (Component, Release, Split to) side of the relationship.
Root_Job	C30	Top Level Parent for an assembly job. Same field as Top_Lvl_Job in Job table; just different column name.
Root_Job_OID	Replication ID	Top Level Parent for an assembly job. Same field as Top_Lvl_Job in Job table;

Field	Type	Description
		just different column name.
Job_Operation	Long Int	FGN-KEY to Job_Operation.Job_Operation The operation that components are linked to when scheduling. Updated/Used by scheduling
Job_Operation_OID	Replication ID	FGN-KEY to Job_Operation.ObjectID The operation that components are linked to when scheduling. Updated/Used by scheduling
Relationship_Type	C9	The relationship of the' child' to the 'parent'. Values are: Component, Release, Split
Relationship_Qty	Long Int	When Relationship_Type = Component, contains the number of component parts required to make the parent part When Relationship_Type = Release, contains the order qty of the release job. When Releationship_Type = Split, contains the quantity that was split off from the original job and becomes the order qty of the new 'split' job. Updated by Job Entry (Assembly and Release jobs) Updated by Split Jobs
Manual_Link	Yes/No	When Relationship_Type = Component, is this component job manually linked (by the user) to an operation for the parent job? Updated/Used by Job Scheduling
Sequence	Int	
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Bill_Of_Quotes Table

This table maintains the relationship between an Assembly quote and its component quotes.

Field	Type	Description
Parent_Quote	C50	PRIMARY KEY > FGN-KEY to Quote table (referential integrity on) Quote representing the Parent side of the relationship.
Component_Quote	C50	PRIMARY KEY > FGN-KEY to Quote table (referential integrity on) Quote representing the Component side of the relationship.
Quote_Operation	Long Int	FGN-KEY to Quote_Operation table (referential integrity on) Null is valid
Relationship_Type	C9	The relationship of the' child' to the 'parent'. Values are Component Updated by Quote Entry
Relationship_Qty	Long Int	Number of Component parts required for the Parent part Updated by Quote Entry (Assembly quote)
Sequence	Int	
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Breaks Table

Field	Type	Description
Breaks	Replication ID	PRIMARY KEY (GUID)
Break_Name	C50	Name of break (this will always be blank for WC Override)
Shift	Replication ID	FGN-KEY to Shift.Shift or Shift_Over-ride.ObjectID Break times defined on Shift form point to Shift table. Break times defined as Overrides in Work Center form go thru the Shift_Over-ride table, which then points to the Shift table.)
Start_Time	Date	Time break begins
End_Time	Date	Time break ends
Deduct_Job_Time	Yes/No	Do you want breaks deducted from Labor and Machine hours?
Schedule_Break	Yes/No	Is this a scheduled break? Do you want break time taken into account (deducted) when calculating hours for daily and weekly work center capacity? Only one Break can be checked on Shift form. This is the default break displayed in Work Center form. Used by Work Center Used by Scheduling
PreStart_Grace	Long	This field is not used.
PostStart_Grace	Long	This field is not used.
PreEnd_Grace	Long	This field is not used.
PostEnd_Grace	Long	This field is not used.
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Change_History Table

Field	Type	Description
Change_History	C50	PRIMARY KEY
Change_Owner	C50	FGN-KEY to PO_Detail Table, Job, or Job_Operation depending on Change_Type. PO_Detail = PO_DetailKey Job = Job Job_Operation = Job_OperationKey
Requested_By	Integer	Where did this request originate (instigator)? 0 = Vendor, 1 = Internal
Change_Type	Integer	Type of change being made. Purchase Order Tracking: 0 = Order Qty, 1 = Unit Cost, 2 = Due Date, 11 = PO Created Job Change Tracking: 3 = Order Qty, 4 = Unit Price, 5 = Part, 6 = Revision, 7 = Status, 8 = Promised Date, 9 = Promised Qty, 10 = Job Created, 35 = Requested Date Routing Change Tracking : 12 = Operation Added, 13 = Operation Removed, 14 = Status, 15 = Est Setup Hrs, 16 = Run, 17 = Run Method, 18 = Work Center/Vendor, 19 = Operation/Service, 20 = Eff Percent, 21 = Percent Attd, 22 = Resources to Use, 23 = Description, 24 = Que Hours, 25 = Overlap Hrs, 26 = Lag Hours, 27 = Unit Cost, 28 = Cost Unit, 29 = Cost Conv Factor, 30 = Due Date, 31 = Addl Cost Description, 32 = Lead Days, 33 = Sequence Nbr, 34 = Est Addl Cost
External_Notif	Yes/No	Was this an external notification?
Internal_Notif	Yes/No	Was this an internal notification?
ShipDate_Changed	Yes/No	Did the Shipped Date change?

Field	Type	Description
ProdDate_Changed	Yes/No	Did the Production Date change?
Reason	C15	Reason associated with change (defined in User_Code table)
Notes	Memo	Notes associated with change
Changed_By	C10	JobBOSS User ID – defaults to user logged in
Change_Date	Date	Date change took place
Old_Date	Date	Date prior to change
New_Date	Date	Date after change
Old_Number	Double	Number prior to change
New_Number	Double	Number after change
Old_Text	C50	Text data prior to change
New_Text	C50	Text data after change
Job	C30	Job from the Job_Operation table. Serves as identification in the case of a Routing Delete.
WC_Vendor	C10	WorkCenter or Vendor from the Job_ Operation table. Serves as identification in the case of a Routing Delete.
Operation_Service	C10	Operation or Service from the Job_Operation table. Serves as identification in the case of a Routing Delete.
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Contact Table

Field	Type	Description
Contact	Long Int	The primary identifier of Contact
Customer	C10	FGN-KEY to Customer Table
Vendor	C10	FGN-KEY to Vendor Table
Address	Long Int	FGN-KEY to Address Table
Contact_Name	C30	The name of the contact Updated by Customer and Vendor
Title	C20	The title of contact
Phone	C20	The phone number for the contact
Phone_Ext	C8	
Fax	C20	The Fax number for the contact
Email_Address	C255	The email address for the contact
Cell_Phone	C20	
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Cost Table

Field	Type	Description
Cost	Long Int	PRIMARY KEY
Account	C10	Identifies the account associated with this cost data
Period	C50	Identifies the period for this cost data (GUID)
Budget_Amt	Currency	Identifies the percent used to determine the budget amount

Field	Type	Description
MTD_Amt	Currency	Identifies the actual month to date amount for this period for this account
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Currency_Def Table

Field	Type	Description
Currency_Def	Autonumber	PRIMARY KEY
Currency_Name	C10	Contains currency name
Symbol	C10	Contains currency symbol to be used when formatting currency
Description	C30	Contains currency description
Base_Currency	Long Int	FGN KEY to Currency_Def table (link to self) Identifies currency as base currency
Rate	Double	Identifies exchange rate to Euro if EMU member
EMU_Member	Yes/No	Identifies EMU membership
Sig_Digits	Integer	Contains number of significant decimals when formatting currency
Dec_Symbol	C1	Contains decimal symbol to be used when formatting currency
Thousand_Separator	C1	Contains thousands separator symbol to be used when formatting currency

Field	Type	Description
Neg_Format	Integer	Indicates how to format negative numbers when formatting currency. Contains pointer to item in Regional settings.
Pos_Format	Integer	Indicates how to format positive numbers when formatting currency. Contains pointer to item in Regional settings
Locale	Long Int	Identifies the Locale to be used when formatting currency. Contains pointer to item in Regional settings
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Currency_Rate Table

Field	Type	Description
Currency_Rate	Autonumber	PRIMARY KEY
Source_Currency	Long Int	FGN KEY to Currency_Def table
Target_Currency	Long Int	FGN KEY to Currency_Def table
Rate	Double	Defines exchange rate from source to target currency
Effective_Date	Date	Effective date of the exchange rate
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Customer Table

Field	Type	Description
Customer	C10	PRIMARY KEY
Sales_Rep	C6	FGN-KEY to Employee table (no referential integrity)
User_Values	Long Int	FGN-KEY to User_Values table (referential integrity is on - NULL is valid)
Terms	C15	FGN-KEY to User_Code table (no referential

Field	Type	Description
		integrity)
Type	C15	FGN-KEY to User_Code table (no referential integrity)
Ship_Via	C15	FGN-KEY to User_Code table (no referential integrity)
Sales_Code	C15	FGN-KEY to User_Code table (referential integrity is on - NULL is valid)
Tax_Code	C15	FGN-KEY to User_Code table (referential integrity is on - NULL is valid)
Currency_Def	Long Int	FGN KEY to Currency_Def table
Name	C45	Customer Name
Email_Address	C255	The email address for the contact
URL	C255	The Web site address
Status	C15	Status of this account Values are: Active, Inactive, Prospect When a customer is placed on a job (either manually or thru Copy), customer Status is set to Active. Updated by Job Entry Updated by Copy
Ship_Lead_Days	Integer	Days to allow before shipping
Print_Statement	Yes/No	Should a statement be printed for this Customer (0 or 1)
Credit_Limit	Currency	Credit Limit
Curr_Balance	Currency	Current Balance. Updated by Period Close
Customer_Since	Date	Date this Customer became a customer
Accept_BO	Yes/No	Does this Customer accept backorders on sales orders?

Field	Type	Description
Pricing_Level	C15	Pricing level for this Customer for sales orders
Partner	C16	EDI Partner
Note_Text	Memo	Customer notes
Tax_ID	C15	Tax ID for this vendor
Acct_Mgr	C6	FGN-KEY to Employee table. For JobBOSS CRM
Rating	Integer	Indicates the rating give to this customer. Values are: 1 – 20. For JobBOSS CRM
QB_ID	C50	QuickBooks ID in the QuickBooks database.
Send_Report_By_Email	Bit	Customer preference for sending reports
PST_ID	C30	Provincial Sales Tax Registration Number (Account Number) for Canadian customers
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Customer_Part Table

Field	Type	Description
Customer_Part	Long Int	PRIMARY KEY
Customer	C10	FGN-KEY to the Customer table
Material	C30	FGN-KEY to the Material table
Customer_Type	C15	Corresponds to Type field in Customer table. Updated by Material
Part_Number	C30	The Customers internal part number Updated by Material
Rev	C10	The revision number for the customers internal part number

Field	Type	Description
		Updated by Material
Description	C30	The Customer's description of the part Updated by Material
Ext_Description	Memo	The Customer's extended description of the part Updated by Material
Sell_Price	Double	The unit price charged to this Customer for the part (99999999.99999) Updated by Material
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Delivery Table

Field	Type	Description
ObjectID	Replication ID	
Delivery	Long Int	PRIMARY KEY
Packlist	C8	FGN-KEY to Packlist_Header table
Job	C30	FGN-KEY to Job.Job
Job_OID	Replication ID	FGN-KEY to Job.ObjectID
SO_Detail	Long Int	FGN-KEY to SO_Detail table (no referential integrity)
Requested_Date	Date	Date Customer wants Parts shipped Updated by Job Entry
Promised_Date	Date	Date Promised to ship parts Updated by Job Entry
Promised_Quantity	Long Int	Quantity promised to ship Updated by Job Entry

Field	Type	Description
Shipped_Date	Date	Date Parts were shipped Updated by Customer Shipments – Jobs Updated by Customer Shipments - SO
Shipped_Quantity	Long Int	Quantity that has been shipped Updated by Customer Shipments – Jobs Updated by Customer Shipments - SO
Remaining_Quantity	Long Int	Quantity remaining to be shipped for this Delivery Calculated as: (Promised_Quantity – Shipped_Quantity) Updated by Customer Shipments – Jobs Updated by Customer Shipments - SO
Invoice	C50	Invoice that the packlist line for this delivery Updated by Invoice Post
CrMemo	C50	Credit Memo number for the Return pack-list line item Updated by Invoice Post
Invoice_Line	C50	Line number on Invoice – only used for integrations with third-party accounting packages (not used by JobBOSS Account-ing) Updated by accounting integration
CrMemo_Line	C50	Line number on Credit Memo – only used for accounting integration to third-party accounting packages (not used by JobBOSS Accounting) Updated by accounting integration
Invoice_Date	Date	Date associated with Invoice Updated by Invoice Post
CrMemo_Date	Date	Date associated with Credit Memo Updated by Invoice Post

Field	Type	Description
Return_Document	C15	Document ID associated with return for this delivery Updated by Customer Returns
Returned_Date	Date	Date Parts were returned for this Delivery Updated by Customer Returns
Returned_Quantity	Long Int	Quantity returned for this Delivery Updated by Customer Returns
NCP_Quantity	Long Int	This field is not used.
Comment	Memo	Instructions to go on Pack List
Last_Updated_By	T50	The JobBOSS User ID responsible for the last record update
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Deposit Table

Field	Type	Description
Deposit	C50	Primary Key (GUID)
Bank	C15	Bank deposit was for
	C20	Status values are: Reconciled, Unreconciled
Deposit_Date	Date	Date deposit was made
Statement_Date	Date	
Currency_Conv_Rate	Double	Currency exchange rate for international currency conversion Stores Currency_Rate.Rate based on the Source_Currency and Target_Currency. Gets updated until Fixed_Rate = Yes
Trade_Currency	Long Int	FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the vendor associated with a deposit

Field	Type	Description
Fixed_Rate	Yes/No	Identifies whether the exchange rate has been fixed
Trade_Date	Date	Identifies the date the exchange rate on the deposit was updated
Base_Amount	Double	Amount in base currency
Trade_Amount	Double	Amount in trading currency
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Employee Table

Field	Type	Description
ObjectID	Replication ID	
Employee	C6	PRIMARY KEY
Address	Long Int	FGN-KEY to Address table (referential integrity is on > NULL is valid)
User_Values	Long Int	FGN-KEY to User_Values table (referential integrity is on > NULL is valid)
First_Name	C10	First Name
Middle_Initial	C1	Middle Initial
Last_Name	C20	Last Name
SSN	C11	Social Security Number
Type	C6	Employee type values are: Shop, Sales, Other. Employees of Type Sales are considered 'Sales Reps' and 'commissionable'.
Status	C8	Status with company. Values are: Active, Inactive
Class	C1	Independent or Employee. Values are: I or E
Hourly_Rate	Currency	Employee's Hourly Rate of Pay (999.99)

Field	Type	Description
Commission_Pct	Double	Commission Percent (99.99) for employees of Type 'Sales'
Hire_Date	Date	Date employee was hired
Note_Text	Memo	Employee notes
Shift_Start	Date/Time	This field is not used.
Shift_End	Date/Time	This field is not used.
Shift	Replication ID	Employee's shift. FGN-KEY to Shift_Definition table.
Department	C15	Employee's department
Supervisor	C6	Employee's supervisor
Default_Tran_Limit	Int	Number of transactions an employee can have open at one time
Begin_Tran_Prompt	C15	Default value for beginning prompt (after entering Emp ID) at Data Terminals. The default for new Employee record is Tran ID
Repeat_Tran_Prompt	C15	Default value for repeat prompt at Data Terminals.
Tran_Repeater	Yes/No	Default value for Repeat_Tran_Prompt
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

FinPref Table

Field	Type	Description
Preferences	Long Int	PRIMARY KEY
AR_Fiscal_Per	C50	FGN-KEY to Fiscal_Period table. Current AR fiscal period
AR_Next_Fiscal_Per	C50	FGN-KEY to Fiscal_Period table. Next AR fiscal period
AR_Account	C10	FGN-KEY to Account table (no referential integrity). Accounts Receivable account code.
AR_Discount_Code	C15	FGN-KEY to User_Code table (no referential integrity). Discount account code
AR_Aging	C1	AR Aging Method. Base on Invoice Date (I) or Due Date (D)
AR_Cutoff_Days1	Integer	AR Cutoff Days 1st cutoff (99)
AR_Cutoff_Days2	Integer	AR Cutoff Days 2nd cutoff (99)
AR_Cutoff_Days3	Integer	AR Cutoff Days 3rd cutoff (99)
AP_Fiscal_Per		FGN-KEY to Fiscal_Period table. Current AP fiscal period
AP_Next_Fiscal_Per		FGN-KEY to Fiscal_Period table. Next AP fiscal period
AP_Account	C10	FGN-KEY to Account table (no referential integrity). Accounts Payables account code.
AP_Discount	C15	FGN-KEY to User_Code table (no referential integrity). Purchase Discount account code.
AP_Aging	C1	AP Aging Method. Base on Invoice Date (I) or Due Date (D)
AP_Cutoff_Days1	Integer	AP Cutoff Days 1st cutoff (99)
AP_Cutoff_Days2	Integer	AP Cutoff Days 2nd cutoff (99)
AP_Cutoff_Days3	Integer	AP Cutoff Days 3rd cutoff (99)

Field	Type	Description
AP_Check_Recon	Yes/No	Is AP Check Reconciliation on?
Gl_Fiscal_Per		FGN-KEY to Fiscal_Period table. Current GL fiscal period
GL_Next_Fiscal_Per		FGN-KEY to Fiscal_Period table. Next GL fiscal period
GL_Retained_Earnings	C10	FGN-KEY to Account table (no referential integrity). GL Retained Earnings account code
GL_CurrYr_Retained_ Earnings	C10	FGN-KEY to Account table (no referential integrity). GL Current Year Earnings account code
Nbr_Fiscal_Periods	Integer	This field is not used.
JE_Retention	Integer	This field is not used.
WIP_Account	C10	
RM_Account	C10	
FG_Account	C10	
COGS_Account	C10	
Scrap_Account	C10	
Labor_Account	C10	
Labor_Burden_Account	C10	
Machine_Burden_ Account	C10	
GABurden_Account	C10	
AR_GLFE_Account	C10	GL Account to use for AR adjustments on Gain or Loss on Foreign Exchange
AP_GLFE_Account	C10	GL Account to use for AP adjustments on Gain or Loss on Foreign Exchange
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Fiscal_Period Table

Field	Type	Description
Fiscal_Period	C50	PRIMARY KEY (GUID)
Fiscal_Year	C50	FGN_KEY to Fiscal_Year table (GUID)
Per_Nbr	Integer	Number of the fiscal period (99) On Financial Preferences/Fiscal Periods tab
Name	C30	Name of fiscal period On Financial Preferences/Fiscal Periods tab
Start_Date	Date	Starting date of the fiscal period On Financial Preferences/Fiscal Periods tab
End_Date	Date	Ending date of the fiscal period On Financial Preferences/Fiscal Periods tab
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Fiscal_Year Table

Field	Type	Description
Fiscal_Year	C50	PRIMARY KEY (GUID)
Name	C30	Name of fiscal year On Financial Preferences/Fiscal Periods tab
Start_Date	Date	Starting date of the fiscal year On Financial Preferences/Fiscal Periods tab
End_Date	Date	Ending date of the fiscal year On Financial Preferences/Fiscal Periods tab
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

GL_Entry Table

Field	Type	Description
GL_Entry	C50	PRIMARY KEY (GUID)
Period	C50	FGN_KEY to Fiscal_Period table (GUID)
Reference	C15	Reference
Description	C30	Description
Entry_Type	Integer	Type of GL entry. Values are: 0 (Regular), 1 (Recurring), 2 (Reversing)
Transaction_Date	Date	Date of transaction
Posted	Yes/No	Has this entry been posted yet?
Type	C15	Type of transaction. Values are: B-Recon-C (Credit), B-Recon-D (Debit).
Bank	C15	Bank the transaction is for
Statement_Date	Date	Bank Statement Date transaction is for
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Global_Pref Table

Field	Type	Description
ObjectID	Replication ID	PRIMARY KEY (GUID)
Created_Date	Date/Time	Date/Time record was created.
Pref_Type	C20	The Type of record this is. Value: ShopBOSSPref
Name	C30	Name of the Preference setting
Data_Type	C20	Data type of the Preference setting
Value	C20	Value of the Preference setting
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Holiday Table

Field	Type	Description
Holiday_Name	C20	PRIMARY KEY
Shift	Replication ID	FGN KEY to Shift.Shift table
HolidayStart	Date	Date holiday begins
HolidayEnd	Date	Date holiday ends
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Invoice_Detail Table

Field	Type	Description
Invoice_Detail	Long Int	PRIMARY KEY
Document	C8	FGN-KEY to AP_Document table (referential integrity on)
Document_Line	Integer	Line Number on the AP_Document referenced by this Detail Line
Packlist	C8	FGN-KEY to Packlist_Header table (no referential integrity)
Job	C30	FGN-KEY to Job table (no referential integrity)
SO_Detail	Long Int	FGN-KEY to Job table (no referential integrity)
AR_Code	C15	FGN-KEY to User_Code table (no referential integrity)
Sales_Rep	C8	FGN-KEY to Employee table (no referential integrity)
Additional_Charge	Long Int	FGN-KEY to Additional_Charge table
Description	C50	Description of line item
Ship_Date	Date	Date this line item was shipped

Field	Type	Description
Quantity	Long Int	Quantity shipped
Unit_Price	Double	Unit Price
Price_UofM	C4	Unit of Measure for the Unit_Price value
Amount	Currency	Dollar amount of shipment
Commission_Pct	Double	Commission Percentage
Commissionable	Yes/No	Is the dollar amount commissionable?
Discountable	Yes/No	This field is not used.
Job_Revenue	Yes/No	Include the dollar amount in Job_Revenue?
Backorder_Qty	Double	The quantity that wasn't available to ship but will be shipped when it becomes available
Order_Qty	Double	The quantity that was ordered
Prepay	Yes/No	Was this invoice prepaid?
Prepaid_Code	C15	FGN-KEY to User_Code table (no referential integrity) Sales Code for prepaid amount
Prepaid_Amt	Currency	Amount prepaid
Reference	C10	Reference
Material_Trans	Long Int	FGN-KEY to Material_Trans table (no referential integrity)
Note_Text	Memo	Comments for detail line to be printed on the Invoice. When notes are added for an additional charge on an Invoice, they are saved to this field, not the Additional_Charge.Notes field.
Part_Number	C30	Part Number for line item
Part_Description	C30	Part Number Description
Ext_Description	Memo	Extended description of part
Revision	C10	Revision of part

Field	Type	Description
Customer_PO	C30	Customer PO for line item
POLine	C10	Customer PO Line number
Source_Type	Integer	Values are 0 (Packlist for Job), 1 (Packlist for SO), 2 (Packlist from Inventory), 3 (Job addl chrg), 4 (SO addl chrg), 5 (misc addl chrg)
Price_Coefficient	Double	Either neg 1 or pos 1. When line pulled in from Packlist, will be pos 1; when line pulled in from a Return Packlist, will be neg 1.
Order_Unit	C4	Unit of measure for order Quantity
Price_Unit_Conv	Double	Conversion factor between Order Unit and Price Unit
Tax_Code	C15	FGN KEY to User_Code table; Type TaxCds
Prog_Payment	Yes/No	Is this a progress payment?
Prepaid_Identifier	T50	Identifies the 'final' progress payment Updated by Post Invoices
Type	C1	Type of Invoice Item, Product or Misc. Values are: P or M.
Taxable	Yes/No	This field is not used.
Prepaid_Tax_Amount	Currency	Amount of tax associated with the Prepaid_Amt on the associated job. Updated by Post Invoices
CommissionIncluded	Yes/No	Indicates whether Sales Commission is included in the Price
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Invoice_Header Table

Field	Type	Description
Document	C8	PRIMARY KEY
Customer	C10	FGN-KEY to Customer table (referential integrity on)
Ship_To	Long Int	FGN-KEY to Address table (referential integrity on, Null is valid)
Contact	Long Int	FGN-KEY to Contact table (no referential integrity)
Ship_Via	C15	FGN-KEY to User_Code table (no referential integrity)
Terms	C15	FGN-KEY to User_Code table (no referential integrity)
Tax_Code	C15	FGN-KEY to User_Code table (no referential integrity)
Bill_To	Lont Int	FGN-KEY to Address table (referential integrity on, Null is valid)
Document_Date	Date	Document Date
AR_Description	C25	Description
Due_Date	Date	Due Date
Orig_Invoice_Amt	Currency	Original Invoice Amount
Open_Invoice_Amt	Currency	Open Invoice Amount
Open_Invoice_Amt_Curr_Per	Currency	Open Invoice Amount Current Period
Source	C1	Source of the Invoice, Normal or Startup entry. Values are: N = Normal or S = Startup. If Startup, won't create Journal Entries and there are no Invoice_Detail records. Updated from Beginning Balances dialog in Customer for Startup entries.
Type	C3	Type of Invoice: Invoice, Credit Memo, Cash on Account. Values are: INV, CM, COA

Field	Type	Description
Status	C8	Status of Invoice. Values are: Posted, Unposted Changed to Posted status by Post Invoices
Period	C50	Fiscal Period (GUID)
Taxable_Amt	Currency	Taxable Amount
Sales_Tax_Rate1	Currency	Sales Tax Rate 1
Sales_Tax_Rate2	Currency	Sales Tax Rate 2
Sales_Tax_Rate3	Currency	Sales Tax Rate 4
Sales_Tax_Rate4	Currency	Sales Tax Rate 1
Currency_Conv_Rate	Double	Currency conversion rate for international currency conversion Stores Currency_Rate.Rate based on the Source_Currency and Target_Currency. Gets updated until Fixed_Rate = Yes
Trade_Currency	Long Int	FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the customer on this job
Fixed_Rate	Yes/No	Identifies whether the exchange rate has been fixed.
Trade_Date	Date	Identifies the date the exchange rate on the job was updated
Print_Date	Date	Date Invoice was updated
EDI	Yes/No	This field is not used.
Comment	Memo	Comments to be printed on the Invoice

Field	Type	Description
Journal_Entry	C50	GUID. This is the key to Journal_Entry table. All JE records created for this Invoice will use this key to point back to the associated Invoice_Header record.
Invoiced_By	C30	Person who created the invoice
Paid_Date	Date	Date Invoice was paid
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Invoice_Receipt Table

Field	Type	Description
Invoice_Receipt	C50	PRIMARY KEY (GUID)
Invoice	C8	FGN KEY to Invoice_Header table (referential integrity is on)
Receipt	C50	FGN KEY to Receipt table (referential integrity is on)
Amount_Applied	Currency	Amount applied between this Invoice and this Receipt
Application_Type	Integer	Corresponds to Type of Receipt record. Values are 0 (Receipt), 1 (Adjustment).
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Job Table

Field	Type	Description
ObjectID	Replication ID	
Job	C30	PRIMARY KEY
Sales-Rep	C6	FGN-KEY to Employee table (referential integrity is on > NULL is valid)
Customer	C10	FGN-KEY to Customer table (referential

Field	Type	Description
		integrity is on)
Ship_To	Long int	FGN-KEY to Address table (referential integrity is on > NULL is valid)
User_Values	Long int	FGN-KEY to User_Values table (referential integrity is on > NULL is valid)
Quote	C30	FGN-KEY to Quote table (no referential integrity)
Contact	Long int	FGN-KEY to Contact table (no referential integrity)
Ship_Via	C15	FGN-KEY to User_Code table (no referential integrity)
Terms	C15	FGN-KEY to User_Code table (no referential integrity)
Tax_Code	C15	FGN-KEY to User_Code table (no referential integrity)
Sales_Code	C15	FGN-KEY to User_Code table (no referential integrity)
Top_Lvl_Job	C30	Top Level Parent for an assembly job
Type	C8	Type of Job. Values are: Assembly, Blanket, Regular
Order_Date	Date	Order Date
Status	C8	Status of job. Values: Pending, Active, Hold, Complete, Closed, Template Updated by: • Time Entry – goes to Complete when last operation completed (all other inside operations must be in "Started" status.) • Customer Shipments – Jobs - goes to Complete when full qty shipped • PO Receiving - if outside operation is the last operation, goes to complete when full qty received.

Field	Type	Description
		• Job Receiving - if outside operation is the last operation, goes to complete when full qty received. • MC Transfers/FG to Inventory – goes to complete when remaining quantity is transferred into FG inventory.
Status_Date	Date	Date Status last changed Updated by same functions above for Status
Part_Number	C30	Part Number for job
Rev	C10	Part Number Revision
Description	C30	Part Number Description
Ext_Description	Memo	Extended part number description
Drawing	C30	Drawing number for this part/revision
Build_To_Stock	Yes/No	Is this part being built for inventory?
Order_Quantity	Long int	Order quantity for this job Updated by Split Jobs – set to Split_Quantity from original job
Extra_Quantity	Long int	Number of Extra Parts to Make
Pick_Quantity	Long int	Estimated Pick Quantity. Number of parts (already made) to be picked from inventory
Make_Quantity	Long int	Total number of Parts to make (Order_Quantity + Extra_Quantity – Pick_Quantity) Updated by Split Jobs – reduced on original job
Split_Quantity	Long int	This field is not used.
Completed_Quantity	Long int	Quantity of completed parts on this job Calculated as:

Field	Type	Description
		• Number of parts completed at last operation (Act_Run_Qty from job operation record) + Actual picked qty (Act_Qty from FG matl req record) OR • Shipped_Quantity + FG_Transfer_Qty WHICHEVER is greater Updated by: • Time Entry when last operation completed • Customer Shipments – Jobs • PO Receiving when last operation received in full or closed • Job Receiving when last operation received in full or closed • MC Transfers to FG • Pick Material when picking FG parts • Split Jobs – reduced if split qty is equal to or less than original job Completed Quantity
Shipped_Quantity	Long int	Quantity that has been shipped for job Updated by Customer Shipments - Jobs
FG_Transfer_Qty	Long int	Quantity transferred to Finished Goods inventory Updated by MC Transfers to FG Updated by Customer Shipments – SO when Preferences set to auto pick
Returned_Quantity	Long int	Quantity returned on this job Updated by Customer Returns
In_Production_Quantity	Long int	Number of parts currently in production. Basically, parts are considered to be 'in production' if they aren't in inventory and haven't been shipped or scrapped.

Field	Type	Description
		Calculated as: (Make_Quantity – Act_Scrap_Quantity – FG_Transfer_Qty – Shipped_Quantity + Act_Qty from FG Matl Req record for Pick_Quantity.) Updated by: • MC Transfers to FG • Customer Shipments – Jobs • Time Entry to enter parts scrapped • Pick Material when picking FG parts
Assembly_Level	Integer	Assembly Level (0 is top) Indicates the level of the job in an assembly job structure
Certs_Required	Yes/No	Is Certification required?
Time_And_Materials	Yes/No	Is this a Time and Materials job?
Open_Operations	Integer	Remaining open Routing operations
Scrap_Pct	Double	Estimated Scrap Percentage (The Make_Quantity is increased based on the Order_Qty and Scrap %)
Est_Scrap_Qty	Long int	This field is not used.
Est_Rem_Hrs	Double	Estimated Remaining Hours (9999.99) Inside operations only Rolled up from Job_Operation records
Est_Total_Hrs	Double	Estimated Total Hours (9999.99) Inside operations only Rolled up from Job_Operation records
Est_Labor	Currency	Estimated Labor Cost (9999999.99) Inside operations only Rolled up from Job_Operation records
Est_Material	Currency	Estimated Material Cost (9999999.99) Rolled up from Material_Req records

Field	Type	Description
Est_Service	Currency	Estimated Service Cost (9999999.99) Outside operations only Rolled up from Job_Operation records
Est_Labor_Burden	Currency	Estimated Labor Burden Cost (9999999.99) Inside operations only Rolled up from Job_Operation records
Est_Machine_Burden	Currency	Estimated Machine Burden Cost (9999999.99) Inside operations only Rolled up from Job_Operation records
Est_GA_Burden	Currency	Estimated GA Burden Cost (9999999.99) Inside operations only Rolled up from Job_Operation records
Act_Revenue	Currency	Actual Revenue (9999999.99) Updated by Customer Shipments – Jobs when JB Invoicing is not purchased Updated by AR Invoicing if purchased Updated when Update Revenue is executed in OP if accounting interface purchased.
Act_Scrap_Quantity	Long int	Actual Scrap Quantity Inside operations only Rolled up from Job_Operation records Updated by Time Entry
Act_Total_Hrs	Double	Actual Total Hours (9999.99) Inside operations only Rolled up from Job_Operation records Updated by Time Entry
Act_Labor	Currency	Actual Labor Cost (9999999.99) Inside operations only Rolled up from Job_Operation records Updated by Time Entry
Act_Material	Currency	Actual Material Cost (9999999.99) Rolled up from Material_Req records

Field	Type	Description
		Updated by Pick Material Updated by PO Receiving when cost received Updated by Job Receiving when cost received
Act_Service	Currency	Actual Service Cost (9999999.99) Outside operations only Rolled up from Job_Operation records Updated by PO Receiving when cost received Updated by Job Receiving when cost received
Act_Labor_Burden	Currency	Actual Labor Burden Cost (9999999.99) Inside operations only Rolled up from Job_Operation records Updated by Time Entry
Act_Machine_Burden	Currency	Actual Machine Burden Cost (9999999.99) Inside operations only Rolled up from Job_Operation records Updated by Time Entry
Act_GA_Burden	Currency	Actual Machine Burden Cost (9999999.99) Inside operations only Rolled up from Job_Operation records Updated by Time Entry
Priority	Integer	This field is not used.
Unit_Price	Double	Unit Price (99999999.9999) Updated by: • Customer Shipments – Jobs if no accounting (AR) • AR Invoicing • Accounting interface
Price_UofM	C4	Unit of Measure for Unit_Price value

Field	Type	Description
Total_Price	Currency	Total Price of the job (9999999.99) (Order_Qty * Unit_Price) + sum of addl charges Updated by: • Customer Shipments – Jobs if no accounting (AR) • AR Invoicing • Accounting interface
Commission_Pct	Double	Commission Percentage allowed for this Job
Customer_PO	C20	Customer Purchase Order Number
Customer_PO_LN	C6	Line number on Customer Purchase Order
Sched_End	Date	Date Job is scheduled to end Updated by Scheduling
Sched_Start	Date	Date Job is scheduled to start Updated by Scheduling
Profit_Pct	Double	Profit Percentage to make on this job
Labor_Markup_Pct	Double	Labor Markup Percentage
Mat_Markup_Pct	Double	Material Markup Percentage
Serv_Markup_Pct	Double	Service Markup Percentage
Labor_Burden_ Markup_Pct	Double	Added to support markup for labor burden
Machine_Burden_ Markup_Pct	Double	Added to support markup for machine burden
GA_Burden_Markup_ Pct	Double	Added to support markup for GA burden
Lead_Days	Integer	Lead days required to make shipments of this Part
Profit_Markup	C1	Profit Markup
Prepaid_Amt	Currency	Amount that has been prepaid on this job

Field	Type	Description
		(in Base currency) Updated by Post Invoices
Currency_Conv_Rate	Double	Currency conversion rate for international currency conversion. Stores Currency_Rate.Rate based on the Source_Currency and Target_Currency. Gets updated until Fixed_Rate = Yes
Trade_Currency	Long Int	FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the customer on this job
Fixed_Rate	Yes/No	Identifies whether the exchange rate has been fixed.
Trade_Date	Date	Identifies the date the exchange rate on the job was updated
Split_To_Job	Yes/No	Is this Job a split from another Job (or or 1) Updated by Split Jobs
Note_Text	Memo	Internal job notes
Comment	Memo	Comments for Order Acknowledgement
Order_Unit	C4	Unit of measure for Order Quantity
Price_Unit_Conv	Double	Conversion factor between Order Unit and Price Unit
Holder_ID	C50	FGN_KEY to Journal_Entry table, Originating_Transaction field. Holder_Type field in Journal_Entry table tells where Originating_Transaction came from (ie. Job, Material. Etc). For JobBOSS Integration for Synergy.
Source	C20	The source application that created the job. System (JobBOSS) SDK Synergy

Field	Type	Description
Order_Taken_By	C50	
Plan_Modified	Yes/No	Has the job been modified? Used by Job Entry to indicate whether customer needs to be contacted due to changes in job.
Quantity_Per	Double	This field is not used.
Released_Date	Date/Time	Updated by Job Entry. Used by Reporting
Prepaid_Tax_Amount	Currency	Portion of the Prepaid_Amt that is taxable. Updated by Post Invoices
Prepaid_Identifier	T50	Identifies the 'final' progress payment. Updated by Post Invoices
Prepaid_Trade_Amt	Currency	Amount that has been prepaid on this job (in Trade currency). Updated by Post Invoices
Last_Updated_By	T50	The JobBOSS User ID responsible for the last record update
CommissionIncluded	Yes/No	Indicates whether Sales Commission is included in the Price
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Job_Exception Table

Field	Type	Description
ObjectID	Replication ID	PRIMARY KEY
Job_Operation_OID	Replication ID	FGN-KEY to Job_Operation.ObjectID
Requirement	C30	Linked Material/Component the exception is for. Material ID if exception is for a linked material Job if exception is for a linked component Blank if exception is for the operation (not for a linked requirement)
Description	C100	Short description of the exception that occurred during scheduling
Created_Time	Date/Time	Date/Time this load record was created

Field	Type	Description
Material_Req_OID	Replication ID	FGN-KEY to Material_Req.ObjectID
Exception_Type	Integer	Numeric value identifying the exception Values are: PriorToCurrentDate = 1 InvalidOverlapFromFixed = 2 InvalidOverlap = 3 AdjustedDueToComp = 4 AdjustedDueToEarliest = 5 LockedOpWithMaterial = 6 ZeroCapacityWorkCenter = 7 FiniteOverload = 8 OpMoveToChildWC = 9 Scheduling Engine Exceptions: Values are: JobLate = 100 PODueLaterThanSched = 101 MaterialStartDatePastDue = 102 ComponentStartDatePastDue = 103 FwdSchedGlobal = 104 ReschedForFinite = 105 EndChangedInGlobal = 106 ChangedInGlobal = 107 Note: Refer to JBStringLib for exception text
Job_Exception	Long Int	This field is not used.
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Job_Operation Table

Field	Type	Description
ObjectID	Replication ID	Unique Index
Job_Operation	Autonumber	PRIMARY KEY
Vendor	C10	FGN-KEY to Vendor table Vendor if outside operation; blank if inside operation
Work_Center	C10	FGN-KEY to Work_Center.Work_Center Work Center if inside operation; blank if outside operation
WorkCenter_OID	Replication ID	FGN-KEY to Work_Center.ObjectID
Job	C30	FGN-KEY to Job.Job
Job_OID	Replication ID	FGN-KEY to Job.ObjectID
Operation_Service	C10	FGN-KEY to Operation table or Service table Operation if inside operation; Service if outside operation
WC_Vendor	C10	Work Center if inside operation; Vendor if outside service
Inside_Oper	Yes/No	Is this an inside operation?
Sequence	Integer	Sequence of this operation in the routing
Description	C25	Description of operation
Run	Double	Run value for costing estimates Inside operations only
Run_Method	C8	Run Method (for the Run value) for costing estimates (Parts/Hr,Hrs/Part,Min/Part,Sec/Part,FixedHrs) Inside operations only

Field	Type	Description
Est_Run_Per_Part	Double	Estimated time it takes to make one Part. Inside operations only Calculated: Rem_Run_Hrs / Est_Req_Qty = Est_Run_Per_Part Field stored in db only used by reporting.
Efficiency_Pct	Double	Efficiency Percentage for costing estimates (1 to 9999) Inside operations only
Queue_Hrs	Double	Queue Hours. (99.99) Hours that work sits in this WC before operation can start. Inside operations only
Attended_Pct	Double	This field is not used.
Est_Setup_Hrs	Double	Estimated Setup Hours for costing estimates (9999.99) Inside operations only Included in Est_Total_Hrs total Used by Scheduling
Est_Run_Hrs	Double	Estimated Run Hours for costing estimates (9999.99) Inside operations only Included in Est_Total_Hrs total Used by Scheduling
Est_Total_Hrs	Double	Estimated Total Hours for costing estimates (9999.99) Inside operations only. This field is used by Reporting. All JB functions calculate this total by summing the two fields below: • Est_Setup_Hrs • Est_Run_Hrs
Rem_Setup_Hrs	Double	Remaining Setup Hours for costing estimates (9999.99) Inside operations only Included in Rem_Total_Hrs Updated by Time Entry Used by Scheduling

Field	Type	Description
Rem_Run_Hrs	Double	Remaining Run Hours for costing estimates (9999.99) Inside operations only Included in Rem_Total_Hrs Updated by Time Entry Used by Scheduling
Rem_Total_Hrs	Double	Remaining Total Hours for costing estimates (9999.99) Inside operations only. This field is used by Reporting. All JB functions calculate this total by summing the two fields below Updated by Time Entry Total of: Rem_Setup_Hrs Rem_Run_Hrs
Act_Setup_Hrs	Double	Actual Setup Machine Hours (9999.99) Inside operations only. Updated by Time Entry Note: to get total of Actual Setup hours, add Act_Setup_Hrs + Rwk_Setup_Hrs to get Projected Setup hours, add Act_Setup_Hrs + Rwk_Setup_Hrs + Rem_ Setup_Hrs
Act_Setup_Labor_Hrs	Double	Actual Setup Labor Hours Inside operations only Updated by Time Entry
Rwk_Setup_Hrs	Double	Rework Setup Machine Hours (9999.99) Inside operations only Updated by Time Entry
Rwk_Setup_Labor_Hrs	Double	Rework Setup Labor Hours Inside operations only Updated by Time Entry
Act_Run_Hrs	Double	Actual Run Machine Hours (9999.99) Inside operations only Updated by Time Entry

Field	Type	Description
		Note: to get total of Actual Run hours, add Act_Run_Hrs + Rwk_Run_Hrs to get Projected Run hours, add Act_Run_Hrs + Rwk_Run_Hrs + Rem_Run_Hrs
Act_Run_Labor_Hrs	Double	Actual Run Labor Hours Inside operations only Included in Act_Run_Hrs total
Rwk_Run_Hrs	Double	Rework Run Machine Hours (9999.99) Inside operations only Updated by Time Entry
Rwk_Run_Labor_Hrs	Double	Rework Run Labor Hours Inside operations only Updated by Time Entry
Est_Required_Qty	Long Int	Estimated Required Quantity Outside operations only Updated by Job Entry
Deferred_Qty	Double	Amount of requirement remaining to be ordered Outside operations only Initially set to the estimated required qty when service is added to the job • Purchasing — Reduces deferred qty by the order qty • PO Receiving — If partial received and PO line not closed, should not update Deferred_Qty. If PO line closed (either full or short), requirement is closed and deferred qty is set to zero. (PO line must be closed before deferred qty is updated). • Job Receiving — Reduces deferred by received qty. If requirement is closed (either full or short), deferred qty is set to zero. • Job Entry Closing — Routing on job sets deferred qty to zero. If operation closed short, reopening operation sets deferred

Field	Type	Description
		qty to remaining qty (Est_Required_Qty – Act_Run_Qty)
Setup_Qty	Long Int	Setup Quantity Inside operations only Actual Qty made during Setup operations; included in Act_Run_Qty total
Run_Qty	Long Int	Run Quantity Inside operations only Actual Qty made during Run operations; included in Act_Run_Qty total
Act_Run_Qty	Long Int	Actual Run Quantity (Inside) or Actual Required Quantity (Outside) (99999999) Used by both Inside and Outside operations Updated by Time Entry (Inside) Updated by PO Receiving with qty received (Outside) Updated by Job Receiving with qty received (Outside) Total of (Inside): • Setup_Qty • Run_Qty
Rwk_Setup_Qty	Long Int	Rework Setup Quantity Inside operations only Actual Qty made during Rework Setup operations; included in Rwk_Quantity total
Rwk_Run_Qty	Long Int	Rework Run Quantity Inside operations only Actual Qty made during Rework operations; included in Rwk_Quantity total
Rwk_Quantity	Long Int	Total Rework Quantity (99999999). This field is used by Reporting. All JB functions calculate this total by summing the two fields below. Updated by Time Entry Total of: • Rwk_Setup_Qty • Rwk_Run_Qty

Field	Type	Description
Act_Scrap_Qty	Long Int	Actual Scrapped Quantity (999999) Inside operations only Updated by Time Entry Total of: Qty Scrapped during Setup and Run operations (There aren't separate fields for setup and run quantities.)
Rwk_Scrap_Qty	Double	Rework Scrapped Quantity (999999) Inside operations only Updated by Time Entry Total of: Qty Scrapped during Rework Setup and Rework Run operations (There aren't separate fields for setup and run quantities.)
Est_Setup_Labor	Currency	Estimated Setup Labor Cost (9999999.99) Inside operations only
Est_Run_Labor	Currency	Estimated Run Labor Cost (9999999.99) Inside operations only
Est_Labor_Burden	Currency	Estimated Labor Burden Cost (9999999.99) Inside operations only
Est_Machine_Burden	Currency	Estimated Machine Burden Cost (9999999.99) Inside operations only
Est_GA_Burden	Currency	Estimated GA Burden Cost (9999999.99) Inside operations only
Est_Unit_Cost	Currency	Estimated Unit Cost (99999999.9999) Outside operations only
Est_Addl_Cost	Currency	Estimated Additional Cost (9999999.99) Outside operations only
Est_Total_Cost	Currency	Estimated Total Cost (9999999.99) Outside operations only
Act_Setup_Labor	Currency	Actual Setup Labor Cost (9999999.99) Inside operations only Updated by Time Entry
Act_Run_Labor	Currency	Actual Run Labor Cost (9999999.99) Inside operations only

Field	Type	Description
		Updated by Time Entry
Act_Labor_Burden	Currency	Actual Labor Burden Cost (9999999.99) Inside operations only Updated by Time Entry
Act_Machine_Burden	Currency	Actual Machine Burden Cost (9999999.99) Inside operations only Updated by Time Entry
Act_GA_Burden	Currency	Actual GA Burden Cost (9999999.99) Inside operations only Updated by Time Entry
Act_Unit_Cost	Currency	Actual Unit Cost (99999999.9999) Outside operations only Updated by PO Receiving and Job Receiving when receiving costs. This is an average Act_Total_Cost/Act_Run_Qty as there can be multiple sources for each requirement
Act_Addl_Cost	Currency	Actual Additional Cost Outside operations only Updated by Job Entry when adding addl costs to routing line Updated by PO Receiving when receiving costs (accumulative) Updated by Job Receiving when receiving costs (accumulative)
Addl_Cost_Desc	C15	Additional Cost Description Outside operations only Updated by Job Entry when adding addl costs to routing line (Receiving does not update)
Rwk_Setup_Labor	Currency	Rework Setup Labor Cost (9999999.99) Inside operations only Updated by Time Entry
Rwk_Run_Labor	Currency	Rework Run Labor Cost (9999999.99) Inside operations only Updated by Time Entry

Field	Type	Description
Rwk_Labor_Burden	Currency	Rework Labor Burden Cost (9999999.99) Inside operations only Updated by Time Entry
Rwk_Machine_Burden	Currency	Rework Machine Burden Cost (9999999.99) Inside operations only Updated by Time Entry
Rwk_GA_Burden	Currency	Rework GA Burden Cost (9999999.99) Inside operations only Updated by Time Entry
Act_Total_Cost	Double	Actual Total Cost (9999999.99); Includes Act_ Addl_Cost. Outside operations only Updated by PO Receiving when receiving costs Updated by Job Receiving when receiving costs
Setup_Pct_Complete	Double	Setup Percent Complete Inside operations only Updated by Time Entry
Run_Pct_Complete	Double	Run Percent Complete Inside operations only For Quantity 1 jobs only. User can specify either 100% complete when done, or check the operation Complete checkbox. Updated by Time Entry
Overlap_Method	C3	Overlap Method Inside operations only Unit for the value in Overlap field. Values are: Hrs, Pct, Qty All 3 values can be specified from Job Entry. If Overlap value is updated from Job Scheduling, Overlap is always in hours and method is set to Hrs. Updated by Job Entry Used by Scheduling
Overlap	Double	Overlap Inside operations only Overlap value, along with the Overlap_Method (unit), is used to determine the number of Est_

Field	Type	Description
		Ovl_Hrs. From Job Scheduling, Overlap is always in hours. In Job Scheduling, this value is calculated: Est_Run_Per_Part * Overlap_Qty = Overlap (hours) Updated by Job Entry Used by Scheduling
Overlap_Qty	Double	Overlap Quantity Inside operations only After this many parts are done, I can begin the next operation. This value is calculated using Overlap_Method, Overlap, and Est_Run_Per_Part in Job Entry. In Job Scheduling, this value is calculated: Overlap (hrs) / Est_Run_Per_Part = Overlap_Qty Updated by Job Entry Used by Scheduling
Est_Ovl_Hrs	Double	Estimated Overlap Hours Inside operations only After this many run hours, I can begin the next operation. This value is calculated: (Overlap_Qty * Est_Run_Per_Part) + Est_Setup_Hrs Updated by Job Entry Used by Scheduling
Lead_Days	Integer	Total outside processing time in days. This would include: time to ship to vendor, vendor processing time, time to ship back from vendor. Outside operations only Used by Scheduling
Sched_Start	Date/Time	Scheduled start date/time. Updated by scheduling
Sched_End	Date/Time	Scheduled end date/time.

Field	Type	Description
		For Outside operations, this is Sched_Start + Lead Days Updated by Scheduling Used by Purchasing as Thru Date in PO Reqs dialog filter when there is one, else uses Due_Date
Due_Date	Date	Date outside service is due to return from Vendor. This is set = Sched_End Outside operations only Used by Purchasing as Thru Date in PO Reqs dialog filter when there is no Sched_End date Updated by Scheduling
Status	C8	Status of operation. Values are: O, S, C for Open, Started, Complete • Job Entry – set to O when initially added to job or when template job changed to active; set to C when job closed or T for template job. If job complete or closed when requirement added, status set to C. • Time Entry – set to S when partial time entered or C when full time entered (inside) • Purchasing – set to S when placed on purchase order (service) • PO Receiving – set to C when full receipt (service) • Job Receiving – set to S when partial received or C when full receipt (service)
Priority	Double	Priority of this operation. Values are 0 to 9. Setting the Job priority to 0 sets the Priority to 0 on all routing lines Priority 0 excludes the operation when scheduling the job. Value 1 is the highest priority.
Minimum_Chg_Amt	Currency	The minimum charge for this service Outside operations only

Field	Type	Description
Cost_Unit	C4	Cost Unit (each, lot) Outside operations only
Cost_Unit_Conv	Double	Conversion factor from 'each' to the Cost_Unit Outside operations only
Currency_Conv_Rate	Double	Currency exchange rate for international currency conversion Stores Currency_Rate.Rate based on the Source_Currency and Target_Currency. Gets updated until Fixed_Rate = Yes
Trade_Currency	Long Int	FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the vendor associated with an outside service Outside operations only
Fixed_Rate	Yes/No	Identifies whether the exchange rate has been fixed
Trade_Date	Date	Identifies the date the exchange rate on the job was updated
Note_Text	Memo	Routing Line Notes; Internal notes for routing line
Holder_ID	C50	FGN_KEY to Journal_Entry table, Originating_Transaction field. Holder_Type field in Journal_Entry table tells where Originating_Transaction came from (ie. Job, Material. Etc). For JobBOSS Integration for Synergy
OP_Group	C50	Group of operations that this Job_Operation belongs to. Inside operations only FGN_KEY to OP_Group table
Floor_Notes	Memo	Job Operation Notes Inside operations only
Sched_Resources	Double	Resources to Schedule. Number of resources to use when scheduling this operation (user specified). If more resources are used, then Total Hrs duration is reduced. Inside operations only Updated by Job Scheduling Used by Scheduling

Field	Type	Description
Lag_Hours	Double	Lag Hours (99.99). Time that work sits at a work center after the work is completed and/or time it takes to move work to the next WC. This is considered 'Move' time. Inside operations only Updated by Job Scheduling Used by Scheduling
Manual_Start_Lock	Yes/No	Was the Sched_Start date manually changed by the user? Updated by Job Scheduling Used by Scheduling
Manual_Stop_Lock	Yes/No	Was the Sched_End date manually changed by the user? Updated by Job Scheduling Used by Scheduling
Priority_Zero_Lock	Yes/No	Was the Priority on the Job set to zero by the user? When value is true, scheduling engine skips this job. Updated by Job Scheduling Used by Scheduling
Firm_Zone_Lock	Yes/No	Is this operation in the 'Firm Zone'? When value is true, scheduling engine skips this job Updated by ShopBOSS
SB_Orig_OID	Replication ID	FGN-KEY to Job_Operation.ObjectID Pointer to the original routing line this was created from when moved to a different work center in ShopBOSS. Created and used by ShopBOSS
SB_Setup_Hrs	Double	Estimated Setup Hours for scheduling estimates (9999.99) Inside operations only. Updated and used by ShopBOSS
SB_Run_Hrs	Double	Estimated Run Hours for scheduling estimates (9999.99) Inside operations only.

Field	Type	Description
		Updated and used by ShopBOSS
SB_Run	Double	Run value for scheduling estimates Inside operations only Updated and used by ShopBOSS
SB_RunMethod	C8	Run Method (for the Run value) for scheduling estimates (Parts/Hr,Hrs/Part,Min/Part,Sec/Part,FixedHrs) Inside operations only Updated and used by ShopBOSS
SB_Efficiency	Double	Efficiency Percentage for scheduling estimates (1 to 9999) Inside operations only Updated and used by ShopBOSS
Actual_Start	Date/Time	Actual date and time the operation started. Updated by Job, Time Entry, DC, Vendor Shipments (outside ops) Used by scheduling
Last_Updated_By	T50	The JobBOSS User ID responsible for the last record update
Sched_Start_Hr	Double	This field is not used.
Sched_End_Hr	Double	This field is not used.
Sched_Ovl_Start_Hr	Double	This field is not used.
Sched_Ovl_Start	Date	This field is not used.
Schedule_Exception	Yes/no	This field is not used.
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Job_Operation_Time Table

Field	Type	Description
ObjectID	Replication ID	Unique Index
Job_Operation_Time	C50	PRIMARY KEY (GUID)
Work_Date	Date/Time	Date and time work was done
Job_Operation	Long Int	FGN-KEY to Job_Operation.Job_Operation Operation that time was applied to
Job_Operation_OID	Replication ID	FGN-KEY to Job_Operation.ObjectID. Operation that time was applied to
Employee	Long Int	FGN-KEY to Employee.Employee Employee that time was entered for
Employee_OID	Replication ID	FGN-KEY to Employee.ObjectID. Employee that time was entered for
Entry_Type	Integer	Type of Time Entry record. 0 = Setup, 1 = Run
Setup_Overtime_Hrs	Double	Setup Overtime Hours (9999.99) Setup Type only Labor Hours must be = or > Overtime Hours, i.e., Labor Hours includes Overtime Hours; this just specifies how many of the labor hours were OT Updated by Time Entry
Setup_Pct_Complete	Double	Setup Percent Complete (999) Setup Type only Updated by Time Entry
Setup_Labor_Rate	Double	Setup Labor Rate (9999.99) Setup Type only Updated by Time Entry
Setup_Labor_Burden	Double	Setup Labor Burden Rate (9999.99) Setup Type only

Field	Type	Description
		Updated by Time Entry
Act_Setup_Hrs	Double	Actual Setup Machine Hours (9999.99) Setup Type only Updated by Time Entry
Act_Setup_Labor_Hrs	Double	Actual Setup Labor Hours Inside operations only
Act_Run_Hrs	Double	Actual Run Machine Hours (9999.99) Run Type only Updated by Time Entry
Act_Run_Labor_Hrs	Double	Actual Run Labor Hours Inside operations only
Act_Setup_Qty	Long Int	Actual Setup Quantity Inside operations Updated by Time Entry
Act_Run_Qty	Long Int	Actual Run Quantity Run Type only Updated by Time Entry
Act_Scrap_Qty	Long Int	Actual Scrap Quantity Run Type only Updated by Time Entry
Attended_Pct	Double	Attended Percent (999) The percent that the machine is attended by an operator. Run Type only Updated by Time Entry
Overtime_Hrs	Double	Run Overtime Hours (9999.99) Run Type only Labor Hours must be = or > Overtime Hours, i.e., Labor Hours includes Overtime Hours; this just specifies how many of the labor hours were OT Updated by Time Entry
Run_Pct_Complete	Double	Run Percent Complete (999) Run Type only For Quantity 1 jobs only. User can specify either 100% complete when done, or check

Field	Type	Description
		the operation Complete checkbox. Updated by Time Entry
Run_Labor_Rate	Double	Run Labor Rate (9999.99) Run Type only Rate of pay Updated by Time Entry
Labor_Burden	Double	Labor Burden Rate (9999.99) Run Type only
Operation_Complete	Yes/No	Is the work at this operation completed? Run Type only Updated by Time Entry
Overtime_Factor	Double	Overtime Factor Both Types Updated by Time Entry
Rework_Time	Yes/No	Is the time for this operation considered rework? Both Types Updated by Time Entry
Machine_Burden	Currency	Machine Burden Cost (9999.99) Both Types
GA_Burden	Currency	GA Burden Cost (9999.99) Both Types
Scrap_Code	C25	FGN_KEY to User_Codes table. Reason that part was scrapped
Rwk_Code	C25	FGN_KEY to User_Codes table. Reason that part was reworked
WC	C10	Work Center ID. FGN_KEY to Work_Center table.

Field	Type	Description
OP_Group	C50	Job_Operation Group that this time entry was made against. FGN_KEY to OP_Group table.
Status	Int	Status Inside operations only Values are: 0 = Open, 1 = Complete If source is Data Collection 'Start' transaction, status will be Open and not editable thru Time Entry form.
User_Values	Long Int	FGN-KEY to User_Values table (referential integrity is on - NULL is valid)
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Journal_Entry Table

Field	Type	Description
Journal_Entry	Long Int	PRIMARY KEY
GL_Account	C10	FGN-KEY to Account table (referential integrity on > Null is valid)
Reference	C15	Reference
Source	C30	Source of entry. Varies with Type. For AR Types, Source = Customer ID For AP Types, Source = Vendor ID For GL Types, Source = Description
Transaction_Date	Date	Transaction Date
Period	C50	Fiscal Period (GUID)
Type	C13	Type of entry. Values are: AR-Receipt, AR-Invoicing, AR-CrMemo, AR-Adjustment, AP-Document, AP-Checks, AP-Adjustment, GL-Jentry-C (current period), GL-Jentry-P (prior period), GL_Jentry_S (Startup), PY (payroll) B-Recon-C (Credit), B-Recon-D (Debit)

Field	Type	Description
Amount	Currency	Amount of transaction
Creation_Date	Date	Date this transaction was created
Originating_Trans-action	C50	When Customer Invoice posted, set to the Invoice_Header.Journal_Entry key (GUID) All JE records for that Invoice will have this same 'key'. As part of JobBOSS Integration for Synergy, also set to the Holder_ID from several tables. Holder_Type indicates where Ori-ginating_Transaction came from.
Posted	Yes/No	
Holder_Type	C50	Indicates where Originating_Transaction came from (ie. Job, Material. Etc). For JobBOSS Integration for Synergy.
MFG_Holder_ID	C50	For JobBOSS Integration for Synergy
MFG_Holder_Type	C50	Indicates where MFG_Holder_ID came from. For JobBOSS Integration for Synergy
Line_Description	C30	For JobBOSS Integration for Synergy
Quantity	Double	For JobBOSS Integration for Synergy
Unit	C4	For JobBOSS Integration for Synergy
Order_Number	C30	For JobBOSS Integration for Synergy
Partner_Type	Long Int	For JobBOSS Integration for Synergy
Cust_Trans_Type	Long Int	For JobBOSS Integration for Synergy
Partner	C10	For JobBOSS Integration for Synergy
Cust_Trans	C50	For JobBOSS Integration for Synergy
Employee	C8	For JobBOSS Integration for Synergy
Item_ID	C30	For JobBOSS Integration for Synergy

Field	Type	Description
Item_Description	C30	For JobBOSS Integration for Synergy
Location	C10	For JobBOSS Integration for Synergy
Currenty_Def	Long Int	For JobBOSS Integration for Synergy
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Location Table

Field	Type	Description
Location	Long Int	PRIMARY KEY
User_Values	Long Int	FGN-KEY to User_Values table (referential integrity is on - NULL is valid)
Warehouse	C8	Identifies the warehouse containing the location
Location_ID	C10	User-Defined ID representing the location
Description	C25	Description for the location
Type	C8	Identifies the type of location Defined in Preferences/User Codes tab; Location Type
Note_Text	Memo	Location notes
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Material Table

Field	Type	Description
ObjectID	Replication ID	
Material	C30	PRIMARY KEY
Primary_Vendor	C10	FGN-KEY to Vendor table (referential integrity is on > NULL is valid)
User_Values	Long Int	FGN-KEY to User_Values table (referential integrity is on > NULL is valid)
Shape	C10	FGN-KEY to Shapes.Shapes (no referential integrity)) (Raw Stock only)
Shape_OID	Replication ID	FGN-KEY to Shapes.ObjectID) (Raw Stock only)
Location_ID	C10	FGN-KEY to Location table (referential integrity is on > NULL is valid)
Sales_Code	C15	FGN-KEY to User_Code table (no referential integrity)
Description	C30	Description for this material
Type	C1	Type of Material. Values are: R, H, S, F for Rawstock, Hardware, Supplies, Finished Goods
Status	C8	Status of material. Values are: Active, Inactive
Pick_Buy_Indicator	C1	Pick for Job or Buy for Stock. Values are: P (pick) or B (buy)
Class	C10	Class of rawstock Material; used to categorize raw stock materials
Rev	C8	Engineering Revision for this material
Purchase_UofM	C4	The Unit of Measure this inventory item is (normally) purchased in
Stocked_UofM	C4	The Unit of Measure this inventory item is stocked in

Field	Type	Description
UofM_Conv_Factor	Double	Unit of Measure Conversion Factor between the Purchase_UofM and Stocked_UofM: Purch x Stock, or Stock/Purch Only applicable for discrete (non-rawstock) materials; JobBOSS calculates the conversion for raw stock.
Cost_UofM	C4	The Unit of Measure used to calculate cost for this inventory item. For discrete (non-rawstock) materials, the Stocked_UofM and Cost_UofM are always the same.
Selling_Price	Double	Selling Price (99999999.99999)
Price_UofM	C4	The Unit of Measure for the Selling_Price
Price_Unit_Conv	Double	Conversion factor between Stocked_UofM (Order Unit) and Price Unit
Standard_Cost	Double	Standard Cost (99999999.99999)
Average_Cost	Double	Average Cost (99999999.99999) Updated by MC Transfer when transferring in FG materials Updated by PO Receiving when receiving qty; uses the unit cost on PO
Last_Cost	Double	Last Cost (99999999.99999) Updated by MC Transfer when transferring in FG materials Updated by PO Receiving when receiving qty only, uses the unit cost on PO Updated by PO Receiving when receiving cost (or qty and cost), uses the unit cost specified in receiving
On_Order_Qty	Double	On Order Quantity – Calculated dynamically (from Source records) Updated by Purchasing when material placed on PO

Field	Type	Description
		Updated by PO Receiving when receiving to Stock
Order_Point	Double	Specifies the quantity at which to replenish inventory.
Reorder_Qty	Double	Reorder Quantity associated with Reorder Point
Rd_Whole_Unit	Yes/No	Round to Whole Unit. Identifies whether to round to whole stock units. Used primarily by the calculators.
Lot_Trace	Yes/No	Does the material require a lot number?
Ext_Description	Memo	Extended Description for this material
Make_Buy	C1	Indicates whether the item is normally purchased or made in house
Vendor_Reference	C30	Code the Vendor uses to identify this Material
Lead_Days	Integer	Lead Days required when ordering this material.
Drawing	C30	Drawing number for this material/revision
Use_Price_Breaks	Yes/No	Indicates whether or not this Material utilizes Quantity Break Pricing
GL_Account	C100	Default GL Account for this material
Note_Text	Memo	Internal notes for this material
Holder_ID	C50	FGN_KEY to Journal_Entry table, Originating_Transaction field. Holder_Type field in Journal_Entry table tells where Originating_Transaction came from (ie. Job, Material. Etc). For JobBOSS Integration for Synergy.
Job	C30	
Tax_Code	C15	FGN KEY to User_Code table; Type TaxCds. Purchasing Tax Code.

Field	Type	Description
		Used by Purchasing: Used as the default tax code when material placed on a purchase order.
Taxable	Yes/No	Used to determine whether to default the Tax Code. Used by Job Entry: When material is taxable and entered as Part on a job, tax code defaults from Customer. Used by SO Entry: When material is taxable and placed on sales order as item from inventory, defaults tax code from SO General tab
IS_Width	Double	Item Size Width (each material size under Stock Item has its own width.) Only applicable for Coil, Sheet and Preform shapes. For other shapes, information comes from Stock_Item table.
IS_Length	Double	Item Size Length (bar length) (each material size under Stock Item has its own bar length.)
IS_Weight_Factor	Double	Item Size Weight Factor (lbs/Inch) (each material size under Stock Item has its own width.)
IS_Thickness	Double	Item Sizer Thickness This field is not used.
Stock_Item	C50	FGN KEY (GUID) to Stock_Item table
Affects_Schedule	Yes/No	Does this material affect scheduling? Used as the default when adding material to a Job. Used by Job Entry
Tooling	Yes/No	This field is not used.
IsSerialized	Yes/No	Does this material require a serial number?

Field	Type	Description
MaxUsage	Double	User defined parameter indicating the maximum number of times a part/material can be used/refurbished.
ShelfLife	Integer	User defined parameter indicating the shelf life of this material.
ShelfLifeUofM	C10	User defined parameter indicating the unit of measure of the shelf life of this material (Days, Weeks, Months, Years)
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Material_Location Table

Field	Type	Description
ObjectID	Replication ID	
Material_Location	Long Int	PRIMARY KEY
Location_ID	C10	FGN-KEY to Location table (referential integrity is on)
Material	C30	FGN-KEY to Material table (referential integrity is on)

Field	Type	Description
Lot	C20	Identifies the lot associated with the material at this location
On_Hand_Qty	Double	Quantity of material at this location Material_Location records are Created by: • SA Material, Rawstock when material initially added. • Material Adjustments when inventory adjusted • Material Adjustments – Transfer, Transfers when transferring material to a new (non-existent) location • PO Receiving when receiving to a new (non-existent) location • Ship Returns when returning material to stock to a new (non-existent) location On_Hand_Qty is updated by: • Material Adjustments, Location Adjustments, Transfers and Pick Material • Customer Shipments – Jobs, Ship Returns, Other Shipments when shipping from/return to Stock • PO Receiving, Job Receiving when receiving quantity • Pick SO when when picking to sales order • Ship SO when "Auto-Pick Finished Goods when parts are shipped" is selected
Unit_Cost	Double	Unit Cost (99999999.99999) for material at this location Updated by MC Transfers when transferring in FG materials Updated by PO Receiving when receiving cost

Field	Type	Description
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Material_Req Table

Field	Type	Description
ObjectID	Replication ID	
Material_Req	Autonumber	PRIMARY KEY
Job_Operation	Long Int	FGN-KEY to Job_Operation.Job_Operation. The operation this material is linked to when scheduling. Updated/Used by scheduling
Job_Operation_OID	Replication ID	FGN-KEY to Job_Operation,Job_Operation_OID. The operation this material is linked to when scheduling. Updated/Used by scheduling
Job	C30	FGN-KEY to Job.Job
Job_OID	Replication ID	FGN-KEY to Job.Job_OID
Material	C30	FGN-KEY to Material.Material
Material_OID	Replication ID	FGN-KEY to Material.Material_OID
Vendor	C10	FGN-KEY to Vendor table (referential integrity is on > NULL is valid)
Description	C30	Description of material used by this requirement
Pick_Buy_Indicator	Yes/No	Pick from Stock or Buy directly for Job (P, B)
Type	C1	Type of material. Values are: R, H, S, F, M for Rawstock, Hardware, Supplies, Finished Goods. Miscellaneous

Field	Type	Description
Status	C1	Status of requirement. Values are: O, S, C, for Open, Started, Closed Job Entry – set to O when initially added to job or when template job changed to active; set to C when job closed or T for template job. If job complete or closed when requirement added, status set to C. Purchasing – set to S when placed on purchase order (buy) Pick Material – set to S when partial picked or C if full pick (pick) PO Receiving – set to C when full receipt (buy) Job Receiving – set to S when partial received or C when full receipt (buy)
UofM	C4	Stocked Unit of Measure (from the Material record)
Deferred_Qty	Double	Amount of requirement remaining to be ordered or picked. You can see the deferred_qty displayed as the Allocated Qty Initially set to the estimated required qty when material is added to the job (Est_Qty) Purchasing reduces deferred qty by the purchase order qty PO Receiving If partial received and PO line not closed, should not update Deferred_Qty. If PO line closed (either full or short), the requirement is closed and deferred qty is set to zero. (PO line must be closed before deferred qty is updated) Job Receiving reduces deferred by received qty. If requirement is closed (either full or short), deferred qty is set to zero Pick Material reduces deferred qty by picked qty Transfers/Return to Stock increases deferred qty by transferred qty

Field	Type	Description
		Closing matl req on job sets deferred qty to zero. If requirement closed short, reopening requirement sets deferred qty to remaining qty (Est_Qty – Act_Qty)
Est_Qty	Double	Estimated Required Quantity
Est_Unit_Cost	Double	Estimated Unit Cost (99999999.99999)
Est_Addl_Cost	Currency	Estimated Additional Cost (9999999.99)
Addl_Cost_Desc	C25	Additional Cost Description
Est_Total_Cost	Currency	Estimated Total Cost (9999999.99) Includes Est_Addl_Cost
Act_Qty	Double	Actual Required Quantity Updated by PO Receiving when receiving quantity Updated by Job Receiving when receiving quantity Updated by Pick Material when picking FG parts – increases Updated by MC Transfers when transferring FG parts to inventory – reduces Updated by MC Transfers when returning material to stock - reduces
Act_Unit_Cost	Double	Actual Unit Cost (99999999.99999) Updated by PO Receiving when receiving cost Updated by Job Receiving when receiving cost
Act_Addl_Cost	Currency	Actual Additional Cost (9999999.99) Updated by PO Receiving when receiving cost Updated by Job Receiving when receiving cost
Act_Total_Cost	Currency	Actual Total Cost (9999999.99)

Field	Type	Description
		Updated by PO Receiving when receiving cost Updated by Job Receiving when receiving cost
Quantity_Per_Basis	C1	Quantity Per Basis (P, I, B, S) Parts per Item (how many parts can I get from each of the materials) or Items per Part (how much of this material is required for each part I'm making); or Bars or Sheet for Rawstock materials. Preform is also set to S (Parts per Sheet) Updated when material calculator used (Other, Sheet Stock, Bar Stock, Coil, Wire)
Quantity_Per	Double	Quantity Per Used to calculate Est_Qty; depending on Quantity Per Basis. This is the value entered in the Parts per Item/Items per Part field in the materials calculator Ex: • If P, Est_Qty = Order_Qty/Quantity_Per • If I, Est_Qty = Order_Qty * Quantity_Per Updated when material calculator used (Other, Coil, Wire)
Quantity_Multiplier	Double	The Pieces Per value from the Bar Stock, Sheet Stock, and Coil material calculators is stored here Updated when material calculator used (Bar Stock, Sheet, Coil)
Part_Length	Double	Part Length of the part being made. Updated when material calculator used
Part_Width	Double	Part Width of the part being made Updated when material calculator used (Sheet, Coil)

Field	Type	Description
Bar_End	Double	Amount to account for Bar End for barstock Updated when material calculator used
Cutoff	Double	Amount to account for Cutoff for barstock Updated when material calculator used
Facing	Double	Amount to account for Facing for barstock Updated when material calculator used
Bar_Length	Double	Bar Length of barstock Updated when material calculator used
Lead_Days	Integer	Lead days required to order Material. Defaults from Material.Lead_Days, if present, else from Vendor.Lead_Days
Certs_Required	Yes/No	Is Certification required?
Manual_Link	Yes/No	Identifies that a material requirement has been manually linked (by the user) to an operation. Manually set in Scheduling on Links tab
Sched_Start_Date	Date	Scheduled start date of the operation requiring this material (operation that the material is linked to). If the requirement is a Buy, then Material.Lead_Days are subtracted from the operation start date. Updated by scheduling
Sched_End_Date	Date	Scheduled end date of the operation requiring this material (operation that thematerial is linked to). Updated by scheduling Used by Purchasing as Thru Date in PO Reqs dialog filter when there is one, else uses Due_Date
Due_Date	Date	Date material is due from Vendor (material Buys only)

Field	Type	Description
		• Updated manually on Job Entry/Material tab • Updated by Material Planning when material req is placed on a PO • Updated by scheduling if you have Auto Link Material (to routing) option turned on in Preferences or on work center, or Manual_Link = Yes (and Due Date is null) • Used by Purchasing as Thru Date in PO Reqs dialog filter when there is no Sched_Start_Date
Vendor_Reference	C30	Code Vendor uses to identify this Material
Currency_Conv_Rate	Double	Currency exchange rate for international currency conversion Stores Currency_Rate.Rate based on the Source_Currency and Target_Currency. Gets updated until Fixed_Rate = Yes
Trade_Currency	Long Int	FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the vendor associated with the purchase of this material
Fixed_Rate	Yes/No	Identifies whether the exchange rate has been fixed.
Trade_Date	Date	Identifies the date the exchange rate on the material requirement was updated
Note_Text	Memo	Internal notes for this material requirement
Holder_ID	C50	FGN_KEY to Journal_Entry table, Originating_Transaction field. Holder_Type field in Journal_Entry table tells where Originating_Transaction came from (ie. Job, Material. Etc). For JobBOSS Integration for Synergy.
Cost_UofM	C4	Cost Unit of Measure
Cost_Unit_Conv	Double	Conversion factor between UofM (stock

Field	Type	Description
		unit) and Cost UofM. For example: • If stock unit = inch and cost unit = feet: Cost_Unit_Conv = 1/12 or .083333 • If stock unit = lb and cost unit = ea: Cost-Unit_Conv = 1/weight_Factor * 1/IS_Length (Weight_Factor = lbs/inch)
Drawing_ID	C30	Bill of Material ID from engineering drawing. Used to sequence material requirements on reports.
Res_Type	Integer	Reservation Type (Owner Type) Reservation fields are used to show 'reserved' quantity for 'Picks'. Values are: 0 = Stock Item 1 = Source (PO) 2 = Job When PO created for 'pick' requirement, sets Res_Type = 1 When material Received, changes Res_Type (from 1) to 0 Material Planning form set Res_Type = 2 when creating 'build to stock' Job.
Res_ID	C50	Reservation ID (Owner of reserved material) Material ID (for Res_Type 0, Stock) Source ID (for Res_Type 1, PO) Job ID (for Res_Type 2, Job) Updated by Purchasing and Material Planning forms. In Purchasing, when a Mat-Pick is placed on a PO, the Material_Req points to the Source record, whereas, when a Buy is placed on a PO, the Source record points to the Material_Req (or Job_Operation record).

Field	Type	Description
Res_Qty	Double	Reserved Quantity for pick requirement. Updated by Purchasing and Material Planning forms
Partial_Res	Yes/No	Is this a partial reservation? Used by Material Planning form
Affects_Schedule	Yes/No	Does this material affect scheduling? Used by scheduling
Rounded	Yes/No	Identifies whether Rounding was used to calculate Required Quantity
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Material_Trans Table

Field	Type	Description
ObjectID	Replication ID	
Material_Trans	Long Int	PRIMARY KEY
Tran_Type	C10	Type of Transaction. Values are: Transfer (FG to Inv, Material to Inv) Adjustment (Material – when OH Qty added or Location deleted, Rawstock – when OH Qty added or Location deleted, Material Adjustments, Location Adjustments) ReqAdj ("Job Adjustment" Job Split – when material calculator has been used to calculate required qty and material picked. Apparently just a record of the 'pick' going back to inventory and then back out to the new job) Receipt (PO Receiving, Job Receiving, AP Vendor Invoice) Issue (Pick Material) Servshipmt (Vendor Shipment) Invoice (PO Receiving, Job Receiving, AR Customer Invoice) Shipment (Customer Shipments – From Inventory) Loctfr (Location Transfer) Othershpmt (Other Shipments when linked to Job, Material, SO, or PO Line) Response (Request for Quote when Response from Vendor done)
Vendor	C10	FGN KEY to Vendor table (no referential integrity) Invoice Receipt Vendor Shipment

Field	Type	Description
		Response
Customer	C10	FGN KEY to Vendor table (no referential integrity) Shipment (from inventory)
Job	C30	FGN KEY to Job table (no referential integrity) Invoice Receipt Issue Vendor Shipment Other Shipments (if linked to Job)
Sales_Code	C15	FGN KEY to User_Code table (no referential integrity)
Material	C30	FGN KEY to Material table (no referential integrity) Adjustment Invoice Issue Receipt Location Transfer Other Shipment (if linked to Material)
Document	C15	FGN KEY to AP_Document table (no referential integrity) Vendor Shipment
SO_Detail	Long Int	FGN-KEY to SO_Detail table (no referential integrity) Shipment Other Shipment (if linked to sales order)
Job_Operation	Long Int	FGN KEY to Job_Operation table (referential integrity is on)
Material_Req	Long Int	FGN-KEY to Material_Req table (no ref-

Field	Type	Description
		erential integrity) Issue
Source	Long Int	FGN-KEY to Source table (no referential integrity) Invoice Receipt Other Shipment (if linked to PO Line) Response
PO_Number	C20	FGN KEY to PO_Header table (no referential integrity) Invoice Receipt
PO_Line	C10	FGN KEY to PO_Detail table (no referential integrity) Invoice Receipt
Location_ID	C10	FGN-KEY to Location table (referential integrity is on) Adjustment Location Transfer
Lot	C20	Identifies the lot associated with this transaction Adjustment Location Transfer
Cost_UofM	C4	Cost Unit of Measure Adjustment Invoice Issue Receipt Location Transfer Response

Field	Type	Description
Stock_UofM	C4	Stock Unit of Measure Adjustment Invoice Issue Receipt Location Transfer Response
Unit_Cost	Double	Unit Cost (99999999.99999) Adjustment Invoice Issue Receipt Response
Addl_Cost	Double	Additional Cost Receipt
Reason	C15	Reason for Transaction Adjustment
Description	C30	Description of material or the service on this transaction Invoice (description of service) Issue (description of material) Receipt (description of service) Location Transfer (description of material) Vendor Shipment (description of service)
Quantity	Double	Quantity this transaction Adjustment Invoice Issue Receipt Location Transfer

Field	Type	Description
		Vendor Shipment Shipment (from inventory)
Selling_Price	Double	Selling Price
Service	C10	Service done for this transaction Vendor Shipment
GL_Account	C100	GL Account number
Material_Trans_Date	Date	Date of this transaction
Holder_ID	C50	FGN_KEY to Journal_Entry table, Originating_Transaction field. Holder_Type field in Journal_Entry table tells where Originating_Transaction came from (ie. Job, Material. Etc). For JobBOSS Integration for Synergy
Tax_Assigned	Double	Amount assigned as taxable (for purchasing)
No_Quote	Yes/No	Response
Lead_Days	Integer	Lead Days for material at time of trans
Vendor_Trans	Long Int	FGN KEY to Material_Material.Material_Trans. If Tran_Type 'Receipt' or 'Invoice', 'detail' trans records created for each source are set to point to the 'header' Material_Trans record with the Total received. This field is blank for the 'total' record. Ex. There are 3 qtys (sources) for a PO Line. When they are received, 4 Material_Trans records are created; one for each source and one for the total received. This field ties them together.
Trade_Currency	Long Int	FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency for the selling price

Field	Type	Description
Note_Text	Memo	Notes from Vendor Reponses (from MC Request for Quote)
Purch_Unit_Weight	Double	This field is not used.
Processed	Yes/No	Has this Invoice transaction been processed thru the JobBOSS Integration for Quick-Books?
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Operation Table

Field	Type	Description
ObjectID	Replication ID	
Operation	C10	PRIMARY KEY
WorkCenter_OID	Replication ID	FGN-KEY to Work_Center.ObjectID
Work_Center	C10	FGN-KEY to Work_Center.Work_Center.
User_Values	Long Int	FGN-KEY to User_Values table (referential integrity is on - NULL is valid)
Description	C25	Description of this Operation
Est_Setup_Hrs	Double	Default Estimated Setup Hours needed for this Operation. Used as default when oper-ation placed on a job.
Run	Double	Default Run value; used with Run Method to determine run time
Run_Method	C8	Default Run Method for this Operation (Parts/Hr, Hrs/Part, Min/Part, Sec/Part, FixedHrs) Or Is Null
Attended_Pct	Double	Default Attended Percent (0-100) The per-cent that the machine is attended by an operator. used for costing only

Field	Type	Description
Overlap_Method	C3	Default Overlap Method: Hours, Percent, Quantity (none, Hrs, Pct, Qty)
Overlap	Double	Default Overlap Quantity
Efficiency_Pct	Double	Default Efficiency Percent (1 – 100) The efficiency of the machine
Note_Text	Memo	Operation notes
Sched_Resources	Double	Resources to Schedule. Default number of resources to use when scheduling this operation (user specified). If more resources are used, then Total Hrs duration is reduced. Inside operations only Updated by Job Scheduling Used by Scheduling
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Packlist_Detail Table

Field	Type	Description
ObjectID	Replication ID	Unique Index
Packlist_Detail	Long Int	PRIMARY KEY
Packlist	C8	FGN KEY to Packlist_Header table
Job	C30	FGN KEY to Job.Job Used by Customer Shipments – Jobs (Packlist_Header.Type = Shipment)
Job_Operation	Long Int	FGN KEY to Job_Operation.Job_Operation Used by Vendor Shipments (Packlist_Header.Type = Service)
Job_Operation_OID	Replication ID	FGN KEY to Job_Operation.ObjectID Used by Vendor Shipments (Packlist_Header.Type = Service)

Field	Type	Description
Material_Trans	Long Int	FGN KEY to Material_Trans table Used by Customer Shipments – Jobs (when Shipped from Inventory) Used by Vendor Shipments Used by Other Shipments (Material_Trans.Tran_Type = Shipment, Servshipmt, or Othershpmt)
SO_Detail	Lont Int	FGN KEY to Sales Order Detail line item Used by Customer Shipments – Sales Orders (Packlist_Header.Type = SOShip)
Original_Packlist	Long Int	Pointer back to the original Packlist for returns Used by Customer Returns (Packlist_Header.Type = Return)
Invoice_Line	C50	This field is not used.
PO_Number	C20	FGN KEY to PO_Header.PO
PO_Header_OID	Replication ID	FGN KEY to PO_Header.ObjectID
Due_Date	Date	Due Date for detail line
Reopen_Delivery	Yes/No	
Tracking_Nbr	C20	Tracking Number for this line item
Unit_Price	Double	Unit price on job at time shipment was made. Set from Job.Price_UofM
Price_UofM	C4	Unit of Measure for quantity shipped
Quantity	Long Int	Quantity Shipped or sent to an Outside Service via this Packing List
Promised_Qty	Double	Promised Quantity
Backorder_Qty	Double	Backordered Quantity
Instructions	Memo	Delivery Instructions
Note_Text	Memo	Comments for line item printed on Packing

Field	Type	Description
		List
Order_Unit	C4	Unit of measure for order Quantity (stock unit).
Price_Unit_Conv	Double	Conversion factor between Order Unit and Price Unit.
Cartons	Long Int	Number of cartons in shipment
Pallets	Long Int	Number of pallets in shipment
Weight	Double	Weight of shipment
NFMC_Code	C15	Nat'l Motor Freight Code for shipment
Freight_Class	C15	Freight class of shipment
Freight_Amt	Double	Freight charge amount of shipment
Hazardout_Material	Yes/No	Does shipment contain hazardous material?
BOL_Comments	Memo	Comments for Bill of Lading report
Lot	C20	Lot number for the (produced) parts shipped on this packlist line
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Packlist_Header Table

Field	Type	Description
Packlist	C8	PRIMARY KEY
Customer_Vendor	C10	FGN KEY to Customer OR Vendor table depending on packlist Type (no referential integrity)
Invoice	C50	FGN KEY to Invoice_Header table (no referential integrity)
Ship_To	Long Int	FGN KEY to Address table (no referential integrity)

Field	Type	Description
Ship_Via	C15	FGN KEY to User_Code table (no referential integrity)
Contact	Long Int	FGN KEY to User_Code table (no referential integrity)
Packlist_Date	Date	Date of packing list
Type	C8	The type of Packing List. Values are: Shipment, SOShip, Return, Service, Other
Invoiced	Yes/No	Has this Packlist been invoiced? 0 = No, 1 = Yes If Other Packlist, 0 = Customer, 1 = Vendor (other shipments will never be invoiced; just a record of having sent 'some stuff')
Comment	Memo	Comments to be printed on the Packing List
BOL_Number	C10	Number for Bill of Lading report
Carrier_Bill_To	Integer	Billing address for Carrier
BOL_Terms	Integer	Bill of Lading Terms. Values are: Prepaid (default), Collect, Third Party
Third_Party_Acct	C20	Third Party Account number
QB_Ready	Yes/No	Is this ready to send to QuickBooks? For JobBOSS Integration for QuickBooks.
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

PO_Detail Table

Field	Type	Description
ObjectID	Replication ID	
PO_Detail	Long Int	PRIMARY KEY
PO	C8	FGN-KEY to PO_Header.PO
PO_Type	Integer	Identifies whether this is a purchase order or request for quote Vendor (PO) = 0, RFQ = 1
PO_Header_OID	Replication ID	FGN-KEY to PO_Header.ObjectID
Line	C6	Line Number within PO
Status	C8	Status of the po line item. Values are: Unissued, Open, Closed
Order_Quantity	Double	Order Quantity in terms of Purchase_Unit Ordered_Qty from all Source records will be rolled up into Ordered_Quantity field in associated PO_Detail record. Note that the Ordered_Qty in Source records is in terms of the material's stock unit
Purchase_Unit	C4	Unit of Measure for Order_Quantity
Unit_Cost	Double	Estimated Unit Cost (99999999.99999)
Cost_Unit	C4	Unit of Measure for Unit_Cost value
Certs_Required	Yes/No	Is certification required (0 or 1)
Due_Date	Date	Date this line item is due
Vendor_Reference	C30	Material ID used by the Vendor
Purchase_Unit_Weight	Double	This field is not used.
Addl_Cost_Desc1	C15	Description for first additional cost
Addl_Cost_Desc2	C15	Description for second additional cost
Addl_Cost_Est_Amt1	Currency	Estimated Amount for first additional cost

Field	Type	Description
Addl_Cost_Est_Amt2	Currency	Estimated Amount for second additional cost
Addl_Cost_Act_Amt1	Currency	Actual Amount for first additional cost Updated by Job Receiving when cost is received Updated by AP when cost is received
Addl_Cost_Act_Amt2	Currency	Actual Amount for second additional cost Updated by Job Receiving when cost is received Updated by AP when cost is received
Act_Cost	Currency	Actual Cost (99999999.99) Rolled up from all Source rcords based on Source.Act_Unit_Cost and Source.Inv_Qty Updated by PO Receiving when cost is received, with the unit cost of the receipt Updated by Job Receiving when cost is received Updated by AP when cost is received
Est_Ext_Amount	Currency	Estimated Extended Amount for PO Line – calculated based on PO_Detail.Order_Qty and PO_Detail.Unit_Cost Note: Ext Cost column on Purchasing form includes Addl Cost amounts, but database field does NOT include Addl Costs Also note that this does NOT get updated if the Source.Act_Unit_Cost is updated
Ext_Description	Memo	The Customers extended description of the part
GL_Account	C100	GL Account for this line item
Note_Text	Memo	Purchase Order Detail comments
Line_Revision	C4	Revision for po detail line
Holder_ID	C50	For JobBOSS Integration for Synergy

Field	Type	Description
Tax_Code	C15	FGN KEY to User_Code table; Type TaxCds
Addl_Cost_Taxable1	Yes/No	Is this additional cost taxable?
Addl_Cost_Taxable2	Yes/No	Is this additional cost taxable?
Awarded_Vendor	C10	FGN KEY to Vendor table (Vendor ID). Updated by MC Request for Quote when Vendor is awarded the Quote
Lowest_Quote	Long Int	This field is not used.
Price_Locked	Yes/No	Should I ignore Vendor Pricing?
Plan_Modified	Yes/No	Has the po been modified? Used by Purchasing to indicate whether Vendor needs to be contacted due to changes in po.
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

PO_Header Table

Field	Type	Description
ObjectID	Replication ID	
PO	C8	PRIMARY KEY
PO_Type	Integer	PRIMARY KEY. Identifies whether this is a purchase order or request for quote 0 = Vendor (PO), 1 = RFQ
Vendor	C10	FGN-KEY to Vendor table (referential integrity is on)
Ship_To	Long Int	FGN-KEY to Address table (no referential integrity)
Ship_Via	C15	FGN-KEY to User_Code table (no referential integrity)
Terms	C15	FGN-KEY to User_Code table (no referential

Field	Type	Description
		integrity)
Contact	Long Int	FGN-KEY to Contact table (no referential integrity)
Drop_Ship_Ship_To	Long Int	FGN-KEY to Address table (referential integrity is on)
Drop_Ship_Contact	Long Int	FGN-KEY to Contact table (referential integrity is on)
Drop_Ship	C10	Drop Ship ID identifying Vendor
Drop_Ship_Customer	C10	FGN-KEY to Cusotmer table (no referential integrity)
Order_Date	Date	Date PO was generated
Due_Date	Date	Date PO is due
Print_Date	Date	Date PO was printed
FOB	C11	FOB
Status	C8	Status of purchase order. Values are: Unissued, Open, Closed
Issued_By	C30	Who issued the PO
Comment	Memo	Purchase Order Comments. Will print on the Purchase Order
Currency_Conv_Rate	Double	Currency exchange rate for international currency conversion Stores Currency_Rate.Rate based on the Source_Currency and Target_Currency. Gets updated until Fixed_Rate = Yes
Trade_Currency	Long Int	FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the vendor on this PO
Fixed_Rate	Yes/No	Identifies whether the exchange rate has been fixed.
Trade_Date	Date	Identifies the date the exchange rate on the

Field	Type	Description
		PO was updated
Note_Text	Memo	Internal notes for PO (will not print on purchase order)
Tax_Code	C15	FGN KEY to User_Code table; Type TaxCds
Track_Changes	Yes/No	Do you want to track changes for this PO?
User_Values	Long Int	FGN-KEY to User_Values table (referential integrity is on - NULL is valid)
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Preferences Table

Field	Type	Description
ObjectID	Replication ID	Unique Index
Preferences	Long Int	PRIMARY KEY
System_Base_Currency	Long Int	FGN KEY to Currency_Def table
Partner	C16	The EDI Partner ID. On Preferences/General tab
Imperial_Metric	C1	Use Imperial or Metric measurements (I, M) On Preferences/Rawstock tab.
Mat_Cost_Method	C8	Inventory Costing Method to use when material is placed on a job or quote or PO to create the estimated costs. Labeled 'Estimates' on Preferences - Costing tab. Values are Standard, Average, Last. Used by Quote Entry, Job Entry, and Purchasing
Transfer_Cost_Method	C10	Inventory Costing Method to use when transferring into FG inventory. Labeled 'Transfers' on Preferences/Costing tab. Values are Actual, Standard, Estimated. Used by MC Transfers/Transfer to FG Invent-

Field	Type	Description
		ory
Inv_Cost_Method	C8	Inventory Costing Method to use when picking from inventory, adjusting inventory or shipping from stock. Labeled 'Picks' on Preferences/Costing tab. Values are Standard, Average, Last, Lot. Used by MC Pick Material Used by MC Adjustments Used by MC Transfers/Return material to stock Used by Customer Shipments/Ship from stock
Labor_Rate	C1	Job Costing method. On Preferences/Costing tab. Calculate job costs using employee or work center rates (E, W)
Labor_Burden	C1	Work Center Labor Burden Method. On Preferences/Costing tab. Percent or Dollars (P, D). Since 'Dollars' was not an appropriate label for localization, it was changed to 'Fixed Rate'.
Profit_Markup	C1	Pricing Method default. On Preferences/Costing tab. Use Profit Percent or Markup costs by Percent when calculating prices (P, M). Used by Quote Entry. Defaults for Pricing/Quantities sub-tab. Used by Job Entry. Defaults for Pricing/Time & Material sub-tab. Only used for time & material jobs
Profit_Pct	Double	The default Profit Percentage to use when Pricing Method is set to P (Profit Percent). On Preferences/Costing tab. Used by Quote Entry. Defaults for Pricing/Quantities sub-tab. Used by Job Entry. Defaults for Pricing/Time & Material sub-tab. Only used for time &

Field	Type	Description
		material jobs
Labor_Markup_Pct	Double	The default Labor Markup Percentage to use when Pricing Method is set to M (Markup costs by Percent). On Preferences/Costing tab. Used by Quote Entry. Defaults for Pricing/Quantities sub-tab. Used by Job Entry. Defaults for Pricing/Time & Material sub-tab. Only used for time & material jobs
Mat_Markup_Pct	Double	The default Material Markup Percentage to use when Pricing Method is set to M (Markup costs by Percent). On Preferences/Costing tab. Used by Quote Entry. Defaults for Pricing/Quantities sub-tab. Used by Job Entry. Defaults for Pricing/Time & Material sub-tab. Only used for time & material jobs
Serv_Markup_Pct	Double	The default Service Markup Percentage to use when Pricing Method is set to M (Markup costs by Percent). On Preferences/Costing tab. Used by Quote Entry. Defaults for Pricing/Quantities sub-tab. Used by Job Entry. Defaults for Pricing/Time & Material sub-tab. Only used for time & material jobs
Labor_Burden_ Markup_Pct	Double	The default Labor Burden Markup Percentage to use when Pricing Method is set to M (Markup costs by Percent). On Preferences/Costing tab. Used by Quote Entry. Defaults for Pricing/Quantities sub-tab. Used by Job Entry. Defaults for Pricing/Time & Material sub-tab. Only used for time & material jobs

Field	Type	Description
Machine_Burden_ Markup_Pct	Double	The default Material Burden Markup Percentage to use when Pricing Method is set to M (Markup costs by Percent). On Preferences/Costing tab. Used by Quote Entry. Defaults for Pricing/Quantities sub-tab. Used by Job Entry. Defaults for Pricing/Time & Material sub-tab. Only used for time & material jobs
GA_Burden_Markup_ Pct	Double	The default Service Burden Markup Percentage to use when Pricing Method is set to M (Markup costs by Percent). On Preferences/Costing tab. Used by Quote Entry. Defaults for Pricing/Quantities sub-tab. Used by Job Entry. Defaults for Pricing/Time & Material sub-tab. Only used for time & material jobs
Burden_Incl_Comm	Yes/No	Sales Commissions are included in Burden. On Preferences/Costing tab.
SO_Ship_Override	Yes/No	Automatically pick all FG materials when parts are shipped. On Preferences/Costing tab. Used by Customer Shipments – Jobs Used by Customer Shipments – SO
Run_Method	C8	The default Run Time Method (Parts/Hr, Hrs/Part, Min/Part, Sec/Part, FixedHrs) On Preferences/Routing tab.
Default_Status	Long Int	Default Status to use when creating a Job. Values are: Pending, Active or Hold. On Preferences/Routing tab. Used by Job Entry
Quote_Default_Status	Integer	Default Status to use when creating a Quote. Values are: Pending, Active or Hold. On Preferences/Routing tab.

Field	Type	Description
		Used by Quote Entry
Calc_Rem_Hours	C1	Calculate Remaining Hours using Actuals or Estimates. Values are: A, E On Preferences/Routing tab.
Copy_Job_Hours	C1	Use Actual hrs or Estimated hrs when copying a Job. Values are: A, E On Preferences/Routing tab. Used by Copy
Close_Rule	C15	The rule for closing a job with open requirements. Values are: Warn, No Warning, Not Allowed. On Preferences/Routing tab. Used by Job Entry
Auto_Complete_Oper	Yes/No	Automatically complete Operations? On Preferences/Routing tab.
Incl_Scrap_Qty	Yes/No	Include Scrap Quantity when auto completing operations? On Preferences/Routing tab.
Ship_Lead_Days	Integer	The default Lead Days required to ship to customer or get material from a vendor. On Preferences/Scheduling tab. Used by SA Customer as default when customer created. Used by SA Vendor as default when vendor created. (note that services have their own lead days)
Overlap_Method	C3	What is the default Overlap Method to use when scheduling. (Null, Hrs, Pct, Qty). On Preferences/Scheduling tab.
Link_Material	Yes/No	Should Material be Linked to first operation when scheduling? On Preferences/Scheduling tab. Used by Job Scheduling Used by Global Scheduling
Link_Component	Yes/No	Should Components be Linked to parent

Field	Type	Description
		job when scheduling? On Preferences - Scheduling tab. Used by Job Scheduling Used by Global Scheduling
Interface_AR	Yes/No	Is an interface to Accounts Receivable active? On Financial Preferences/AR tab Used by AccountingInterface dll
Sell_Misc_Items	Yes/No	Allow selling of items when they are not in material library Used by SO Entry
Use_Discounts	Yes/No	Allow discounts when selling this item Used by SO Entry
Update_Job_From_PO	Yes/No	This field is not used.
Time_Entry_Pct	Integer	This field is not used.
WC_Rate	Currency	This field is not used.
Order_Unit	C4	Default Order Unit of Measure (stock unit)
Price_Unit	C4	Default Price Unit of Measure
Price_Unit_Conv	Double	Conversion factor between Order Unit (Stocked_UofM) and Price Unit
Quote_Decimal_Places	Long Int	Default Number of decimal places to display for the Quote price
Freight_Class	C15	Default Freight Class for shipping functions
Post_Transactions	Yes/No	Determines whether transactions should be sent to JobBOSS Integration for Synergy
Default_Tran_Limit	Int	Default number of transactions an employee can have open at one time
Home_Prompt	C15	Default company prompt that displays at Data Terminals before Employee logs in. Example could be the Company Name
Track_PO_Changes	Yes/No	When 'on', changes made to Purchase

Field	Type	Description
		Orders are saved to Change_History table
Track_Job_Changes	Yes/No	When 'on', changes made to Jobs are saved to Change_History table
Material_Affects_ Schedule	Yes/No	Default value for scheduling
Allow_Prior_Schedule	Yes/No	Default value for scheduling options dialog Allow Scheduling Prior to Today
Win_Probability	Integer	Default Probability that a Quote will be won. For JobBOSS CRM
Expiration_Days	Integer	Number of days before the Quote will expire. For JobBOSS CRM
QualitySystemURL	T355	This field is not used.
Syn_Items_FG	Yes/No	This field is not used.
Syn_Items_Supply	Yes/No	This field is not used.
Syn_Items_HW	Yes/No	This field is not used.
Syn_Items_Raw	Yes/No	This field is not used.
Syn_Items_IncludeRev	Yes/No	This field is not used.
AutoLogoutOption	Int	Used for Auto-Logout feature. Values are: 0 = Never, 1 = Close, 2 = Relinquish Seat. Default is Never.
AutoLogoutIdleTime	Double	Used for Auto-Logout feature. Number of minutes to wait until performing the AutoLogoutOption.
Unique_JobPart_SerialNum	bit	Used by Serialization module. Specifies whether to be able to use the same SS and Part on a different Job again. Yes = enforce uniqueness and don't allow duplicates to enter the system.
Track_Routing_	Yes/No	When 'on', changes made to Job Routing

Field	Type	Description
Changes		lines (operations) are saved to Change_History table
Quality_Solution_Key	Yes/No	FGN KEY to Third_Party_Integration table. Indicates the Quality Solution chosen on Preferences – Quality tab
QueLagHoursSource	Int	Identifies the source to use for Que and Lag Hours when copying from a Quote to a Quote or Job. 0 = Quote
uniPoint_TokenKey	C30	Key for JobBOSS customers to use uniPoint for quality system. Populated with uniPoint Token Key = 42147-VUFFZFWKBNOZA
uniPoint_Server_Path	C250	Path to uniPoint server for database connection
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Price_Break Table

Field	Type	Description
Price_Break	Long Int	PRIMARY KEY
Material	C30	FGN KEY to Material table The Material ID for customer price breaks (for discrete materials)
Minimum_Qty	Double	The Minimum Quantity to qualify for the associated Sell_Price
Sell_Price	Double	The Selling price for order quantities equal to or greater than the associated Minimum_Qty and less than the next Minimum_Qty (if there is one)

Field	Type	Description
Vendor_Material	C50	FGN KEY (GUID) to Vendor_Material table. Pointer to Material for vendor price breaks
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Quote Table

Field	Type	Description
Quote	C50	PRIMARY KEY
RFQ	C30	Quote Number
Line	C6	Quote Line Number on RFQ (only on top level job)
Assembly_ID	C20	Suffix of Component Quote – appended to RFQ base number when copying a quote
User_Values	Long Int	FGN-KEY to User_Values table (referential integrity is on > NULL is valid)
Sales_Code	C15	FGN-KEY to User_Code table (no referential integrity)
Reason	C15	FGN-KEY to User_Code table (no referential integrity)
Type	C8	Type of Quote. Values are: Assembly, Regu-lar
Top_Lvl_Quote	C50	Top Level Parent for an assembly quote
Quoted_By	C30	The estimator of the quote
Part_Number	C30	Part Number for quote
Rev	C8	Part Number Revision
Description	C30	Part Number Description
Ext_Description	Memo	Extended part number Description
Drawing	C30	Drawing number for this part/revision

Field	Type	Description
Commission_Pct	Double	Commission Percentage allowed for this Job
Certs_Required	Yes/No	Is Certification required?
Status	C8	Status of quote. Values are: Pending, Active, Won, Lost, Hold, No Quote, Template Status set to Won by Copy function when quote copied to a job
Status_Date	Date	Date Status last changed
Priority	Integer	Priority of this quote. Values are 0 to 9. Value 1 is the highest priority.
Assembly_Level	Integer	Assembly Level (0 is top)
Lead_Days	Integer	This field is not used.
Profit_Markup	C1	Profit Markup
Sched_End	Date	Date Job is scheduled to end – 'what if 'scheduling
Sched_Start	Date	Date Job is scheduled to start – 'what if' scheduling
Note_Text	Memo	Internal notes for quote
Comment	Memo	Comments for Order Acknowledgment
Quantity_Per	Float	This field is not used.
Reference	C16	Reference
Win_Probability	Integer	Probability that the Quote will be won. For JobBOSS CRM
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Quote_Additional_Charge Table

Field	Type	Description
Addl_Charge	Long Int	PRIMARY KEY
Quote	C50	FGN-KEY to Quote table (referential integrity on)
Sales_Code	C15	FGN-KEY to User_Code table (no referential integrity)
Description	C25	Description of additional charge
Est_Price	Currency	Estimated Price
Job_Revenue	Yes/No	Include this additional charge in Job Revenue?
Commssionable	Yes/No	Include this Additional Charge in Commission?
Note_Text	Memo	Additional charge notes
Recurring	Yes/No	Is this a recurring charge?
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Quote_Operation Table

Field	Type	Description
Quote_Operation	Long Int	PRIMARY KEY
Vendor	C10	FGN-KEY to Vendor table (referential integrity is on - Null is valid) Vendor if outside operation; blank if inside operation
Work_Center	C10	FGN-KEY to Work_Center table (referential integrity is on - Null is valid) Work Center if inside operation; blank if outside operation
Quote	C50	FGN-KEY to Quote table (referential integrity is on)

Field	Type	Description
WC_Vendor	C10	Work Center if inside operation; Vendor if outside operation
Description	C30	Description of operation
Operation_Service	C10	FGN-KEY to Operation table or Service table (no referential integrity) Operation if inside operation; Service if outside operation
Run	Double	Run Inside operations only
Run_Method	C8	Run Method (Parts/Hr, Hrs/Part, Min/Part, Sec/Part, or FixedHrs) Inside operations only
Est_Run_Per_Part	Double	Estimated time to Run Per Part Inside operations only
Efficiency_Pct	Double	Efficiency Percent (1 to 100) Inside operations only
Attended_Pct	Double	Attended Percentage (0 to 100) The percent that the machine is attended. Inside operations only used for costing only.
Queue_Hrs	Double	Queue Hours Inside operations only
Est_Setup_Hrs	Double	Estimated Setup Hours (9999.99) Inside operations only
Sequence	Integer	Sequence of this operation in the routing
Inside_Oper	Yes/No	Is this an Inside Operation?
Lead_Days	Integer	Lead Days required when shipping to an outside service
Minimum_Chg_Amt	Currency	The minimum charge for this service Outside operations only
Cost_Unit	C4	Cost Unit (each, lot) Outside operations only
Cost_Unit_Conv	Double	Conversion factor from 'each' to the Cost_

Field	Type	Description
		Unit Outside operations only
Run_Labor_Rate	Currency	Labor rate when running an operation Inside operations only
Setup_Labor_Rate	Currency	Labor rate when setting up an operation Inside operations only
Run_Labor_Burden_Rate	Currency	Burden rate on labor to run operation Inside operations only
Setup_Labor_Burden_Rate	Currency	Burden rate on labor to set up operation Inside operations only
Machine_Burden_Rate	Currency	Burden rate on machine Inside operations only
GA_Burden_Rate	Currency	Burden rate for General Admin Inside operations only
Currency_Conv_Rate	Double	Currency exchange rate for international currency conversion Stores Currency_Rate.Rate based on the Source_Currency and Target_Currency. Gets updated until Fixed_Rate = Yes
Trade_Currency	Long Int	FGN KEY to Currency_Def record where Currency_Def matches Trade Currency. Defines trading currency of the vendor associated with an outside service Outside operations only
Fixed_Rate	Yes/No	Identifies whether the exchange rate has been fixed
Trade_Date	Date	Identifies the date the exchange rate on the quote was updated
Note_Text		Internal notes for this routing line
Est_Unit_Cost	Double	Estimated Unit Cost (99999999.9999) Outside operations only
Sched_Resources	Double	Resources to Schedule. Number of resources to use when scheduling this operation (user specified). If more resources are

Field	Type	Description
		used, then Total Hrs duration is reduced. Inside operations only Updated by Job Scheduling Used by Scheduling
Lag_Hours	Double	Lag Hours (99.99) Time that work sits at a work center after the work is completed and/or time it takes to move work to the next WC. Inside operations only Updated by Job Scheduling Used by Scheduling
Overlap	Double	Overlap Inside operations only Overlap value, along with the Overlap_Method (unit), is used to determine the number of Est_Ovl_Hrs. From Job Scheduling, Overlap is always in hours. In Job Scheduling, this value is calculated: Est_Run_Per_Part * Overlap_Qty = Overlap (hours) Updated by Job Entry Updated by Job Scheduling Used by Scheduling
Overlap_Method	C3	Overlap Method Inside operations only Unit for the value in Overlap field. Values are: Hrs, Pct, Qty All 3 values can be specified from Job Entry. If Overlap value is updated from Job Scheduling, Overlap is always in hours and method is set to Hrs. Updated by Job Entry Updated Job Scheduling Used by Scheduling
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Quote_Operation_Qty Table

Field	Type	Description
Quote_Operation_Qty	Long Int	PRIMARY KEY
Quote_Operation	Long Int	FGN-KEY to Quote_Qty table (referential integrity is on)
Quote_Qty_Key	Long Int	FGN-KEY to Quote_Qty table (referential integrity is on)
Est_Setup_Hrs	Double	Estimated Setup Hours (9999.99) Inside operations only
Est_Run_Hrs	Double	Estimated Run Hours (9999.99) Inside operations only
Est_Total_Hrs	Double	Estimated Total Hours (9999.99) Inside operations only
Est_Setup_Labor	Currency	Estimated Setup Labor Cost (9999999.99) Inside operations only
Est_Run_Labor	Currency	Estimated Run Labor Cost (9999999.99) Inside operations only
Est_Labor_Burden	Currency	Estimated Labor Burden Cost (9999999.99) Inside operations only
Est_Machine_Burden	Currency	Estimated Machine Burden Cost (9999999.99) Inside operations only
Est_GA_Burden	Currency	Estimated GA Burden Cost (9999999.99) Inside operations only
Sequence	Integer	Sequence of operation in the routing
Priority	Integer	Priority of this operation. Values are 0 to 9. Value 1 is the highest priority.
Inside_Oper	Yes/No	Is this an Inside Operation?
Est_Unit_Cost	Double	Estimated Unit Cost Outside service only
Est_Addl_Cost	Currency	Estimated Additional Cost Outside service only
Addl_Cost_Desc	C15	Additional Cost Description Outside service

Field	Type	Description
		only
Est_Total_Cost	Currency	Estimated Total Cost of outside service Outside service only Includes Est_Addl_Cost
Offset_Rate	Currency	Amount to adjust the rate for this quantity
Nbr_Setups	Double	Number of setups for this operation for this quantity
Run	Double	
Run_Method	C8	
Efficiency_Pct	Double	
Est_Run_Per_Part	Double	
Locked	Yes/No	
Setup_Hrs	Double	
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Quote_Qty Table

Field	Type	Description
Quote_Qty_Key	Long Int	PRIMARY KEY
Quote	C50	FGN KEY to Quote Table (referential integrity is on)
Parent_Quote_Qty_Key	Long Int	FGN KEY to Quote_Qty Table (no referential integrity)
Quote_Qty	Long Int	Estimated Quantity
Yield_Pct	Double	Yield Percentage
Make_Quantity	Long Int	Estimated Make Quantity
Est_Setup_Hrs	Double	Estimated Setup Hours Inside operations only Rolled up from Quote_Operation_Qty

Field	Type	Description
		records
Est_Run_Hrs	Double	Estimated Run Hours Inside operations only Rolled up from Quote_Operation_Qty records
Est_Total_Hrs	Double	Estimated Total Hours Inside operations only Rolled up from Quote_Operation_Qty records
Est_Labor	Currency	Estimated Labor cost Inside operations only Rolled up from Quote_Operation_Qty records
Est_Material	Currency	Estimated Material cost Rolled up from Quote_Req_Qty records
Est_Service	Currency	Estimated Service cost Outside operations only Rolled up from Quote_Operation_Qty records
Est_Labor_Burden	Currency	Estimated Labor Burden cost Inside operations only Rolled up from Quote_Operation_Qty records
Est_Labor_Burden	Currency	Estimated Machine Burden cost Inside operations only Rolled up from Quote_Operation_Qty records
Est_GA_Burden	Currency	Estimated GA Burden cost Inside operations only Rolled up from Quote_Operation_Qty records
Unit_Price	Double	Calculated Unit Price for this quantity Calculated Price
Quoted_Unit_Price	Double	Quoted Unit Price for this quantity.

Field	Type	Description
		Manually set price.
Total_Price	Currency	Total Price
Price_UofM	C4	Price Unit of Measure
Profit_Pct	Double	Profit Percentage
Labor_Markup_Pct	Double	Labor Markup Percentage
Mat_Markup_Pct	Double	Material Markup Percentage
Serv_Markup_Pct	Double	Service Markup Percentage
Labor_Burden_ Markup_Pct	Double	What is the default Labor Burden Markup Percentage
Machine_Burden_ Markup_Pct	Double	What is the default Material Burden Markup Percentage
GA_Burden_Markup_ Pct	Double	What is the default Service Burden Markup Percentage
Open_Operations	Integer	Open Operations
Note_Text	Memo	Internal notes for this operation
Order_Unit	C4	Unit of measure for Order Quantity
Price_Unit_Conv	Double	Conversion factor between Order Unit (stock unit) and Price Unit

Field	Type	Description
Decimal_Places	Long Int	Number of decimal places to display for the quote price
Price_Source	Long Int	Price_Source defaults to 'Material' initiallywhen Part placed on a quote if there is a Material record. When changes to costs are made to the quote, then source changes to 'Quote'. If the Part added to aquote is a non-inventoried item, then Price_Source is set to 'Quote' initially. 0 = Material, 1 = Quote
Locked_Source	Yes/No	Do you want Quote_Price automatically calculated? Set to True if Unit_Price and Quoted_Unit_Price are equal.
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Quote_Req Table

Field	Type	Description
Quote_Req	Long Int	PRIMARY KEY
Quote	C50	FGN KEY to Quote Table (referential integrity is on)
Material	C10	FGN KEY to Material Table (referential integrity is on - Null is valid)
Quote_Operation	Long Int	FGN KEY to Quote_Operation Table (no referential integrity)
Vendor	C10	FGN KEY to Vendor Table (referential integrity is on - Null is valid)
Type	C1	Type of material. Values are: R, H, S, F, M for Rawstock, Hardware, Supplies, Finished Goods, Miscellaneous
Description	C30	Description of material used by this requirement

Field	Type	Description
Pick_Buy_Indicator	C1	Pick from Stock or Buy directly for Job. Values are: P, B
Quantity_Per_Basis	C1	Quantity Per Basis. Values are: P, I, B, S Parts per Item (how many parts can I get from each of the materials) or Items per Part (how much of this material is required for each part I'm making); or Bars or Sheet for Rawstock materials
Quantity_Per	Double	Quantity Per Used to calculate Est_Qty; depending on Quantity Per Basis. This field is not set until the calculator is used; this is the value entered in the Parts per Item/Items per Part field in the materials calculator Ex: • If P, then Est_Qty = Order_Qty/Quantity_Per • If I, then Est_Qty = Order_Qty * Quantity_Per
UofM	C4	Stocked Unit of Measure
Cost_UofM	C4	Cost Unit of Measure
Est_Unit_Cost	Double	Estimated Unit Cost (99999999.99999)
Vendor_Reference	C30	Vendor Reference for this material
Part_Length	Double	Part Length. Updated when material calculator used
Part_Width	Double	Part Width Updated when material calculator used
Bar_End	Double	Amount to account for Bar End Updated when material calculator used
Cutoff	Double	Amount to account for Cutoff Updated when material calculator used
Facing	Double	Amount to account for Facing

Field	Type	Description
		Updated when material calculator used
Bar_Length	Double	Bar Length Updated when material calculator used
Certs_Required	Yes/No	Is Certification required?
Sched_Start_Date	Date	Scheduled start date of the operation requiring this material Updated by scheduling
Sched_End_Date	Date	Scheduled end date of the operation requiring this material Updated by scheduling
Currency_Conv_Rate	Double	Currency conversion rate for international currency conversion Stores Currency_Rate.Rate based on the Source_Currency and Target_Currency. Gets updated until Fixed_Rate = Yes
Trade_Currency	Long Int	FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the customer on this quote
Fixed_Rate	Yes/No	Identifies whether the exchange rate has been fixed.
Trade_Date	Date	Identifies the date the exchange rate on the job was updated
Note_Text	Memo	Internal notes for this material requirement
Cost_Unit_Conv	Double	Conversion factor between UofM (stock unit) and Cost UofM. For example, if stock unit = inch and cost unit = feet, the Cost_Unit_Conv = 1/12 or .083333
Quantity_Multiplier	Double	The Pieces Per value from the Bar Stock, Sheet Stock, and Coil material calculators is stored here

Field	Type	Description
Drawing_ID	C30	Bill of Material ID from engineering drawing. Used to sequence material requirements on reports.
Affects_Schedule	Yes/No	Does this material affect scheduling? Used by scheduling
Rounded	Yes/No	Identifies whether Rounding was used to calculate Required Quantity
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Quote_Req_Qty Table

Field	Type	Description
Quote_Req_Qty	Long Int	PRIMARY KEY
Quote_Req	C10	FGN KEY to Quote_Req table (referential integrity is on)
Quote	C50	FGN KEY to Quote table (referential integrity is on)
Material	C30	FGN KEY to Material table (referential integrity is on - Null is valid)
Quote_Qty_Key	Long Int	FGN KEY to Quote_Qty table (referential integrity is on)
Make_Quantity	Long Int	Make Quantity for this Quote Quantity
Est_Qty	Double	Estimated Quantity of Material needed
Est_Unit_Cost	Double	Estimated Unit Cost (99999999.99999)
Est_Addl_Cost	Currency	Estimated Additional Cost (9999999.99)
Addl_Cost_Desc	C25	Additional Cost Description

Field	Type	Description
Est_Total_Cost	Currency	Estimated Total Cost (9999999.99) Includes Est_Addl_Cost
Lead_Days	Integer	Lead Days to allow when ordering this Material
Affects_Schedule	Yes/No	Does this material affect scheduling? Used by scheduling
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Raw_Stock_OLD

This table is not used.

Raw_Stock_Weight Table

Field	Type	Description
Type	C10	PRIMARY KEY. Type of Alloy for rawstock material
Class	C10	Class of rawstock material
Lbs_Per_Cu_In	Decimal	Pounds Per Cubic Inch (99.9999)
TFM_Alloy	C20	FOREIGN KEY to TFM_Alloy table. Tools for Mfg Alloy code.
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Receipt Table

Field	Type	Description
Receipt	C50	PRIMARY KEY (GUID)
Customer	C10	FGN-KEY to Customer table (referential integrity is on - NULL is valid)
Bank	C15	This field is not used.
AR_Code	C15	FGN-KEY to User_Code table (no referential

Field	Type	Description
		integrity)
Reference	C8	Document reference
Reverse_Entry	Yes/No	Is this a reversing entry?
Type	C1	Type of Receipt: Customer Receipt, Adjustment or GL Cash Receipt. Values are: R, A, G. (Discounts are considered Adjustments.)
Amount	Currency	Amount of this receipt (this is in the base currency)
Receipt_Date	Date	Date of receipt
Payer	C30	Payer
GL_Account	C10	GL Account number for this receipt
Deposit	C50	FGN KEY to Deposit table
Customer_Receipt	C50	
Period	C50	FGN Key to Fiscal_Period table
Note_Text	Memo	Internal notes for receipt Updated by AR Adjustments
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Receipt_Distribution Table

Field	Type	Description
Receipt_Distribution	C50	Primary Key (GUID)
Receipt	C50	FGN KEY to Receipt table or GL_Entry table (GUID) (this is really not 'Receipt' anymore, but the 'Owner'.)
AR_Code	C20	AR Code receipt amount applied to (will be EITHER AR Code OR GL Account code)
GL_Account	C10	GL Account receipt amount applied to

Field	Type	Description
Amount	Double	Amount of receipt (99999999.99)
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

RFQ Table

Field	Type	Description
RFQ	C30	FGN-Key to Quote table. Quote Number.
Customer	C10	FGN-KEY to Customer table (referential integrity is on)
Sales_Rep	C6	FGN-KEY to Employee table (referential integrity is on > NULL is valid)
Ship_To	Long Int	FGN-KEY to Address table (referential integrity is on > NULL is valid)
User_Values	Long Int	FGN-KEY to User_Values table (referential integrity is on > NULL is valid)
Contact	Long Int	FGN-KEY to Contact table (no referential integrity)
Terms	C15	FGN-KEY to User_Code table (no referential integrity)
Sales_Code	C15	FGN-KEY to User_Code table (no referential integrity)
Ship_Via	C15	FGN-KEY to User_Code table (no referential integrity)
Reference	C30	Customer reference number; can be used to tie multiple quotes together for printing in Quote by Reference.
Quoted_By	C6	The estimator of the quote
RFQ_Date	Date	Date RFQ was received on (RFQ Received on)
Quote_Date	Date	Date Quote was started (Quote Started on)

Field	Type	Description
Submittal_Due_Date	Date	Date quote is due (Submittal Due by)
Submitted_Date	Date	Date quote was submitted (Submitted on)
Expiration_Date	Date	Date quote expires (Expires on)
Commission_Pct	Double	Commission Percentage allowed for this Job
Certs_Required	Yes/No	Is Certification required?
Status	C8	Status of quote. Values are: Pending, Active, Won, Lost, Hold, No Quote, Template Status set to Won by Copy function when quote copied to a job
Status_Date	Date	Date Status last changed
Priority	Integer	Priority of this quote. Values are 0 to 9. Value 1 is the highest priority.
Currency_Conv_Rate	Double	Currency conversion rate for international currency conversion Stores Currency_Rate.Rate based on the Source_Currency and Target_Currency. Gets updated until Fixed_Rate = Yes
Trade_Currency	Long Int	FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the customer on this quote
Fixed_Rate	Yes/No	Identifies whether the exchange rate has been fixed.
Trade_Date	Date	Identifies the date the exchange rate on the job was updated
Note_Text	Memo	Internal notes for quote
Comment	Memo	Comments for Order Acknowledgment
Followup_Date	Date	Date to follow up on an RFQ (Followup Date).

Field	Type	Description
Act_Followup_Date	Date	Date follow up actually took place (Date Followed Up)
Source	C20	The source application that created the job. System (JobBOSS) SDK Synergy
Win_Probability	Integer	Probability that the RFQ will be won. For JobBOSS CRM
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

RFQ_Vendor Table

Field	Type	Description
RFQ_Vendor	C50	PRIMARY KEY (GUID)
Vendor	C10	FGN-KEY to the Vendor table
PO_Header	C8	FGN-KEY to the PO_Header table
Date_Added	Date	Date vendor was added to RFQ
Trade_Currency	Long Int	FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the vendor associated with this material
Send_To_Address	Long Int.	FGN KEY to Address table
Contact	Long Int	FGN KEY to Contact table
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

RptPref Table

Field	Type	Description
Preferences	Long Int	PRIMARY KEY
Address	Long Int	FGN-KEY to Address table (referential integrity is on - NULL is valid) pointer to Company Address. On Preferences/General tab.
Company_Logo	OLE Object	Company Logo image to be printed on forms (e.g. Quote, Purchase Order)
URL	Memo	The Company web site address. On Preferences/General tab
Quote_Head	Memo	Header comment to print on Quote. On Preferences/Forms tab
Quote_Foot	Memo	Footer comment to print on Quote. On Preferences/Forms tab
PO_Head	Memo	Header comment to print on Purchase Order. On Preferences/Forms tab
PO_Foot	Memo	Footer comment to print on Purchase Order. On Preferences/Forms tab
Cust_Pack_Head	Memo	Header comment to print on Customer Packlist. On Preferences/Forms tab
Cust_Pack_Foot	Memo	Footer comment to print on Customer Packlist. On Preferences/Forms tab
Vend_Pack_Head	Memo	Header comment to print on Vendor Packlist. On Preferences/Forms tab
Vend_Pack_Foot	Memo	Footer comment to print on Vendor Packlist. On Preferences/Forms tab
Acknow_Head	Memo	Header comment to print on Order Acknowledgment. On Preferences/Forms tab
Acknow_Foot	Memo	Footer comment to print on Order Acknowledgment. On Preferences/Forms tab
Invoice_Head	Memo	Header comment to print on Invoice/Credit Memo. On Preferences/Forms tab

Field	Type	Description
Invoice_Foot	Memo	Footer comment to print on Invoice/Credit Memo. On Preferences/Forms tab
RFQ_Head	Memo	Header comment to print on Request for Quote. On Preferences/Forms tab
RFQ_Foot	Memo	Footer comment to print on Request for Quote. On Preferences/Forms tab
Print_BO_PL	Yes/No	Print backorder quantity on packing list. On Preferences/Forms tab For Customer Packlist and Vendor Packlist
Print_BO_Inv	Yes/No	Print backorder quantity on invoice, On Preferences/Forms tab
Route_Header1	C10	User Section Headings when printing Wide format of Traveler. Routing Column 1. On Preferences/Traveler tab
Route_Header2	C10	User Section Headings when printing Wide format of Traveler. Routing Column 2. On Preferences/Traveler tab
Route_Header3	C10	User Section Headings when printing Wide format of Traveler. Routing Column 3. On Preferences/Traveler tab
Mat_Header1	C10	User Section Headings when printing Wide format of Traveler. Material Column 1. On Preferences/Traveler tab
Mat_Header2	C10	User Section Headings when printing Wide format of Traveler. Material Column 2. On Preferences/Traveler tab
Mat_Header3	C10	User Section Headings when printing Wide format of Traveler. Material Column 3. On Preferences/Traveler tab
Inc_Job_Notes	Yes.No	Include Job Notes on Traveler? On Preferences/Traveler tab
Hide_Customer	Yes.No	Hide Customer information on Traveler? On

Field	Type	Description
		Preferences/Traveler tab
Inc_Route	Yes.No	Include Routing on Traveler? On Preferences/Traveler tab
Inc_Route_Notes	Yes.No	Include Routing Notes on Traveler? On Preferences/Traveler tab
Hide_Estimates	Yes.No	Hide estimated setup and run times? On Preferences/Traveler tab
Inc_Matl	Yes.No	Include Material on Traveler? On Preferences/Traveler tab
Inc_Picks	Yes.No	Include Picks on Traveler? On Preferences/Traveler tab
Inc_Buys	Yes.No	Include Buys on Traveler? On Preferences/Traveler tab
Inc_Comp	Yes.No	Include Component Jobs on Traveler? On Preferences/Traveler tab
Inc_Services	Yes.No	Include Services on Traveler? On Preferences/Traveler tab
Inc_Deliveries	Yes.No	Include Delivery Schedule on Traveler? On Preferences/Traveler tab
Print_Order	C4	Order to print Traveler sections. Deliveries (D), Routings (R), Material (M), Services (S). Values are:(DRMS, MSRD, RMSD, RDMS. On Preferences/Traveler tab
Print_Comp_Jobs	Yes.No	When printing a Traveler for an Assembly Job, should a Traveler always be printed for each Component Job? On Preferences/Traveler tab
Print_Bar_Codes	C1	Defines type of Bar Code to be printed on the Traveler. Values area: N (No Bar Code), L (Large Bar Code), or S (Small Bar Code). On Preferences/Traveler tab
Print_Wide	Yes/No	Should the wide version of the Traveler be used? On Preferences/Traveler tab

Field	Type	Description
BS_Print_Format	C2	Defines whether Balance Sheet is Stacked (ST) or Side by Side (SS) Defined on GL Financial Statements form
Print_Zero_Balances	Yes/No	Defines whether to print zero balance accounts on income statements Defined on GL Financial Statements form
Neg_Nbr_Format	C1	Defines the format for printing negative numbers on balance sheet and income statement (–10.00, (10.00), or < 10.00 >) Defined on GL Financial Statements form
Round_To_Dollar	Yes/No	This field is not used.
Quote_Form_Type		This field is not used.
Nbr_Copies_Quote		This field is not used.
Fax_Quote		This field is not used.
Acknow_Form_Type		This field is not used.
Nbr_Copies_Acknow		This field is not used.
Fax_Acknow		This field is not used.
Invoice_Form_Type		This field is not used.
Nbr_Copies_Invoice		This field is not used.
Fax_Invoice		This field is not used.
Pack_Form_Type		This field is not used.
Nbr_Copies_Pack		This field is not used.
Fax_Pack		This field is not used.
PO_Form_Type		This field is not used.
Nbr_Copies_PO		This field is not used.
Fax_PO		This field is not used.

Field	Type	Description
Vend_Pack_Form_Type		This field is not used.
Nbr_Copies_Vend_ Pack		This field is not used.
Fax_Vend_Pack		This field is not used.
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Scenario_Detail Table

Field	Type	Description
Scenario_Detail	C50	PRIMARY KEY (GUID)
Scenario_Header	C50	FGN-KEY to Scenario_Header table (GUID)
Description	C30	Description of scenario detail
Coefficient	Integer	
Amount	Double	
Scenario_Date	Date	
Satisfied	Yes/No	
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Scenario_Header Table

Field	Type	Description
Scenario_Header	C50	PRIMARY KEY (GUID)
Scenario	C30	Description of scenario
Parent_ID	C50	(GUID) pointer to AP_Document or Invoice_ Header table
Is_Customer	Yes/No	
Type	C15	

Field	Type	Description
Comment	Memo	Comment
Contact_Date	Date	
Status	C15	
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Sched_Bill_Dist Table

Field	Type	Description
Sched_Bill_Dist	C50	PRIMARY KEY (GUID)
Scheduled_Bill	C50	FGN Key to Scheduled_Bill table
Amount	Double	Amount of recurring bill
Description	C30	Description of recurring bill
GL_Account	C10	
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Scheduled_Bill Table

Field	Type	Description
Scheduled_Bill	C50	PRIMARY KEY (GUID)
Vendor	C10	FGN KEY to Vendor table
Remit_To	Long Int	FGN KEY to Address table
Started_Date	Date	Date recurring bill was first started
Invoice_Day	Integer	Day of month recurring bill should occur on

Field	Type	Description
Base_Number	C20	Base number to use on recurring bill
Occurrence	Integer	Number to append to the base number
Note_Text	Memo	Notes for the recurring invoice
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

SerialNumber Table

Field	Type	Description
ObjectID	Replication ID	PRIMARY KEY (GUID)
SerialNumber	C25	Serial Number associated with this inventory item Updated by Serial Number generator
PartNumber	C30	Material ID for this inventory item Updated by Serial Number generator
CurrentUsage	Double	Count of Usage for this inventory item Updated by Serial Number generator
ExpirationDate	Date/Time	Expiration date for this inventory item Updated by Serial Number generator
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

SerialNumberDetail Table

Field	Type	Description
ObjectID	Replication ID	PRIMARY KEY (GUID)
SerialNumber_OID	Replication ID	FOREIGN KEY to SerialNumber.ObjectID
Reference_OID	Replication ID	FOREIGN KEY to ObjectID in table associated with the creation of this SN detail record (could be Job, PO_Detail, Job_Operation_Time, Material_Location, etc)
OwnerReference_OID	Replication ID	FOREIGN KEY to ObjectID in table this serial number is 'owned' by. For Part serial numbers, could be Job or SO_Detail For Buys to Stock, will be the Material_Req associated with the purchase order Note: for detail where Reference is Job.ObjectID, the Owner would be Null; that is, it won't point to itself.
ObjectType	Int	Identifies the Type of function that created this SN Detail record 1 = Job, 2 = Sales Order, 3 = Job Shipment, 4 = Sales Order Shipment, 5 = Inventory Shipment, 6 = Vendor Shipment, 7 = Time Entry, 8 = Scrap Time Entry, 9 = Material Location, 10 = Transfer, 11 = Removed (from inventory), 12 = Sales Order Pick, 13 = Material Requirement, 14 = Purchase Order, 15 = Return Shipment
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Service Table

Field	Type	Description
Service	C10	PRIMARY KEY
User_Values	Long Int	FGN-KEY to User_Values table (referential integrity is on - NULL is valid)
Description	C25	Description of the service Updated by SA Service
Minimum_Chg	Currency	Minimum Charge for service Updated by SA Service
Lead_Days	Integer	Lead Days for service Updated by SA Service
Note_Text	Memo	Service notes Updated by SA Service
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Shape_Dimension Table

Field	Type	Description
Shape_Dimension	C50	PRIMARY KEY (GUID)
Shape	C50	FGN KEY to Shape table
DB_Field_Name	C50	FGN KEY to Stock_Item table/Dimension_ field
Dimension	C50	Dimension of shape (e.g. Width or Thick-ness)
Display_Name	C50	Text displayed on form to identify this dimension
Unique_Dimension	Yes/No	Identifies the Dimension that displays for the Stock Item for grouping material sizes under on the SA Raw Stock form
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Shapes Table

Field	Type	Description
ObjectID	Replication ID	Unique Index. FGN KEY to WCMaterialShape.Shape_OID
Shape	C10	PRIMARY KEY. FGN KEY to Material.Shape
Volume	C254	Contains the formula for calculating the volume of the shape
Type	C1	Shape type, Barstock (linear) or Preform (area). P = Sheet and Preform shapes, B = all other shapes
Index	Integer	
Field1	C15	This field is not used.
Field2	C15	This field is not used.
Field3	C15	This field is not used.
Field4	C15	This field is not used.
UserDefined	Yes/No	This field is not used.
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Shift Table

Field	Type	Description
Shift	Replication ID	PRIMARY KEY (GUID)
Shift_Name	C20	Name of shift
Daily_OT_Threshold	Double	The number of hours worked after which daily overtime starts when applying payroll rates. Used by Data Collection
Daily_DT_Threshold	Double	The number of hours worked after which daily double time starts when applying payroll rates.

Field	Type	Description
		Used by Data Collection
Weekly_OT_Threshold	Double	The number of hours worked after which weekly overtime starts when applying payroll rate. Used by Data Collection
Weekly_DT_Threshold	Double	The number of hours worked after which weekly double time starts when applying payroll rate. Used by Data Collection
Round_Direction	Long Int	The direction to round in when logging in with Time & Attendance transaction (if not within the specified grace period): 0 = Company Favor, 1 = Employee Favor, 2 = Backward, 3 = Forward, 4 = Nearest Used by Data Collection
Round_Increment	Long Int	The increment to use when rounding: 0 = None, 1 = 5 min, 2 = 6 min, 3 = 10 min, 4 = 15 min, 5 = 20 min, 6 = 30 min, 7 = 1 hour Used by Data Collection
Round_Job_Time	Yes/No	Apply rounding to Op/Job Start transactions? Used by Data Collection Looks like this was never implemented

Field	Type	Description
Saturday_Holiday	Yes/No	Is Saturday normally a non working day? Used by Data Collection
Sunday_Holiday	Yes/No	Is Sunday normally a non working day? Used by Data Collection
CutOff_Hrs	Double	Number of hours to add to Shift_Day.End_Time before the work day cuts off (that is, the Work Date goes to next day). That means that midnight is not necessarily the end of the work day. Used by Data Collection
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Shift_Day Table

Field	Type	Description
Shift_Day	Replication ID	PRIMARY KEY (GUID)
Shift	Replication ID	FGN-KEY to Shift.Shift or Shift_Override.ObjectID (changed Type from C50 to Replication ID in 11.0 (Days defined on Shift form point to Shift table; Shift = Shift.Shift. Days defined as Overrides in Work Center form go thru the Shift_Override table, which then point to the Shift table; Shift = Shift_Override.ObjectID.)
Start_Time	Date	Time shift begins
End_Time	Date	Time shift ends
PreStart_Grace	Long	Grace period prior to shift Start_Time when logging in, that is, doing a Time & Attendance transaction. If employee is within the grace period, then login time is set to the start of the shift day. (Note: Rounding rules take affect outside of grace periods) Used by Data Collection

Field	Type	Description
PostStart_Grace	Long	Grace period following shift Start_Time when logging in, that is, doing a Time & Attendance transaction. If employee is within the grace period, then login time is set to the start of the shift day. (Note: Rounding rules take affect outside of grace periods) Used by Data Collection
PreEnd_Grace	Long	Grace period prior to shift End_Time when logging out, that is, doing a Time & Attendance transaction. If employee is within the grace period, then logout time is set to the end of the shift day. (Note: Rounding rules take affect outside of grace periods) Used by Data Collection
PostEnd_Grace	Long	Grace period following shift End_Time when logging out, that is, doing a Time & Attendance transaction. If employee is within the grace period, then logout time is set to the end of the shift day. (Note: Rounding rules take affect outside of grace periods) Used by Data Collection
Sequence	Long	Sequence number for the day 0 = Sunday, 1 = Monday, 2 = Tuesday, 3 = Wednesday, 4 = Thursday, 5 = Friday, 6 = Saturday Used by Data Collection
First_Day	Yes/No	Indicates the first day of the week Used by Data Collection
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Shift_Override Table

Field	Type	Description
ObjectID	Replication ID	PRIMARY KEY (GUID).
Shift_Name	C20	Name of shift. (Set from Shift table). FGN key to Shift.Shift_Name
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

SO_Detail Table

Field	Type	Description
ObjectID	Replication ID	
SO_Detail	Autonumber	PRIMARY KEY of Sales Order Detail record
Sales_Order	C30	FGN-KEY to Sales Order record
SO_Line	C10	Line number indicating the order of the items on the Sales Order/Customer PO
PO	C8	Identifies the Vendor PO Header
Line	C6	Identifies the specific PO_Detail record ordering the parts for the Sales Order line item
Material	C30	FGN-KEY used to identify the item on the Material table
Description	C30	Material description for misc items being sold
Ship_To	Long Int	FGN-KEY used to find the Ship-To address
Drop_Ship	Yes/No	Indicates if the line item needs to be drop shipped (pertinent to a Buy item only)
Quote	C30	Identifies the Quote sent to the Customer for the Sales Order line item. This gets populated when the quote is copied to a sales order.

Field	Type	Description
		Updated by SO Copy
Job	C30	Identifies the Job making the parts for the Sales Order line item. Gets populated when the job is linked to the sales order.
Status	C9	The Status of the Sales Order line item. Values are: Open, Hold, Shipped, Backorder, Closed
Make_Buy	C1	Indicates whether the item is normally purchased or made inhouse
Unit_Price	Double	The price per unit for this line item
Discount_Pct	Double	The discount percent to be applied to the Unit_Price
Price_UofM	C4	The unit of measure for unit price
Total_Price	Currency	The result of multiplying Order_Qty times Unit_Price
Prepaid_Amt	Currency	Amount prepaid on this sales order (in Base currency).
Unit_Cost	Double	The cost per unit at the time the item was issued to the Sales Order
Order_Qty	Double	Identifies the quantity ordered
Stock_UofM	C4	The unit of measure for Order quantity (that is, the order unit)
Backorder_Qty	Double	The quantity that wasn't available to ship but will be shipped when it becomes available
Picked_Qty	Double	The accumulative quantity that has been issued to the Sales Order line item. Updated by Customer Shipments – SO function when auto pick option is 'on' in Preferences.
Shipped_Qty	Double	The accumulative quantity that has been shipped on the Sales Order line item.

Field	Type	Description
		Updated by Customer Shipments – SO
Returned_Qty	Double	The accumulative quantity that has been returned for the Sales Order line item Updated by Customer Returns
Deferred_Qty	Double	Quantity remaining to order or pick for sales order Updated by Customer Shipments – SO when auto pick option is 'on' in Preferences (if you ship less than the full quantity) - reduces Updated by Pick Parts - reduces
Certs_Required	Yes/No	Indicates that certification is required for this Sales Order
Commissionable	Yes/No	Indicates that the Sales Order line item will have commissions paid against it
Commission_Pct	Double	The commission rate used to calculate the amount of commission for the SO line item
Sales_Code	C15	FGN-KEY to User_Code table. Sales Code and GL Account this SO line item is credited to
Promised_Date	Date	Date that delivery of the parts is promised to the customer
Note_Text	Memo	Additional notes/comments regarding the line item on the Sales Order
Price_Unit_Conv	Double	Conversion factor between Stock_UofM (order unit) and Price Unit
Rev	C8	Part Number revision
Tax_Code	C15	FGN KEY to User_Code table; Type TaxCds
Ext_Description	Memo	Extended Description
Cost_UofM	C4	Cost Unit of Measure
Cost_Unit_Conv	Double	Conversion factor between Stock_Uofm

Field	Type	Description
		(order unit) and Cost_UofM For example, if stock unit = inch and cost unit = feet, the Cost_Unit_Conv = 1/12 or .083333
Res_Type	Integer	Reservation Type (Owner Type) Values are: 0 = Stock, 1 = Source (PO), 2 = Job Used by Material Planning form
Res_ID	C50	Reservation ID (Owner of reserved material) Material ID, Source ID, Job ID Used by Material Planning form
Res_Qty	Double	Reserved Quantity Used by Material Planning form
Partial_Res	Yes/No	Is this a partial reservation? Used by Material Planning form
Prepaid_Trade_Amt	Currency	Amount prepaid on this sales order (in Trade currency)
CommissionIncluded	Yes/No	Indicates whether Sales Commission is included in the Price
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

SO_Header Table

Field	Type	Description
Sales_Order	C30	Secondary identifier of Sales Order
Customer	C10	FGN KEY to Customer table (referential integrity is enforced)
Ship_To	Long Int	FGN KEY to Address table (referential integrity is enforced) Null is valid
Contact	Long Int	FGN-KEY to Contact table (no referential integrity)

Field	Type	Description
Sales_Rep	C6	FGN KEY to Employee table
Order_Taken_By	C6	FGN KEY to Employee table
Ship_Via	C15	FGN KEY to User_Code table (no referential integrity)
Ship_Via	C15	FGN KEY to User_Code table (no referential integrity)
Terms	C15	FGN KEY to User_Code table (no referential integrity)
User_Values	Long Int	FGN KEY to User_Values table (no referential integrity)
Sales_Tax_Amt	Currency	Amount of Sales Tax associated with this order
Sales_Tax_Rate	Double	Amount of Sales Tax associated with this order
Order_Date	Date	Amount of Sales Tax associated with this order
Promised_Date	Date	Amount of Sales Tax associated with this order
Customer_PO	C20	Amount of Sales Tax associated with this order
Status	C8	The Status of the Sales Order. Values are: Open, Hold, Closed
Total_Price	Currency	This is the total extended price of all line items and additional charges on the Sales Order
Currency_Conv_Rate	Double	Currency exchange rate for international currency conversion Stores Currency_Rate.Rate based on the Source_Currency and Target_Currency. Gets updated until Fixed_Rate = Yes
Trade_Currency	Long Int	FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency.

Field	Type	Description
		Defines trading currency of the customer on this sales order
Fixed_Rate	Yes/No	Identifies whether the exchange rate has been fixed.
Trade_Date	Long Int	Identifies the date the exchange rate on the sales order was updated
Note_Text	Memo	The internal notes for this Sales Order
Comment	Memo	Sales Order comments to be printed on the Sales Order Acknowledgment
Source	C20	The source application that created the job. System (JobBOSS) SDK Synergy
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Source Table

Field	Type	Description
ObjectID	Replication ID	Unique Index
Source	Long Int	PRIMARY KEY
PO_Detail	Long Int	FGN-KEY to PO_Detail.PO_Detail Present if source is for a PO Detail
PO_Detail_OID	Replication ID	FGN-KEY to PO_Detail.ObjectID Present if source is for a PO Detail
Job_Operation	Long Int	FGN-KEY to Job_Operation.Job_Operation. Present if source is for a service on a job (if Source record added through Job Receiving, then there would be no PO_Detail reference)
Job_Operation_OID	Replication	FGN-KEY to Job_Operation.ObjectID

Field	Type	Description
	ID	Present if source is for a service on a job (if Source record added through Job Receiving, then there would be no PO_Detail reference)
Material_Req	Long Int	FGN-KEY to Material_Req.Material_Req Present if source is for a material req on a job (if Source record added through Job Receiving, then there would be no PO_ Detail reference)
Material_Req_OID	Replication ID	FGN-KEY to Material_Req.ObjectID Present if source is for a material req on a job (if Source record added through Job Receiving, then there would be no PO_ Detail reference)
Material	C30	FGN-KEY to Material table Only used if Buy is not for a job. Could be for stock or misc office supplies (if it is a misc material on a job, then this would be null)
IsSO	Yes/No	Is this PO detail tied to a Sales Order?
Misc_Material	Yes/No	Is this a miscellaneous material for Stock? Only used if misc purchase to stock, like office supplies. (would be 'False' for a misc material requirement for Job or SO)
Description	C30	Misc Material description. Only used for misc material. (Description otherwise taken from corresponding Matl Req or Material records.)
Act_Qty	Double	Actual Quantity. Quantity received on PO in terms of Stocked_UofM Updated by PO Receiving when quantity is received
Act_Unit_Cost	Double	Actual Unit Cost (99999999.99999) Updated by PO Receiving when cost is received, with the unit cost of the receipt Updated by Job Receiving when cost is

Field	Type	Description
		received Updated by AP when cost is received
Stocked_UofM	C4	Material's Stocked Unit of Measure (unit for Act_Qty, Inv_Qty, and Ordered_qty) Source record saves the order qty in both Stock Unit and Purchase Unit. The PO Detail is in terms of the Purchase Unit
Inv_Qty	Double	Invoiced Quantity from PO in terms of Stocked_UofM. Updated by PO Receiving when cost received. Updated by AP when cost received.
Last_Recv_date	Date	Last received date Updated by PO Receiving when quantity received (not cost received)
Holder_ID	C50	FGN_KEY to Journal_Entry table, Originating_Transaction field. Holder_Type field in Journal_Entry table tells where Originating_Transaction came from (ie. Job, Material. Etc). For JobBOSS Integration for Synergy
Total_Tax_Assigned	Double	Total Amount assigned as taxable (for purchasing) Material_Trans.Tax_Assigned is rolled up into this
Source_Type	Integer	Identifies what type of detail line the source is for 0 = OutsideOperation (JobOp) 1 = MaterialRequirement (JobReq) 2 = SalesOrder (not used) 3 = Material (buy for stock) 4 = Unknown (not used) 5 = Misc Material 6 = SOMaterial (buy on SO or Drop Ship)

Field	Type	Description
		7 = QuoteOp 8 = QuoteReq
PO_Type	Integer	Identifies whether this source is for a purchase order or request for quote 0 = Vendor (PO), 1 = RFQ
Quote_Req_Qty	Long Int	Required Quantity for Quote
Quote_Operation_Qty	Long Int	Operation Quantity for Quote
Cost_Unit	C4	Material's Cost Unit of Measure for Act_Unit_Cost
Cost_Unit_Conv	Double	Conversion factor between (Purchase) Order Unit and Cost Unit For example, if: Order unit = inch, and Cost unit = feet, then Cost_Unit_Conv = 1/12 or .083333
Ordered_Qty	Double	Ordered Quantity in terms of the material's Stock Unit
POOrdered_Qty	Double	Ordered Quantity in terms of the Purchase Unit POOrdered_Qty from all Source records will be rolled up into Order_Quantity field in associated PO_Detail record.
Order_Unit	C4	
Due_Date	Date/Time	Date Source is due. PO_Detail.Due_Date is updated with the earliest Source.Due_Date
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Status_Change Table

Field	Type	Description
Status_Change	Long Int	PRIMARY KEY
From_Status	Long Int	FGN-KEY to Status_Definitions table. Defines the Job/Quote Status being changed
To_Status	Long Int	FGN-KEY to Status_Definitions table. Defines the Job/Quote Status that the From_Status is allowed to be changed to
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Status_Definitions Table

Field	Type	Description
Status_Definitions	Long Int	PRIMARY KEY
Status_Class	C30	Name of the Status Class to be called
Display_Name	C10	Status value to be displayed in UI
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Stock_Item Table

Field	Type	Description
Stock_Item	C50	PRIMARY KEY. (GUID)
Name	C30	Name of material (old material ID)
Primary_Vendor	C10	FGN-KEY to Vendor table
Shape	C10	FGN-KEY to Shapes table
Location_ID	C10	FGN-KEY to Location table
Sales_Code	C15	FGN-KEY to User_Code table
Pick_Buy_Indicator	C1	Pick for Job or Buy for Stock. Values are: P (pick) or B (buy)

Field	Type	Description
Class	C10	Class of rawstock Material; used to categorize material sizes
Stocked_UofM	C4	The Unit of Measure this inventory item is stocked in
Purchase_UofM	C4	Tthe Unit of Measure this inventory item is purchased in
Cost_UofM	C4	The Unit of Measure used to calculate cost for this inventory item
Rd_Whole_Unit	Yes/No	This field is not used.
Lot_Trace	Yes/No	Does the material require a lot number?
Lead_Days	Integer	Lead Days required when ordering this material.
GL_Account	C100	Default GL Account for this material
Alloy	C10	FGN KEY to Raw_Stock_Weight table. Type of Alloy for rawstock material
Tax_Code	C15	FGN KEY to User_Code table; Type TaxCds.
Pounds_Per_Base_Unit	Double	Weight Factor (lbs/inch)
Dimension_1	Double	First Dimension for rawstock Relates to Shape_Dimension.DB_Field_Name for Dimension_1
Dimension_2	Double	Second Dimension for rawstock Relates to Shape_Dimension.DB_Field_Name for Dimension_2

Field	Type	Description
Dimension_3	Double	Third Dimension for rawstock Relates to Shape_Dimension.DB_Field_Name for Dimension_3
Dimension_4	Double	Fourth Dimension for rawstock (is this for user-defined material?)
Dimension_5	Double	Fifth Dimension for rawstock (is this for user-defined material?)
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Tax_Code_Detail Table

Field	Type	Description
Tax_Code_Detail	C50	PRIMARY KEY. (GUID)
Tax_Code	C50	FOREIGN KEY to User_Codes.Code
Taxer	C50	FOREIGN KEY to Taxer table (GUID). Tax Authority
Rate	Double	Tax Rate
Post_To_GL	Yes/No	Should taxes be posted to GL?
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Tax_Detail Table

Field	Type	Description
Tax_Detail	C50	PRIMARY KEY. (GUID)
Owner_ID	C50	FOREIGN KEY to 'source' record for this tax detail; based on Owner_Type If Type = 0, Owner ID is Invoice_Detail record If Type = 1, Owner ID is AP_Doc_Detail record If Type = 2, Owner ID is PO_Detail record If Type = 3, Owner ID is Additional_Charge record If Type = 4, Owner ID is Job record If Type = 5, Owner ID is SO_Detail record
Owner_Type	Long Int	The 'source' of this tax detail record. 0 = Cust Invoice, 1 = Vend Invoice, 2 = PO , 3 = Addl Charge (for Job or SO), 4 = Job, 5 = Sales Order
Taxer	C50	FOREIGN KEY to Taxer table (GUID). Tax Authority
Rate	Double	Tax Rate Based on Preference/Tax Definition setting

Field	Type	Description
Tax_Amt	Double	Tax Rate Based on Preference/Tax Definition setting
Post_GL	Yes/No	Should taxes be posted to GL account rather than the tax account? Used by AP Vendor Invoice, based on Preference/Tax Definition setting Updated by AP Vendor Invoice
GL_Account	C100	GL Account number taxes were posted to The Tax Account, based on Preference/Tax Definition setting (Collected Account for AR or Paid Account for AP) Updated by AR Customer Invoice at Posting Updated by AP Vendor Invoice at Posting For AP Vendor Invoice, if Post_To_GL = Yes, then tax is posted to GL Account for associated invoice line rather than the specified tax account.
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Taxer Table

Field	Type	Description
Taxer	C50	PRIMARY KEY. (GUID)
Name	C50	Name of the tax authority e.g. State, City, Airport. (associated with a specific Tax Code in the User_Code table)
Collection_Account	C100	GL Account number for collecting taxes
Paid_Account	C100	GL Account number for paid taxes
Default_Rate	Double	Default tax rate
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Temp_ID Table

Field	Type	Description
Session_ID	C50	PRIMARY KEY.
Item	C50	
Item2	C50	
Item3	C50	
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

TFM_Alloy Table

Field	Type	Description
TFM_Alloy	C50	PRIMARY KEY. Tools for Mfg Alloy code
Alloy	C20	FGN KEY to Raw_Stock_Weight.Type table (referential integrity is on). Type of Alloy for rawstock material
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Third_Party_Integration Table

Field	Type	Description
Integration_Key	Int	PRIMARY KEY.
Integration_Type	Varchar(20)	Identifies the type of integration (Quality, Accounting)
Integration_Name	Varchar(100)	Identifies the name of the third-party integration product. Populates the drop-down list in Preferences – Quality tab in JobBOSS. Values are: None, uniPoint, TQM/Synergy, MQ1.

User_Code Table

Note: Not all fields are used for all Types (based on the value in the Type field).

Field	Type	Description
ObjectID	Replication ID	
Type	C8	PRIMARY KEY. Record Type Values: AccType, Account, AddlCost, AdjReasn, ARCodes, Banks, CashFlow, Chngrsn, Class, CustType, Dept, Discount, FinStmt, FrtClass, LocType, MStone, NMFC, QuoteRsn, ScpRwkCd, SellUofM, ShipVia, StdText, TaxCds, Terms, UofM, Warehse, WKFlow
Code	C25	PRIMARY KEY. Name of the user code. This is the value that displays in drop down lists to select. Note: Depending on the Type, the number of characters that can be entered into this field via the UI may be less than what the table allows.
Numeric1	Double	Numeric field 1
Numeric2	Double	Numeric field 2
Numeric3	Double	Numeric field 3
Numeric4	Double	Numeric field 4
Text1	C100	Text field 1
Text2	C20	Text field 2
Text3	Memo	Text field 3.
Text4	Memo	Text field 4.
Date1	Date	Date field.
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated.

User_Labels Table

Field	Type	Description
ObjectID	Replication ID	
Table_Name	C50	PRIMARY KEY. Identifies the JB form that owns the labels. Values: Customer, Vendor, Material, Employee, Service, Work Center, Operation, Location, Job, Quote, SO Header, Customer Invoice, Vendor Invoice, RFQ, Raw Stock, Time Entry, Quoted Part, Quote.
Date1_Label	C12	Label for Date Field 1
Date2_Label	C12	Label for Date Field 2
Text1_Label	C12	Label for Text Field 1
Text2_Label	C12	Label for Text Field 2
Text3_Label	C12	Label for Text Field 3
Text4_Label	C12	Label for Text Field 4
Text5_Label	C12	Label for Text Field 5
Amount1_Label	C12	Label for Amount Field 1
Amount2_Label	C12	Label for Amount Field 2
Numeric1_Label	C12	Label for Numeric Field 1
Numeric2_Label	C12	Label for Numeric Field 2
Decimal1_Label	C12	Label for Decimal Field 1
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

User_Values Table

Field	Type	Description
User_Values	Long Int	PRIMARY KEY
Date1	Date	Date Field 1
Date2	Date	Date Field 2
Text1	C15	Text Field 1
Text2	C15	Text Field 2
Text3	C15	Text Field 3
Text4	C25	Text Field 4
Text5	C25	Text Field 5
Amount1	Currency	Amount Field 1
Amount2	Currency	Amount Field 2
Numeric1	Double	Numeric Field 1
Numeric2	Double	Numeric Field 2
Decimal1	Double	Decimal Field 1
Note_Text	Memo	Note text
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Vendor Table

Field	Type	Description
Vendor	C10	PRIMARY KEY
User_Values	Long Int	FGN-KEY to User_Values table (referential integrity is on - NULL is valid)
Ship_Via	C15	FGN-KEY to User_Code table (no referential integrity)
Tax_ID	C15	Tax ID for this vendor
Tax_Code	C15	FGN-KEY to User_Code table (no referential

Field	Type	Description
		integrity) Tax code to support sales tax calculations
Terms	C15	FGN-KEY to User_Code table (no referential integrity)
Currency_Def	Autonumber	FGN KEY to Currency_Def table counter
Name	C45	Vendor Name
Email_Address	C255	The email address for the contact
URL	C255	The Web site address
Status	C15	Status of this Vendor Values are: Active, Inactive
Vendor_Since	Date	Date began using this Vendor
Our_Account_ID	C25	Code Vendor uses to identify us
Lead_Days	Integer	Lead Days required to send parts to this Vendor
Send_1099	Yes/No	Should a 1099 be sent to this Vendor (0 or 1)
Note_Text	Memo	Internal notes for this vendor
GL_Account	C100	GL Account
Acct_Mgr	C6	FGN-KEY to Employee table. For JobBOSS CRM
Rating	Integer	Indicates the rating give to this vendor. Values: 1–20. For JobBOSS CRM
QB_ID	C50	QuickBooks ID in the QuickBooks database
Send_Report_By_Email	Bit	Vendor preference for sending reports
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Vendor_Material Table

Field	Type	Description
Vendor_Material	C50	PRIMARY KEY (GUID)
Vendor	C10	FGN-KEY to the Vendor table
Material_Owner	C50	FGN-KEY to the Material or Stock_Item table
Vendor_Reference	C30	Code the Vendor uses to identify this Material
Sell_Price	Double	The unit price charged by this Vendor for the material Updated by Material
Price_Unit	C4	The Unit of Measure used when buying this material Updated by Material
Trade_Currency	Long Int	FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the vendor associated with this material
Lead_Days	Integer	Lead Days required when ordering this material. Updated by Material
Owner_Type	Integer	Identifies whether the material is discrete, raw stock or misc item: 0 = material item 1 = stock item 2 = none
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Vendor_Service Table

Field	Type	Description
Vendor_Service	Long Int	PRIMARY KEY
Vendor	C10	FGN KEY to Vendor table (referential integrity is on)
Service	C10	FGN KEY to Service table (referential integrity is on)
Minimum_Chg	Currency	Minimum Charge
Lead_Days		Lead Days
Currency_Conv_Rate	Double	Currency exchange rate for international currency conversion Stores Currency_Rate.Rate based on the Source_Currency and Target_Currency. Gets updated until Fixed_Rate = Yes
Trade_Currency	Long Int	FGN KEY to Currency_Def record where Currency_Def matches Trade_Currency. Defines trading currency of the vendor associated with a service
Fixed_Rate		Identifies whether the exchange rate has been fixed
Trade_Date	Date	Identifies the date the exchange rate on the job was updated
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

WCDisplay_Sequence Table

Field	Type	Description
ObjectID	Replication ID	PRIMARY KEY (GUID)
WorkCenter_OID	Replication ID	FOREIGN KEY to Work_Center.ObjectID
Sequence	Int	Sequence to display data
Created_Date	Date/Time	Date and Time record was created
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

WCEmployee Table

Field	Type	Description
ObjectID	Replication ID	PRIMARY KEY (GUID)
WorkCenter_OID	Replication ID	FOREIGN KEY to Work_Center.ObjectID
Employee_OID	Replication ID	FOREIGN KEY to Employee.ObjectID
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

WCMaterialClass Table

Field	Type	Description
ObjectID	Replication ID	PRIMARY KEY (GUID)
WorkCenter_OID	Replication ID	FOREIGN KEY to Work_Center.ObjectID
Class_OID	Replication ID	FOREIGN KEY to User_Code.ObjectID, Type = Class
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

WCMaterialShape Table

Field	Type	Description
ObjectID	Replication ID	PRIMARY KEY (GUID)
WorkCenter_OID	Replication ID	FOREIGN KEY to Work_Center.ObjectID
Shape_OID	Replication ID	FOREIGN KEY Shapes.ObjectID
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

WCShift_Override Table

Field	Type	Description
ObjectID	Replication ID	PRIMARY KEY (GUID)
Shift_ID	Replication ID	FOREIGN KEY to Shift_Override.ObjectID
WorkCenter_OID	Replication ID	FOREIGN KEY to Work_Center.ObjectID
Machines	Int	Number of machines available for this shift. Overrides WCShift_Standard.Machines. Updated by Work Center – Capacity tab, Shift grid. Used by Scheduling
Operators	Int	Number of operators working on this shift. Overrides WCShift_Standard.Operators Updated by Work Center – Capacity tab, Shift grid. Used by Scheduling
Operators_Per_ Machine	Double	Number of operators per machine on this shift. Overrides WCShift_Stand-ard.Operators_Per_Machine Updated by Work Center – Capacity tab,

Field	Type	Description
		Shift grid. Used by Scheduling
Shift_Type	Int	0 = Standard, 1 = Override
Date	Date/Time	Date for this overide
Hours	Double	Number of hours for this override
Is_Work_Day	Yes/No	Is this a work day?
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

WCShift_Standard Table

Field	Type	Description
ObjectID	Replication ID	PRIMARY KEY (GUID)
Shift_ID	Replication ID	FOREIGN KEY to Shift.Shift
WorkCenter_OID	Replication ID	FOREIGN KEY to Work_Center.ObjectID
Machines	Int	Number of machines available for this shift. Overrides Work_Center.Machines. Updated by Work Center – Capacity tab, Shift grid. Used by Scheduling
Operators	Int	Number of operators working on this shift. Overrides Work_Center.Operators Updated by Work Center – Capacity tab, Shift grid. Used by Scheduling
Operators_Per_ Machine	Double	Number of operators per machine on this shift. Overrides Work_Center.Operators_ Per_Machine Updated by Work Center – Capacity tab,

Field	Type	Description
		Shift grid. Used by Scheduling
Shift_Type	Int	0 = Standard, 1 = Override
Date	Date/Time	Date for this overide
Hours	Double	Number of hours for this override
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Work_Center Table

Field	Type	Description
ObjectID	Replication ID	
Work_Center	C10	Work Center ID. PRIMARY KEY
Department	C15	Department that work center belongs to
Type	C8	Work Center Type. Values are: Direct, Indirect
Setup_Labor_Rate	Currency	Setup Labor Rate (999.99)
Run_Labor_Rate	Currency	Run Labor Rate (999.99)
Labor_Burden	Double	Labor Burden Rate (999.99)
Machine_Burden	Currency	Machine Burden Rate (999.99)
GA_Burden	Currency	GA Burden Rate (999.99)
Queue_Hrs	Double	Queue Hours. (99.99) Hours that work sits in this WC before operation can start. Inside operations only
Link_Material	Yes/No	Link Material to first operation on the job?
Link_Component	Yes/No	Link Component jobs to parent job?
Note_Text	Memo	Work Center notes
Parent_ID	C10	Pointer to Work_Center.Work_Center for

Field	Type	Description
		the parent work center. Used by ShopBOSS
Parent_OID	Replication ID	Pointer to Work_Center.ObjectID for the parent work center Used by Scheduling
Is_Parent	Yes/No	Does this work center have work centers grouped under it? Used by ShopBOSS
Has_Parent	Yes/No	Is this work center grouped under a parent work center? Used by ShopBOSS
Machines	Int	Number of machines at this work center Updated by Work Center – Capacity tab, top area. Used by Scheduling
Operators	Int	Number of operators at this work center Updated by Work Center – Capacity tab, top area. Used by Scheduling
Operators_Per_ Machine	Double	Number of operators per machine at this work center The number of Scheduable Resources is calculated based on Machines and Operators. • Scheduable Resources = the lesser of either Machines or (Operators * Operators_Per_Machine) • If Operators_Per_Machine = 0, then Scheduable Resources = the greater of either Machines or Operators Updated by Work Center – Capacity/Scheduling tab, top area. Used by Scheduling
Link_FinishedGoods	Yes/No	Are FG materials linked to this Work

Field	Type	Description
		Center? Used by Scheduling
Link_Hardware	Yes/No	Are Hardware materials linked to this Work Center? Used by Scheduling
Link_Supplies	Yes/No	Are Supply materials linked to this Work Center? Used by Scheduling
Link_Misc	Yes/No	Are Miscellaneous materials linked to this Work Center? Used by Scheduling
Link_RawStock	Yes/No	Are Raw Stock materials linked to this Work Center? Used by Scheduling
Finite_Schedule	Yes/No	Is this Work Center to be Finite scheduled? Only available if ShopBOSS is purchased. Used by Scheduling
Lag_Hrs	Double	Lag Hours (99.99) for this work center. Inside operations only Time that work sits at a work center after the work is completed and/or time it takes to move work to the next WC. This is considered 'Move' time. Updated by Job Scheduling Used by Scheduling
Equipment	Yes/No	This field is not used.
Nbr_Limiting_Rsrc	Integer	This field is not used.

Field	Type	Description
Capacity	Double	This field is not used.
Sched_Hrs	Double	This field is not used.
User_Values	Long Int	This field is not used.
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

WorkCenter_Load Table

Field	Type	Description
ObjectID	Replication ID	PRIMARY KEY (GUID)
WorkCenter_OID	Replication ID	FOREIGN KEY to Work_Center.ObjectID
Job_Operation_OID	Replication ID	FOREIGN KEY to Job_Operation.ObjectID
Start_Date	Date/Time	Start date/time of this load record.
End_Date	Date/Time	End date/time of this load record.
Created_Time	Date/Time	Date/Time this load record was created.

Field	Type	Description
Resource_ID	Integer	For a Finite work center, identifies how much load is on each scheduable resource. For example, if there are 2 Schedulable Resources, there would be two load records created with Resource_ID 1 and 2. For Infinite Work Centers, value will always be 1.
Fixed	Yes/No	Is this load locked? If the load record is locked ('fixed') then it cannot be 'bumped'. • If any of the 'lock' fields in Job_Operation record for this op are True, Fixed is set = True for all its load records. • If the Job_Operation.Status = S (Started) for this op, Fixed is set = True for all its load records.
Load_Multiplier	Integer	For an Infinite work center, the number to multiply the load by to get the total scheduled hours. This is the number of Scheduling Resources that were used. So this will always be = Job_Operation.Sched_ Resources (except that it is an integer, so truncates Sched_Resources) For Finite work centers, value will always be 1, unless the wc is overloaded, that is, scheduled 'infinitely'. Then it is set same as an Infinite wc. Used to calculate 'load' in Shop Overview and Scheduling Engine.
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

JobBOSS Data Collection Tables

Attendance Table

Field	Type	Description
Attendance	C50	PRIMARY KEY
Employee	C6	Employee who performed the work
Work_Date	Date/Time	Day work was performed.
Login	Date/Time	Time employee logged into work for the day
Adjusted_Login	Date/Time	Adjusted as specified by Shift rules
Logout	Date/Time	Time employee logged out work for the day
Adjusted_Logout	Date/Time	Adjusted as specified by Shift rules
Regular_Minutes	Double	Regular Time worked in minutes
OT_Minutes	Double	Over Time worked in minutes
DoubleOT_Minutes	Double	Double Over Time worked in minutes
Break_Minutes	Double	Break Time in minutes
Attendance_Type	int	Type of Attendance entry
Lock_Times	Yes/no	
Source	int	
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Emp_Assignment Table

Field	Type	Description
Emp_Assignment	C50	PRIMARY KEY (GUID)
ObjectID	Replication ID	Unique Index
Employee	C6	FGN-KEY to Employee table
Group	C50	FGN-KEY to OP_Group table

Field	Type	Description
		Group of job operations assigned to employee to work on. There will be EITHER a pointer to Group or pointer to Job_Operation, not both
Job_Operation	Long Int	FGN-KEY to Job_Operation table Job_Operation assigned to employee to work on. There will be EITHER a pointer to Group or pointer to Job_Operation, not both
Completed_Date	Date	Date work was completed
Schedule_Date	Date	Scheduled Date from Job_Operation (when Emp_Assignment.Job_Operation is present.)
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

OP_Group Table

Field	Type	Description
OP_Group	C50	PRIMARY KEY (GUID)
Work_Center	C10	FGN-KEY to Work_Center table
Name	C10	Name of group of job operations
Schedule_Start	Date	This field is not used.
Schedule_End	Date	This field is not used.
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Permission Table

Field	Type	Description
Permission	C50	PRIMARY KEY (GUID)
Employee	C6	FGN KEY to Employee table. Employee ID
Employee_Title	C20	(misnamed) The transaction name employee wants to display
Transaction_Definition	Long Int	FGN KEY to Transaction_Definition table; the Transaction Number
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Transaction_Data

Field	Type	Description
Transaction_Data	C50	PRIMARY KEY (GUID)
Transaction_Type	Long	Transaction number Note: for 'paired' transactions, such as Employee Login and Employee Logout, there is only one Transaction_Data record created. The Login trans creates the record and sets the Type = 15; then the Logout trans changes the Type = 16.
Employee	C6	FGN KEY to Employee table. ID of Employee that entered the transaction
Work_Date	Date	Date work was performed based on Shift End Time + CutOff Hours. Set at start of transaction.
Terminal_ID	C50	ID of terminal that was the source of the transaction.
Status	Long	Status of the transaction. Values are: 0 = Open, 1 = Deferred, 2 = Error, 3 = Processed

Field	Type	Description
		For transactions that don't have a corresponding 'stop' transaction, you will never see the Open status because it changes to one of the other 3 statuses when processing takes place; it is only in Open status on the initial save of the Transaction_Data record. For 'paired' transactions, such as Employee Login and Employee Logout, the Login sets the Status to Open and the Logout transaction then updates the open record, changes the Tran Type and sets Status to Processed.
Transaction_Start	Date/Time	Start date/time of transaction.
Transaction_End	Date/Time	End date/time of transaction. For transacations that don't have a 'stop' transaction, this will be blank. e.g. all inventory control trans and Elapsed Time trans. For 'paired' transactions, such as Employee Login and Employee Logout, the Logout transaction sets this.
Error_ID	C50	Error number (present if error found during processing)
Error_Text	C50	Error text (present if error found during processing)
Linked_Tran_Int	C50	FGN KEY to associated table for record that was created/updated as a result of processing this transaction; Present when key is an integer PO Receiving (1) = Pointer to Material_Trans Job Matl Receiving (2) = Pointer to Material_Trans Job Serv Receiving (3) = Pointer to Material_Trans Inventory Adjust (4) = Pointer to Material_

Field	Type	Description
		Trans Issue by Req (5) = Pointer to Material_Trans Issue by Job (18) = Pointer to Material_ Trans Job Transfer (6) = Pointer to Material_Trans
Linked_Tran_String	C50	FGN KEY to associated table for record that was created/updated as a result of processing this transaction; Present when key is a string value Location Transfer (7) = Material ID Pick SO (8) = Pointer (Line Key) to SO_Detail Employee Login (15) = Pointer to Attendance record Employee Logout (16) = Pointer to Attendance record
Target_Int	C50	FGN KEY to associated table for record that was the 'target' of this transaction, e.g. Job Operation key or Material_Req key; Present when key is an integer, e.g. autonumber Job Matl Receiving (2) = Pointer to Material_ Req (Req Key) Job Serv Receiving (3) = Pointer to Job_Operation record (Op Key) Issue by Req (5) = Pointer to Material_Req Issue by Job (18) = Pointer to Material_Req Pick SO (8) = Pointer (Line Key) to SO_Detail
Target_String	C50	FGN KEY to associated table for record that was the 'target' of this transaction, e.g. Job Operation key or Material_Req key; Present when key is a string value, e.g. GUID
Job	C30	Transaction data. Will hold Job number depending on type of

Field	Type	Description
		transaction.
Material	C30	Transaction data. Will hold Material ID depending on type of transaction.
Quantity	C50	Transaction data. Will hold Quantity depending on type of transaction.
Document	C15	Transaction data. Will hold Document depending on type of transaction.
Location	C10	Transaction data. Will hold Location (or Source Location) depending on type of transaction.
Lot	C20	Transaction data. Will hold Lot (or Source Lot) depending on type of transaction.
PO	C8	Transaction data. Will hold PO number for PO Receiving transaction.
PO_Line	C6	Transaction data. Will hold PO Line number for PO Receiving transaction.
Location_1	C10	Transaction data. Will hold Target Location for Location Transfer transaction.
Lot_1	C20	Transaction data. Will hold Target Lot for Location Transfer transaction.

Field	Type	Description
Close	Yes/No	Transaction data. Close operation?
Text1	C20	Transaction data. Will hold Custom data
Text4	C20	Transaction data. Will hold Custom data
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Transaction_Definition Table

Field	Type	Description
ID	Long Int	PRIMARY KEY Transaction number
Name	C20	Predefined transaction name, default name.
Prompt_Display	C20	The transaction name customer wants to display. Preset to default, but customer can change.
Deferred	Yes/No	Is this transaction deferred for batch posting?
Enabled	Yes/No	If customer purchases DC Lite, then only the Labor Reporting transactions are enabled for use.
IsChildTrans	Yes/No	For JobBOSS Serial Control. Transactions 23-31 are considered 'child' transactions because they are adjunct Serial Number information and not a standalone transaction.
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Transaction_Detail Table

Field	Type	Description
Transaction_Detail	Autonumber	PRIMARY KEY
Transaction_Data	C50	FGN KEY to Transaction_Data table (GUID) which contains the 'header' information
Entry_Type	Long Int	Transaction data. Entry Type from transaction. Values are: 0 = Setup, 1 = Run For Trans that are neither Setup or Run, such as Op Start (11), Entry_Type will be Null
Labor_Hrs	Double	Transaction data. Labor Hours from transaction.
Machine_Hrs	Double	Transaction data. Machine Hours from transaction.
Percent_Complete	Double	Transaction data. Percent Complete value from transaction.
Rework	Yes/No	Transaction data. Value Y or N from transaction.
Rework_Rsn	C15	Transaction data. Rework Code from transaction.
Scrap_Rsn	C15	Transaction data. Scrap Code from transaction.
Scrap_Qty	Long Int	Transaction data. Scrap Quantity from transaction.
Quantity	Long Int	Transaction data. Quantity from transaction.
Complete_Operation	Yes/No	Transaction data. Value Y or N from transaction.
Job	C30	Transaction data.

Field	Type	Description
		Job Number from transaction. This should also get filled in for transactions that only supply the Op Key
Work_Center	C10	Transaction data. Work Center from transaction. This should also get filled in for transactions that only supply the Op Key
Operation	C10	Transaction data. Operation from transaction.
Notes	Memo	Transaction data. Routing Notes from transaction.
Target_Integer	Long Int	Transaction data. The Op Key (FGN KEY to Job_Operation table) for the Labor transactions (this should get filled in even when Op Key is not supplied as a prompt) Present for all Labor transactions
Linked_Tran_String	C50	FGN KEY to Job_Operation_Time record for record that was created as a result of processing this transaction Present for all Labor transactions
SN_OID	Replication ID	
SerialNumber	C25	Serial Number associated with this inventory item Updated by Serial Number generator
PartNumber	C30	Material ID for this inventory item Updated by Serial Number generator

Field	Type	Description
CurrentUsage	Double	Count of Usage for this inventory item Updated by Serial Number generator
ExpirationDate	Date/Time	Expiration date for this inventory item Updated by Serial Number generator
SN_IsScrapped	Yes/No	Has this Serial Number been 'scrapped'?
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Transaction_Setting Table

Field	Type	Description
Transaction_Setting	C50	PRIMARY KEY (GUID)
Transaction_Value	C50	FGN KEY to Transaction_Value table (GUID)
Permission	C50	FGN KEY to Permission table (GUID)
Employee	C6	FGN KEY to Employee table. Employee ID
Display_Text	C20	Text display for this prompt
Default_Value	C50	Default value for this prompt
Required	Yes/No	Is this field required?
Hidden	Yes/No	Is this field hidden?
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

Transaction_Value Table

Field	Type	Description
Transaction_Value	C50	PRIMARY KEY (GUID)
Transaction_Definition	Long Int	FGN KEY to Transaction_Definition table; the Transaction Number
Display_Text	C20	Text display for this prompt (customizable by the customer)
Sequence	Long Int	Sequence in which this prompt should be displayed at the data terminal or Work-station Driver.
Default_Value	C50	Default value for this prompt (customizable by the customer)
Data_Type	Long Int	What data type is the prompt field? Values are: 0 = string, 1 = float, 2 = integer, 3 = Boolean (primitive), 15 = Yes/No (must be Y or N), 16 = Setup/Run (must be S or R) Special data types defined for use with the DB_Validation field are: 4 = Job, 5 = JobInsideOp (Op Key), 6 = JobOutsideOp (Op Key), 7 = JobBuy (Req Key), 8 = JobPick (Req Key), 9 = POLine (which is just the PO nbr, not line), 10 = Material, 11 = SODetail, 12 = WorkCenter, 13 = Location, 14 = Group, 17 = Display
Min_Value	Long Int	Used for validation of Data_Type 1 and 2 (numeric). The minimum value allowed
Max_Value	Long Int	Used for validation of Data_Type 1 and 2 (numeric). The maximum value allowed
String_Length	Long Int	Used for validation Data_Type 0 (string) The maximum length allowed
System_Required	Yes/No	Is this field system required?

Field	Type	Description
User_Required	Yes/No	Is this field required? (customizeable by the customer
Hidden	Yes/No	Is this field hidden? (customizeable by the customer)
DB_Validation	Yes/No	Used for validation of special data types, e.g. Job or Op Key. Is there a database validation required?
Confirmation_Prompt	Yes/No	Does this prompt have a confirmation step? Used only at the Data Terminals for the Accept Entry prompt. If user responds No, then transaction is cycled thru again to allow employee to review. If user responds Yes, then transaction is processed.
Transaction_Field	C50	Internal use only – reference to the field in the the Transaction_Data or Transaction_ Detail table where data entered (from terminal or WSD) is stored for that prompt.
Last_Updated	Date/Time	Date and Time stamp. Last time record was updated

JobBOSS Integration for Synergy Tables

Synergy_Entry_Point Table

Field	Type	Description
ObjectID	Replication ID	PRIMARY KEY (GUID)
Display	C30	The name of the entry point in Jobboss
Type	Integer	The entry point numeric identifier.

Synergy_Workflow_Page Table

Field	Type	Description
ObjectID	Replication ID	PRIMARY KEY (GUID)
Button	C50	The name of JobBOSS function that initiated the transaction
Page	C255	The name of the asp page in Synergy Enterprisethat should launch from touch point in JobBOSS.