BIRDS Checklist Master-8_	_Perimeter_	_Buffer_	_Area.idml
CAUTION: Do not change segment ID or source text			
MQ961611 60e3e720-619	7-4469-a6	40-84c2	2f2e4ad43

	MQ961611 60e3e/20-619/-4469-a640-84c2t2e4ad43						
ID	English	Hmong	Comment	Status			
1	Checklist for Using a [1]Perimeter Buffer Area	Daim ntawv txheeb xyuas siv [1]Perimeter Buffer Area		Not started			
2	When caring for your poultry, you need to access everyday	Thaum saib xyuas koj cov tsiaj muaj tis, koj yuav tsum nkag		Not started			
	supplies and equipment.	mus rau cov khoom siv niaj hnub thiab khoom siv.					
3	At the same time, you need to avoid carrying around germs that	Nyob rau tib lub sij hawm, koj yuav tsum tsis txhob nqa cov kab		Not started			
	could make your birds sick.	mob uas tuaj yeem ua rau koj cov noog mob.					
4	Having clear separation between your poultry area (where your	Muaj kev sib cais meej ntawm koj thaj chaw nqaij qaib (qhov		Not started			
	birds are kept) and the rest of the world will help you meet both	twg koj cov noog tau khaws cia) thiab lwm lub ntiaj teb yuav pab					
	of these needs.	koj ua tau raws li ob qho kev xav tau no.					
5	You can establish a perimeter buffer area: a zone outside [1]of	Koj tuaj yeem tsim ib thaj chaw tsis sib haum xeeb: ib cheeb		Not started			
	your bird enclosures that gives you space to work in while caring	tsam sab nraud [1] ntawm koj cov noog uas muab chaw rau koj					
	for your birds, but is [1]separate from the rest of your property.	ua haujlwm thaum tu koj cov noog, tab sis yog [1] cais tawm					
		ntawm koj lub vaj tse.					
6	On small farms and in backyards, this might just be some ground	Ntawm cov liaj teb me me thiab hauv vaj tsev, qhov no tsuas		Not started			
	around a coop or barn where you keep your feed bin and	yog qee qhov av nyob ib ncig ntawm lub coop los sis lub tsev					
	equipment.	cog khoom uas koj khaws koj cov khoom noj thiab khoom siv.					
7	On larger farms, the perimeter buffer area might include feed	Ntawm cov liaj teb loj dua, thaj chaw tsis muaj kab mob tuaj		Not started			
	bins, manure sheds, composting areas, [1]egg rooms,	yeem suav nrog cov khoom noj khoom haus, cov quav cab, thaj					
	generators, and pump rooms.	chaw ua chiv, [1] chav qe, tshuab hluav taws xob, thiab chav twj					
		tso kua mis.					
8	Whether you're part of a large commercial enterprise or raise	Txawm hais tias koj yog ib feem ntawm kev lag luam loj los sis		Not started			
	birds as a hobby, keeping bird-related activities within the	tsim cov noog ua hauj lwm, ua kom cov noog muaj feem xyuam					
	perimeter buffer area—and non-bird activities out of it—can help	nrog thaj chaw tsis muaj kab mob - thiab cov hauj lwm tsis yog					
	keep your poultry from getting sick.	noog tawm - tuaj yeem pab ua kom koj cov tsiaj muaj tis tsis					
		muaj mob.					
9	If you see or suspect anything unusual, call your flock	Yog tias koj pom los sis xav tias muaj ib yam dab tsi txawv		Not started			
	supervisor, veterinarian, or cooperative [1]extension office right	txawv, hu rau koj tus kws saib xyuas pab tsiaj, kws kho tsiaj, los					
	away.	sis koom tes [1] chaw ua hauj lwm txuas ntxiv tam sim ntawd.					
10	Use this form to record phone numbers for contacts in your area.	Siv daim Ntawy no los sau cov xov tooj rau cov neeg nyob hauv		Not started			
		koj cheeb tsam.					
11	The earlier you act, the easier it is to contain the disease to a	Koj ua Ua ntej , nws yooj yim dua kom muaj tus kab mob mus		Not started			
	single flock.	rau ib pab pawg.					
12	√	▼		Not started			
13	Check the list on the back for tips	Tshawb xyuas cov npe hauv qab rau cov lus qhia		Not started			
14	to help keep your flocks healthy.	pab kom koj pab yaj noj qab nyob zoo.		Not started			
15	Report Sick Birds	Qhia Txog Noog Mob		Not started			
16	If you see signs of illness, take action right away!	Yog tias koj pom cov tsos mob tshwm sim, nqis tes ua tam sim		Not started			
		ntawd!					
17	[1] [2] Phone Number{3]	[1][2} Xov tooj{3]		Not started			

18	[1] Veterinarian {2] [3] [4] [4] [4] {2]	[1] Kws Kho Tsiaj{2][3}[4][4][4][4] {2]	Not started
19	[1]Cooperative Extension Office(2)[3][4][4] {2]	[1]Cooperative Extension Office{2][3][4][4] {2]	Not started
20	[1]State Veterinarian/Animal or Poultry Diagnostic Lab{2][3} {2]	[1] Lub Xeev Veterinarian / Tsiaj txhu lossis Poultry Diagnostic Lab{2][3} {2]	Not started
21	[1}USDA{2][3}[4][4][4][4] 866.536.7593{2]	[1}USDA{2][3}[4][4][4][4][4] 866.536.7593{2]	Not started
22	Animal and Plant Health Inspection Service	Kev Tshuaj Xyuas Kev Noj Qab Haus Huv ntawm tsiaj thiab Nroj tsuag	Not started
23	√	√	Not started
24	Checklist:[1]Tips for Using a [2]Perimeter Buffer Area{3]	Daim ntawv txheeb xyuas:[1]Cov lus qhia rau kev siv [2]Perimeter Buffer Area{3]	Not started
25	This checklist is a general guide to practicing good biosecurity, but if you have a site-specific [1]biosecurity plan, please follow it.	Daim ntawv txheeb xyuas no yog cov lus qhia dav dav rau kev xyaum zoo biosecurity, tab sis yog tias koj muaj ib qhov chaw tshwj xeeb [1] txoj kev npaj biosecurity, thov ua raws li nws.	Not started
26	Commercial growers should be sure their site-specific plans [1]follow the National Poultry Improvement Plan biosecurity principles.	Cov hauv pasu ntsiab lus Cov neeg cog qoob loo yuav tsum paub tseeb tias lawv qhov chaw tshwj xeeb cov phiaj xwm [1] ua raws National Poultry Improvement Plan biosecurity	Not started
27	Establish the perimeter buffer area with enough space to complete all of your [1][2] normal bird-related tasks[3][4] (except the removal[3][6] of dead birds) without leaving the buffer area. [3]	Tsim kom muaj thaj chaw nyob ib puag ncig tsis muaj chaw txaus los ua kom tiav tag nrho koj cov haujlwm [1][2}ib txwm ua haujlwm ntsig txog noog{3][4}(tshwj tsis yog kev tshem tawm {3][6} ntawm cov noog tuag) yam tsis tau tawm hauv thaj chaw tsis muaj zog. {3]	Not started
28	Include a map that clearly outlines the perimeter buffer area in your biosecurity plan.	suav nrog ib daim ntawv qhia uas qhia meej txog thaj tsam ib puag ncig tsis nyob hauv koj txoj kev npaj biosecurity.	Not started
29			Not started Not started
terrative division examined	area in your biosecurity plan. [1] List the rules people must follow when entering or leaving	tsam ib puag ncig tsis nyob hauv koj txoj kev npaj biosecurity. [1]Sau cov cai uas tib neeg yuav tsum ua raws thaum nkag los	
29	area in your biosecurity plan. [1] List the rules people must follow when entering or leaving this area. Give training and post signs to remind people of the steps they	tsam ib puag ncig tsis nyob hauv koj txoj kev npaj biosecurity. [1]Sau cov cai uas tib neeg yuav tsum ua raws thaum nkag los yog tawm hauv cheeb tsam no. Muab kev cob qhia thiab tshaj tawm cov paib ceeb toom rau tib	Not started
29	area in your biosecurity plan. [1] List the rules people must follow when entering or leaving this area. Give training and post signs to remind people of the steps they need to take. [1] Keep non-essential people and items, including vehicles,	tsam ib puag ncig tsis nyob hauv koj txoj kev npaj biosecurity. [1]Sau cov cai uas tib neeg yuav tsum ua raws thaum nkag los yog tawm hauv cheeb tsam no. Muab kev cob qhia thiab tshaj tawm cov paib ceeb toom rau tib neeg txog cov kauj ruam uas lawv yuav tsum tau ua.{1] Khaws cov neeg tsis tseem ceeb thiab cov khoom, suav nrog tsheb, los ntawm kev nkag mus rau [1] thaj chaw	Not started Not started
29 30 31	area in your biosecurity plan. [1] List the rules people must follow when entering or leaving this area. Give training and post signs to remind people of the steps they need to take.{1] Keep non-essential people and items, including vehicles, from entering the [1]buffer area. [1] Have a parking area outside the buffer area, with a clear	tsam ib puag ncig tsis nyob hauv koj txoj kev npaj biosecurity. [1]Sau cov cai uas tib neeg yuav tsum ua raws thaum nkag los yog tawm hauv cheeb tsam no. Muab kev cob qhia thiab tshaj tawm cov paib ceeb toom rau tib neeg txog cov kauj ruam uas lawv yuav tsum tau ua.{1] Khaws cov neeg tsis tseem ceeb thiab cov khoom, suav nrog tsheb, los ntawm kev nkag mus rau [1] thaj chaw tsis muaj. [1]Muaj chaw nres tsheb sab nraud ntawm thaj chaw tsis muaj, nrog rau qhov pom meej nkag mus rau thaj chaw tsis nyob	Not started Not started Not started
29 30 31 32	area in your biosecurity plan. [1] List the rules people must follow when entering or leaving this area. Give training and post signs to remind people of the steps they need to take. [1] Keep non-essential people and items, including vehicles, from entering the [1]buffer area. [1] Have a parking area outside the buffer area, with a clear entrance to the buffer area nearby. [2] For more information about how to keep your flocks healthy,	tsam ib puag ncig tsis nyob hauv koj txoj kev npaj biosecurity. [1]Sau cov cai uas tib neeg yuav tsum ua raws thaum nkag los yog tawm hauv cheeb tsam no. Muab kev cob qhia thiab tshaj tawm cov paib ceeb toom rau tib neeg txog cov kauj ruam uas lawv yuav tsum tau ua.{1} Khaws cov neeg tsis tseem ceeb thiab cov khoom, suav nrog tsheb, los ntawm kev nkag mus rau [1] thaj chaw tsis muaj. [1]Muaj chaw nres tsheb sab nraud ntawm thaj chaw tsis muaj, nrog rau qhov pom meej nkag mus rau thaj chaw tsis nyob ze.{2} Yog xav paub ntxiv txog yuav ua li cas kom koj pab tsiaj noj qab	Not started Not started Not started Not started
29 30 31 32 33	area in your biosecurity plan. [1] List the rules people must follow when entering or leaving this area. Give training and post signs to remind people of the steps they need to take.{1] Keep non-essential people and items, including vehicles, from entering the [1]buffer area. [1] Have a parking area outside the buffer area, with a clear entrance to the buffer area nearby.{2] For more information about how to keep your flocks healthy, follow [1]Defend the Flock {2]on [1]Facebook{2] and [1]Twitter{2] and visit[1]} {2][7]www.aphis.usda.gov/animalhealth/defendthefloc	tsam ib puag ncig tsis nyob hauv koj txoj kev npaj biosecurity. [1]Sau cov cai uas tib neeg yuav tsum ua raws thaum nkag los yog tawm hauv cheeb tsam no. Muab kev cob qhia thiab tshaj tawm cov paib ceeb toom rau tib neeg txog cov kauj ruam uas lawv yuav tsum tau ua.{1] Khaws cov neeg tsis tseem ceeb thiab cov khoom, suav nrog tsheb, los ntawm kev nkag mus rau [1] thaj chaw tsis muaj. [1]Muaj chaw nres tsheb sab nraud ntawm thaj chaw tsis muaj, nrog rau qhov pom meej nkag mus rau thaj chaw tsis nyob ze.{2} Yog xav paub ntxiv txog yuav ua li cas kom koj pab tsiaj noj qab nyob zoo, ua raws [1]Defend the Flock {2] rau [1]Facebook{2]thiab [1}Twitter{2} thiab mus saib[1}	Not started Not started Not started Not started Not started

37	Require any vehicle or equipment that enters the [1] perimeter buffer area to be cleaned and	Yuav tsum muaj lub tsheb lossis cov khoom siv uas nkag mus rau hauv [1} thaj tsam ib puag ncig tsis zoo yuav	Not	t started
	disinfected {2][3} before entering and before leaving the buffer	tsum tau ntxuav thiab tua kab mob{2][3}ua ntej nkag mus		
	area.{2]	thiab ua ntej tawm hauv qhov chaw tsis muaj zog.{2]		
38	Consider a locked barrier at the site entrance.	Xav txog qhov thaiv ntawm qhov chaw nkag.	Not	t started
39	[1] If this is not possible, place signs at the entrance to the perimeter buffer area to prevent unauthorized access. [2]	[1]Yog tias qhov no ua tsis tau, muab cov paib tso rau ntawm qhov nkag mus rau thaj tsam ib puag ncig kom tiv thaiv kev	Not	t started
	perimeter burier area to prevent unauthorized access.{z]	nkag tsis tau txais kev tso cai.{2]		
40	USDA is an equal opportunity provider, employer, and lender.	USDA yog ib qho chaw muab kev pabcuam sib npaug, chaw ua	Not	t started
		haujlwm, thiab qiv nyiaj.		