BIRDS Checklist Master-4_Wild_Birds.idml CAUTION: Do not change segment ID or source text MQ961611 e2d3f0f8-6e86-433c-a0e6-fffba79c1109

ID	English	Hmong	Comment	Status
1	Checklist To Protect Against	Daim Ntawy Teey Npe <u>Txheeb Xyuas</u> Tiv Thaiy		Not started
in hatalan in a faire	Wild Birds, Rodents, and Insects	Cov noog qus, nas, thiab kab		Not started
**********	Food, water, and shelter in areas where domestic birds live are a	Khoom noj, dej, thiab chaw nyob hauv thaj chaw uas cov noog		Not started
	magnet for wild birds,	nyob hauv tsev yog cov hlau nplaum rau cov noog qus,		
	rodents, and insects.	nas, thiab kab.		Not started
	It's crucial to protect your poultry from the germs and diseases	Nws yog ib qho tseem ceeb los tiv thaiv koj cov nqaij qaib tsiaj		Not started
	these	muaj tis los ntawm cov kab mob thiab cov kab mob no		
23.60401405400	pests can carry: mites and other parasites, viruses like avian	Kab tsuag tuaj yeem nqa tau: mites thiab lwm yam kab mob,		Not started
	influenza, bacteria such as	kab mob xws li mob khaub thuas avian, kab mob xws li		
	Salmonella and Campylobacter, or other disease agents.	Salmonella thiab Campylobacter, lossis los yog lwm yam kab mob.		
niner menn	Whether you're part of a large	Seb koj <u>puas</u> yog ib feem ntawm qhov loj		Not started
idad sabistici (Kan	commercial enterprise or keep birds as a hobby, make sure	kev lag luam lag luam lossis los sis khaws cov noog raws li kev		Not started
	everyone with access to your	nyiam ua, xyuas kom txhua tus neeg muaj kev nkag tau rau koj		
0	flock follows biosecurity practices to keep these threats away.	pab yaj ua raws li kev coj ua biosecurity kom tsis txhob muaj kev hem thawj no.		Not started
_	If you see or suspect anything unusual, call your flock	Yog tias koj pom lossis los yog xav tias muaj dab tsi txawv txav,		Not started
	supervisor, veterinarian, or cooperative	hu rau koj tus kws saib xyuas tsiaj, kws kho tsiaj, lossis los sis koom tes		
2	extension office right away.	extension chaw ua hauj lwm tam sim ntawd.		Not started
3	Use this form to record phone numbers for contacts in your area.	Siv daim foos-ntawy no los sau cov xov tooj rau cov neeg nyob hauv koj cheeb tsam.		Not started
4	The earlier you act, the easier it is to contain the disease to a	Ua ntej koj ua, nws yooj yim dua kom muaj tus kab mob mus		Not started
	single flock.	rau ib pab pawg.		
)	√	V		Not started
)	Check the list on the back for tips	Tshawb xyuas cov npe hauv qab rau cov lus ghia		Not started
7	to help keep your flocks healthy.	pab kom koj pab yaj noj qab nyob zoo.		Not started
3	Report Sick Birds	Qhia Cov txog Noog Mob		Not started
9	If you see signs of illness, take action right away!	Yog tias koj pom cov tsos mob tshwm sim, ua nqis tes tam sim ntawd!		Not started
)	[1] [2] Phone Number{3]	[1][2} Xov tooj{3]		Not started
1	[1] Veterinarian {2][3][4][4][4] {2]	[1] Veterinarian Kws Kho Tsiaj [2] [3] [4] [4] [4] [4]		Not started
2	[1]Cooperative Extension Office{2][3][4][4] {2]	[1]Cooperative Extension Office(2)[3][4][4] (2]		Not started
3	[1]State Veterinarian/Animal or Poultry Diagnostic Lab{2][3} {2]	[1]Lub Xeev Veterinarian Kws Kho Tsiaj / Tsiaj txhu lossis Poultry Diagnostic Lab{2][3} {2]		Not started
1	[1}USDA{2][3}[4][4][4][4][4] 866.536.7593{2]	[1]USDA{2][3][4][4][4][4] 866.536.7593{2]		Not started
5	Animal and Plant Health Inspection Service	Tsiaj thiab Nroj Tsuag Kev Tshuaj Xyuas Kev Noj Qab Haus Huv Kev Tshuaj Xyuas Kev Noj Qab Haus Huv		Not started

		ntawy Tsiaj thiab Nroj Tsuag		
26	√	√		
27	Checklist:[1]Tips To Help Keep	Daim Ntawv Teev Npe Txheeb Xyuas:[1]Cov Lus Qhia Kom Pab Khaws Cia		
28	Your Flocks Healthy {1]	Koj cov tsiaj noj qab nyob zoo {1]	Not started	
29	This checklist is a general guide to practicing good biosecurity, but if you have a	Daim ntawv txheeb xyuas no yog cov lus qhia dav dav rau kev xyaum zoo biosecurity, tab sis yog tias koj muaj	Not started	
30	site-specific biosecurity plan, please follow it.	site-specific biosecurity plan, thov ua raws nws.	Not started	
31	Commercial growers should be sure their	Cov neeg cog khoom lag luam yuav tsum paub tseeb tias lawv	Not started	
32	site-specific plans follow the National Poultry Improvement Plan biosecurity principles.	Cov hauv paus ntsiab lus Cov phiaj xwm tshwj xeeb ntawm qhov chaw ua raws National Poultry Improvement Plan biosecurity cov hauv paus ntsiab lus.	Not started	
33	Understand what poses a disease risk:	To taub dab tsi ua rau muaj kab mob txaus ntshai:	Not started	
34	it's not just the wild birds and pests themselves.	nws tsis yog cov noog qus thiab kab tsuag xwb.	Not started	
35	Feathers, nests, feces, and other organic materials can also carry disease.	Feathers Cov Plaub, zes, quav, thiab lwm yam khoom siv organic kuj tuaj yeem nga kab mob.	Not started	
36	These items can come in contact with your flock through poultry enclosures, feed and water supplies, and even vehicles at your property.	Cov khoom no tuaj yeem cuam tshuam nrog koj pab tsiaj los ntawm cov nqaij qaib tsiaj muaj tis enclosures, pub thiab dej, thiab txawm lub tsheb ntawm koj lub tsev.	Not started	
37	Check coops, pens, and poultry houses regularly [1] for areas that allow birds to perch, nest, or enter.	Xyuas cov coops, cwj mem, thiab cov tsev qaib tsis tu ncua[1]rau thaj chaw uas tso cai rau cov noog mus perch, zes, lossis los yog_ nkag mus.	Not started	
38	These include extended roof eaves, rooftop ventilation, overhead wires, torn screens, holes, and broken door openings.	Cov no suav nrog cov ru tsev txuas ntxiv, lub qhov cua ntawm lub ru tsev, cov kab hluav taws xob sab hauv, cov ntxaij vab tshaus, qhov, thiab cov qhov rooj tawg.	Not started	
39	Concrete aprons around building walls deter burrowing animals. [1]	Qhob aprons nyob ib ncig ntawm lub tsev phab ntsa deter qhov quav burrowing tsiaj{1]	Not started	
40	Sweep away old nests before nesting	cheb cov qub zes ua ntej zes	Not started	
41	season[1}—birds will return to the same nests	lub caij[1}- noog yuav rov qab mus rau tib lub zes	Not started	
42	year after year. {1]	xyoo tom qab xyoo. {1]	Not started	
43	Clean and disinfect poultry enclosures.[1]	Ntxuav thiab tua kab mob nqaij qaib ntawm cov tsiaj muaj tis enclosures cov ntaub thaiv npog.[1]	Not started	
44	This includes removing soiled litter and throwing it away.	Qhov no suav nrog tshem cov khib nyiab pov tseg thiab pov tseg.	Not started	
45	Sick birds can easily contaminate straw and other bedding.{1]	Cov noog mob tuaj yeem kis tau yooj yim straw thiab lwm cov txaj lub txaj. {1]	Not started	
46	For more information about how to keep your flocks healthy, follow [1]Defend the Flock [2]on	Yog xav paub ntxiv txog yuav ua li cas kom koj pab tsiaj noj qab nyob zoo, ua raws [1]Defend the Flock {2] rau	Not started	
47	[1]Facebook{2] and [1]Twitter{2] and visit[1] {2][7]www.aphis.usda.gov/animalhealth/defendtheflock.{2]	[1]Facebook{2]thiab [1]Twitter{2] thiab mus saib[1] {2][7]www.aphis.usda.gov/animalhealth/defendtheflock.{2]	Not started	
48	Animal and Plant Health Inspection Service	Tsiaj thiab Nroj Tsuag Kev Tshuaj Xyuas Kev Noj Qab	Not started	

		Haus Huv Kev Tshuaj Xyuas Kev Noj Qab Haus Huv		
40	Dua Aid No. 2225 4	ntawy Tsiaj thiab Nroj Tsuag		
49	Program Aid No. 2235-4 • Issued November 2018	Program Aid No. 2235-4 • Tshaj tawm Kaum Ib Hlis 2018	Not started	
50	Don't give wild birds, rodents, and insects a	Tsis txhob muab noog qus, nas, thiab kab a	Not started	
51	free lunch!	noj su dawb!	Not started	
52	[1] Remove spilled or uneaten feed right	[1]Tshem tawm spilled up paug los yog Tsis noj uneaten pub txoj cai	Not started	
53	away, and make sure feed storage units are secure	tam sim ntawd, thiab xyuas kom cov khoom noj khoom noj muaj kev ruaj ntseg	Not started	
54	and free of holes. {1]	thiab dawb ntawm ghov. {1]	Not started	
55	Protect your flock's water supply.	Tiv thaiv koj pab yaj cov dej.	Not started	
6	[1]Make sure	[1]Nco ntsoov	Not started	
57	wild birds, rodents, and other pests can't access it.	noog qus, nas, thiab lwm yam kab tsuag tsis tuaj yeem nkag mus rau nws.	Not started	
58	And if you can, use a municipal water supply or	Thiab yog tias koj ua tau, siv cov dej hauv nroog lossis los yog	Not started	
59	treated well water so you know it's clean. [1]	kho dej kom zoo kom koj paub tias nws huv si. {1]	Not started	
50	Don't walk through or drive trucks, tractors,	Tsis txhob taug kev los yog tsav tsheb, tsheb laij teb,	Not started	
61	or equipment[1] in areas where waterfowl or other	los yog khoom siv[1] nyob rau hauv tej thaj chaw uas dej noog	Not started	
		los yog lwm yam		
52	wildlife feces may be.	cov tsiaj qus quav yuav yog.	Not started	
53	If you can't avoid this, clean	Yog tias koj tsis tuaj yeem zam qhov no, ntxuav	Not started	
54	your shoes, vehicle, and/or equipment thoroughly to	koj nkawm khau, tsheb, thiab/los yog khoom siv kom huv si	Not started	
55	prevent bringing disease agents back to your flock. [1]	tiv thaiv kom tsis txhob nqa cov kab mob rov qab los rau koj pab yaj.{1]	Not started	
56	Know the warning signs of poultry disease,[1]	Paub cov cim ceeb toom ntawm tus kab mob nqaij qaib tsiaj muaj tis,[1]	Not started	
67	like changes in how much your birds eat or drink,	zoo li kev hloov pauv ntawm koj cov noog noj lossis los yog haus ntau npaum li cas,	Not started	
58	increased deaths in your flock, or general malaise. [1]	nce kev tuag nyob rau hauv koj pab yaj, los yog tag nrho malaise.{1]	Not started	
59	Be sure to:	Nco ntsoov:	Not started	
70	Find out when wild bird migration season is in your	Tshawb nrhiav thaum lub caij noog qus tsiv teb tsaws chaw nyob hauv koj	Not started	
71	area.	cheeb tsam.	Not started	
72	Be extra careful during this time to protect	Ceev faj ntxiv rau lub sijhawm no los tiv thaiv	Not started	
'3	your flock from infectious diseases.	koj pab yaj los ntawm cov kab mob sib kis.	Not started	
'4	If you find	Yog koj pom	Not started	
75	native wild bird nests with eggs or young in them,	haiv neeg qus noog zes nrog qe los yog hluas nyob rau hauv lawv,	Not started	
76	contact your cooperative extension service.	tiv tauj koj ghov kev pabcuam txuas ntxiv.	Not started	
77	USDA is an equal opportunity provider, employer, and lender.	USDA yog ib qho chaw muab kev pabcuam sib npaug, chaw ua haujlwm, thiab qiv nyiaj.	Not started	