## BIRDS Checklist Master-8\_Perimeter\_Buffer\_Area.idml CAUTION: Do not change segment ID or source text MQ961611 60e3e720-6197-4469-a640-84c2f2e4ad43

	· · · · · · · · · · · · · · · · · · ·	6/20-619/-4469-a640-84c2t2e4ad43		
ID	English	Hmong	Comment	Status
1	Checklist for Using a [1]Perimeter Buffer Area	Daim ntawv txheeb xyuas siv [1]Perimeter Buffer Area		Not started
2	When caring for your poultry, you need to access everyday	Thaum saib xyuas koj cov nqaij qaib, koj yuav tsum nkag mus		Not started
	supplies and equipment.	rau cov khoom siv niaj hnub thiab khoom siv.		
3	At the same time, you need to avoid carrying around germs that	Nyob rau tib lub sijhawm, koj yuav tsum tsis txhob nqa cov kab		Not started
	could make your birds sick.	mob uas tuaj yeem ua rau koj cov noog mob.		
4	Having clear separation between your poultry area (where your	Muaj kev sib cais meej ntawm koj thaj chaw nqaij qaib (qhov		Not started
	birds are kept) and the rest of the world will help you meet both	twg koj cov noog tau khaws cia) thiab lwm lub ntiaj teb yuav pab		
	of these needs.	koj ua tau raws li ob qho kev xav tau no.		
5	You can establish a perimeter buffer area: a zone outside [1]of	Koj tuaj yeem tsim ib thaj chaw tsis sib haum xeeb: ib cheeb		Not started
	your bird enclosures that gives you space to work in while caring	tsam sab nraud [1] ntawm koj cov noog uas muab chaw rau koj		
	for your birds, but is [1]separate from the rest of your property.	ua haujlwm thaum tu koj cov noog, tab sis yog [1] cais tawm		
		ntawm koj lub vaj tse.		
6	On small farms and in backyards, this might just be some ground	Ntawm cov liaj teb me me thiab hauv vaj tsev, qhov no tsuas		Not started
	around a coop or barn where you keep your feed bin and	yog qee qhov av nyob ib ncig ntawm lub coop lossis lub tsev cog		
	equipment.	khoom uas koj khaws koj cov khoom noj thiab khoom siv.		
7	On larger farms, the perimeter buffer area might include feed	Ntawm cov liaj teb loj dua, thaj chaw tsis muaj kab mob tuaj		Not started
	bins, manure sheds, composting areas, [1]egg rooms,	yeem suav nrog cov khoom noj khoom haus, cov quav cab, thaj		
	generators, and pump rooms.	chaw ua chiv, [1] chav qe, tshuab hluav taws xob, thiab chav twj		
		tso kua mis.		
8	Whether you're part of a large commercial enterprise or raise	Txawm hais tias koj yog ib feem ntawm kev lag luam loj lossis		Not started
	birds as a hobby, keeping bird-related activities within the	tsim cov noog ua haujlwm, ua kom cov noog muaj feem xyuam		
	perimeter buffer area—and non-bird activities out of it—can help	nrog thaj chaw tsis muaj kab mob - thiab cov haujlwm tsis yog		
	keep your poultry from getting sick.	noog tawm - tuaj yeem pab ua kom koj cov nqaij qaib tsis muaj		
_		mob.		
9	If you see or suspect anything unusual, call your flock	Yog tias koj pom lossis xav tias muaj ib yam dab tsi txawv txawv,		Not started
	supervisor, veterinarian, or cooperative [1]extension office right	hu rau koj tus kws saib xyuas pab tsiaj, kws kho tsiaj, lossis		
10	away.	koom tes [1] chaw ua haujlwm txuas ntxiv tam sim ntawd.		
10	Use this form to record phone numbers for contacts in your area.	Siv daim foos no los sau cov xov tooj rau cov neeg nyob hauv		Not started
4.4		koj cheeb tsam.		N
11	The earlier you act, the easier it is to contain the disease to a	Ua ntej koj ua, nws yooj yim dua kom muaj tus kab mob mus		Not started
40	single flock.	rau ib pab pawg.		
12		<u>V</u>		Not started
13	Check the list on the back for tips	Tshawb xyuas cov npe hauv qab rau cov lus qhia		Not started
14	to help keep your flocks healthy.	pab kom koj pab yaj noj qab nyob zoo.		Not started
15	Report Sick Birds	Qhia Cov Noog Mob		Not started
16	If you see signs of illness, take action right away!	Yog tias koj pom cov tsos mob tshwm sim, ua tam sim ntawd!		Not started
17	[1] [2] Phone Number{3]	[1][2} Xov tooj{3]		Not started
18	[1}Veterinarian{2][3}[4][4][4] {2]	[1}Veterinarian{2][3}[4][4][4] {2]		Not started

19	[1]Cooperative Extension Office(2)[3][4][4] {2]	[1]Cooperative Extension Office(2)[3][4][4] (2]	Not started
20	[1]State Veterinarian/Animal or Poultry Diagnostic Lab{2][3}	[1]Lub Xeev Veterinarian / Tsiaj txhu lossis Poultry Diagnostic	Not started
	[2]	Lab{2][3} {2]	
21	[1}USDA{2][3}[4][4][4][4] 866.536.7593{2]	[1}USDA{2][3}[4][4][4][4] 866.536.7593{2]	Not started
22	Animal and Plant Health Inspection Service	Tsiaj thiab Nroj Tsuag Kev Tshuaj Xyuas Kev Noj Qab Haus Huv	Not started
23	✓	√ V	Not started
24	Checklist:[1]Tips for Using a [2]Perimeter Buffer Area{3]	Daim ntawv txheeb xyuas:[1]Cov lus qhia rau kev siv [2]Perimeter Buffer Area{3]	Not started
25	This checklist is a general guide to practicing good biosecurity, but if you have a site-specific [1]biosecurity plan, please follow it.	Daim ntawv txheeb xyuas no yog cov lus qhia dav dav rau kev xyaum zoo biosecurity, tab sis yog tias koj muaj ib qhov chaw tshwj xeeb [1] txoj kev npaj biosecurity, thov ua raws li nws.	Not started
26	Commercial growers should be sure their site-specific plans [1]follow the National Poultry Improvement Plan biosecurity principles.	Cov neeg cog qoob loo yuav tsum paub tseeb tias lawv qhov chaw tshwj xeeb cov phiaj xwm [1] ua raws National Poultry Improvement Plan biosecurity cov hauv paus ntsiab lus.	Not started
27	Establish the perimeter buffer area with enough space to complete all of your [1][2}normal bird-related tasks{3][4} (except the removal{3][6} of dead birds) without leaving the buffer area. {3]	Tsim kom muaj thaj chaw nyob ib puag ncig tsis muaj chaw txaus los ua kom tiav tag nrho koj cov haujlwm [1][2}ib txwm ua haujlwm ntsig txog noog{3][4}(tshwj tsis yog kev tshem tawm {3][6} ntawm cov noog tuag) yam tsis tau tawm hauv thaj chaw tsis muaj zog. {3]	Not started
28	Include a map that clearly outlines the perimeter buffer area in your biosecurity plan.	suav nrog ib daim ntawv qhia uas qhia meej txog thaj tsam ib puag ncig tsis nyob hauv koj txoj kev npaj biosecurity.	Not started
29	[1] List the rules people must follow when entering or leaving this area.	[1]Sau cov cai uas tib neeg yuav tsum ua raws thaum nkag los yog tawm hauv cheeb tsam no.	Not started
30	Give training and post signs to remind people of the steps they need to take.{1]	Muab kev cob qhia thiab tshaj tawm cov paib ceeb toom rau tib neeg txog cov kauj ruam uas lawv yuav tsum tau ua.{1]	Not started
31	Keep non-essential people and items, including vehicles, from entering the [1]buffer area.	Khaws cov neeg tsis tseem ceeb thiab cov khoom, suav nrog tsheb, los ntawm kev nkag mus rau [1] thaj chaw tsis muaj.	Not started
32	[1] Have a parking area outside the buffer area, with a clear	[1] Muaj chaw nres tsheb sab nraud ntawm thaj chaw tsis muaj,	Not started
	entrance to the buffer area nearby.{2]	nrog rau qhov pom meej nkag mus rau thaj chaw tsis nyob ze.{2]	
33		nrog rau qhov pom meej nkag mus rau thaj chaw tsis nyob	Not started
33 34	entrance to the buffer area nearby.{2]  For more information about how to keep your flocks healthy,	nrog rau qhov pom meej nkag mus rau thaj chaw tsis nyob ze.{2]  Yog xav paub ntxiv txog yuav ua li cas kom koj pab tsiaj noj qab	Not started  Not started
PATERIA DA ANA RIA PERMITE Nº	entrance to the buffer area nearby.{2]  For more information about how to keep your flocks healthy, follow [1}Defend the Flock {2]on  [1}Facebook{2] and [1}Twitter{2] and visit[1}  {2][7}www.aphis.usda.gov/animalhealth/defendthefloc	nrog rau qhov pom meej nkag mus rau thaj chaw tsis nyob ze.{2] Yog xav paub ntxiv txog yuav ua li cas kom koj pab tsiaj noj qab nyob zoo, ua raws [1}Defend the Flock {2] rau [1}Facebook{2]thiab [1}Twitter{2] thiab mus saib[1}	
34	entrance to the buffer area nearby.{2]  For more information about how to keep your flocks healthy, follow [1}Defend the Flock {2]on  [1}Facebook{2] and [1}Twitter{2] and visit[1}  {2][7}www.aphis.usda.gov/animalhealth/defendtheflock.{2]	nrog rau qhov pom meej nkag mus rau thaj chaw tsis nyob ze.{2] Yog xav paub ntxiv txog yuav ua li cas kom koj pab tsiaj noj qab nyob zoo, ua raws [1}Defend the Flock {2] rau  [1}Facebook{2}thiab [1}Twitter{2] thiab mus saib[1} {2][7}www.aphis.usda.gov/animalhealth/defendtheflock.{2]  Tsiaj thiab Nroj Tsuag Kev Tshuaj Xyuas Kev Noj Qab	Not started

	[1] perimeter buffer area to be cleaned and disinfected [2][3] before entering and before leaving the buffer area. [2]	mus rau hauv [1} thaj tsam ib puag ncig tsis zoo yuav tsum tau ntxuav thiab tua kab mob{2][3}ua ntej nkag mus thiab ua ntej tawm hauv qhov chaw tsis muaj zog.{2]	
38	Consider a locked barrier at the site entrance.	Xav txog qhov thaiv qhov thaiv ntawm qhov chaw nkag.	Not started
39	[1] If this is not possible, place signs at the entrance to the perimeter buffer area to prevent unauthorized access. [2]	[1]Yog tias qhov no ua tsis tau, muab cov paib tso rau ntawm qhov nkag mus rau thaj tsam ib puag ncig kom tiv thaiv kev nkag tsis tau txais kev tso cai.{2]	Not started
40	USDA is an equal opportunity provider, employer, and lender.	USDA yog ib qho chaw muab kev pabcuam sib npaug, chaw ua haujlwm, thiab qiv nyiaj.	Not started