
Nimbus

Front: elevation



Front face is plain: the screen and the SD slot only. Outline: superellipse n = 4.8, 236 x 228, one radius 9. Wall 2.4.


0 100 mm

Units: millimetres. General tolerance +/- 0.3 mm. Scale 1:1 (print at 100 percent, do not fit to page)


Sheet 1 of 6. Joshua Tree OS hardware, CC BY-NC-SA 4.0. Drawn from the CAD (nimbus_cad.py).

Nimbus

Side: elevation



The face leans back 6 degrees. One reveal of 0.5 mm splits the front shell from the back cover. The flat rear foot is the only part on the desk.



Units: millimetres. General tolerance +/- 0.3 mm. Scale 1:1 (print at 100 percent, do not fit to page)

 Joshua Tree OS hardware, CC BY-NC-SA 4.0. Drawn from the CAD (nimbus_cad.py).

Nimbus

Rear: elevation




0 100 mm

Units: millimetres. General tolerance +/- 0.3 mm. Scale 1:1 (print at 100 percent, do not fit to page)


Nimbus

Section: on the centre line



Section on the centre line (x = 0). Front shell in ink, back cover in terracotta. Walls 2.4. Half-lap at the reveal (0.5); the cover's lip (1.1 clearance 0.2) sits inside the shell.

Two M3 ribs and the Pi standoffs are off the centre line. The vent slot (96 x 3.2) is in the floor of the cover.




Units: millimetres. General tolerance +/- 0.3 mm. Scale 1:1 (print at 100 percent, do not fit to page)

 Joshua Tree OS hardware, CC BY-NC-SA 4.0. Drawn from the CAD (nimbus_cad.py).

Nimbus

Underside: plan view



Underside. The only screws are the two in the foot, from below. Counterbore 6.2 wide, 1.2 deep.


0 100 mm

Units: millimetres. General tolerance +/- 0.3 mm. Scale 1:1 (print at 100 percent, do not fit to page)

 Joshua Tree OS hardware, CC BY-NC-SA 4.0. Drawn from the CAD (nimbus_cad.py).

Nimbus

Exploded: front shell and back cover apart



Scale 1:2. Parts: 1 front shell, 2 back cover, 3 tree ground inlay (in the back, not shown). Bought parts are on the bill of materials.

0 100 mm

Units: millimetres. General tolerance +/- 0.3 mm. Scale 1:2