Weeks IT Solutions
nullps1 | systems builder
weeksitsolutions.com

External Exposure Check

Documentation Range Holdings LLC

Grade
F Act now ✖

Grade F ✖ (Act now): 3 critical, 3 high, 1 medium, 1 low, and 2 informational.

Top 3 items

1. Windows file sharing: Block file sharing from the internet.
2. MySQL database: Block port 3306 from the internet.
3. Remote Desktop: Close port 3389 on the firewall.

Scope and authorization

Client legal name: Documentation Range Holdings LLC
Client contact: Pat Example, Owner, pat.example@example.test
Authorization reference: AUTH-DEMO-2026-0142
Signer: Pat Example, Owner
Signed date: 2026-10-20
Scope: Client-owned public addresses in the documentation ranges only. No other networks were in scope.
Assets: 203.0.113.10, 198.51.100.20
Scan record target: 203.0.113.10,198.51.100.20
Scan window: October 28, 2026 at 12:29:55 PM MDT to October 28, 2026 at 12:30:00 PM MDT (America/Denver)
nullscan version: 1.8.0
CVE database date: 2026-10-30
Report ID and version: NS-DEMO-0001 / 0.1
Prepared by: Noah Weeks, Weeks IT Solutions
Delivery date: 2026-11-02

Times are shown in America/Denver.

Executive summary

[CRITICAL ✖] 3 [HIGH ■] 3 [MEDIUM ▲] 1 [LOW ●] 1 [INFO ○] 2

Ports in the scan record: 200 scanned, 10 open, 190 closed or filtered. Duration: 4.20s.

Risk grade

The grade uses counts of findings. Informational items do not lower the grade. Low items do not lower it below A.

Grade	Label	Shape	Rule	This client
A	Solid	✔	Nothing above low	
B	Good, minor fixes	●	Up to 3 medium, no high	
C	Needs attention	▲	4 or more medium, or exactly 1 high	
D	At risk	■	2 or more high	
F	Act now	✖	Any critical	Yes

Severity tags, printed as text: [CRITICAL ✖] [HIGH ■] [MEDIUM ▲] [LOW ●] [INFO ○]
A tag is the word plus the shape. Do not rely on color.

Fix-first list

Sorted by severity, highest first. Informational items are in the appendix only.

#	Finding	Where	Severity	Effort	Who
1	Windows file sharing	203.0.113.10:445	[CRITICAL ✖]	Quick	IT provider
2	MySQL database	203.0.113.10:3306	[CRITICAL ✖]	Moderate	IT provider
3	Remote Desktop	203.0.113.10:3389	[CRITICAL ✖]	Quick	IT provider
4	File transfer (FTP)	198.51.100.20:21	[HIGH ■]	Moderate	IT provider
5	Secure shell login	203.0.113.10:22	[HIGH ■]	Moderate	IT provider
6	Web site (unencrypted)	203.0.113.10:80	[HIGH ■]	Moderate	IT provider
7	Admin web page	198.51.100.20:8080	[MEDIUM ▲]	Quick	IT provider
8	Web site (unencrypted)	198.51.100.20:8081	[LOW ●]	Moderate	IT provider

Findings

Windows file sharing open to the internet

[CRITICAL ✖] · Where: 203.0.113.10:445 · Detected: SMB/NetBIOS

What it is: Windows file sharing is how office computers share folders. Right now that share can be reached from the internet.
Why it matters: Attackers use exposed file sharing to steal files and to spread ransomware from one computer to the next.

What to do:

1. Block file sharing from the internet.
2. Keep shares on the private network, and reach them through a VPN.

Who: IT provider. Effort: Quick.

Technical detail

Banner: SMB negotiation
No CVE was matched from the banner. That does not prove the service is safe.

MySQL database open to the internet

[CRITICAL ✖] · Where: 203.0.113.10:3306 · Detected: MySQL 5.7.33

What it is: MySQL is a database. Its login port is reachable from the internet.
Why it matters: A database on the public internet is a direct path to business and customer data.

What to do:

1. Block port 3306 from the internet.
2. Allow the database only from the application servers that need it.

Who: IT provider. Effort: Moderate.

Technical detail

Banner: MySQL 5.7.33
End-of-life hint: MySQL 5.7 is end of life. Confirm the version with the vendor. This hint list is short and editable; it is not a complete end-of-life catalog.
No CVE was matched from the banner. That does not prove the service is safe.

Remote Desktop open to the internet

[CRITICAL ✖] · Where: 203.0.113.10:3389 · Detected: RDP

What it is: Remote Desktop lets someone control a computer from anywhere, and right now anyone on the internet can reach the login screen.
Why it matters: This is one of the most common ways ransomware gets in. Attackers try passwords automatically, 24/7.

What to do:

1. Close port 3389 on the firewall.
2. Use a VPN or a remote-access tool with multi-factor login instead.

Who: IT provider. Effort: Quick.

Technical detail

Banner: Remote Desktop Protocol
No CVE was matched from the banner. That does not prove the service is safe.

File transfer (FTP) open to the internet

[HIGH ■] · Where: 198.51.100.20:21 · Detected: FTP 2.0.8

What it is: FTP moves files with an old protocol that sends the username and password in the clear.
Why it matters: Anyone who can watch the connection can read the login. Exposed FTP is also used to park stolen files.

What to do:

1. Turn FTP off if it is not required.
2. Use SFTP or a private file share instead of FTP.

Who: IT provider. Effort: Moderate.

Technical detail

Banner: 220 vsftpd 2.0.8
End-of-life hint: vsftpd 2.x is end of life. Confirm the version with the vendor. This hint list is short and editable; it is not a complete end-of-life catalog.
No CVE was matched from the banner. That does not prove the service is safe.

Secure shell login open to the internet

[HIGH ■] · Where: 203.0.113.10:22 · Detected: SSH 7.4

What it is: SSH is a remote login for servers. This one answers from the internet, so anyone can try the login screen.

Why it matters: Password guessing against SSH never stops. A weak password or old software is enough for a break-in.

What to do:

1. Allow SSH only from known addresses, or put it behind a VPN.
2. Turn off password login and use keys plus multi-factor login.
3. Install updates if the banner shows old software.

Who: IT provider. Effort: Moderate.

Technical detail

Banner: SSH-2.0-OpenSSH_7.4

End-of-life hint: OpenSSH 7.x is end of life. Confirm the version with the vendor. This hint list is short and editable; it is not a complete end-of-life catalog.

CVE matches are inferred from the banner. Each one may be affected, needs confirming. This is not proof the service is affected.

CVE-2018-15473 CVSS 5.3 https://nvd.nist.gov/vuln/detail/CVE-2018-15473 — may be affected, needs confirming

Web site (unencrypted) open to the internet

[HIGH ■] · Where: 203.0.113.10:80 · Detected: HTTP 2.2.34

What it is: A web site is answering on the plain, unencrypted web port.

Why it matters: Anything typed there, including passwords, can be read on the network path. Old web software is a common way in.

What to do:

1. Send visitors to the encrypted site and close plain HTTP if you do not need it.
2. Remove version details from the banner, and install updates when a possible issue is listed.

Who: IT provider. Effort: Moderate.

Technical detail

Banner: Apache/2.2.34

End-of-life hint: Apache HTTP Server 2.2 is end of life. Confirm the version with the vendor. This hint list is short and editable; it is not a complete end-of-life catalog.

No CVE was matched from the banner. That does not prove the service is safe.

Admin web page open to the internet

[MEDIUM ▲] · Where: 198.51.100.20:8080 · Detected: HTTP

What it is: A management web page is reachable from the internet.

Why it matters: Admin pages are a favorite target. One guessed password can hand over the device or the site.

What to do:

1. Take the admin page off the public internet.
2. Reach it through a VPN, and turn on multi-factor login.

Who: IT provider. Effort: Quick.

Technical detail

Banner: Admin console

No CVE was matched from the banner. That does not prove the service is safe.

Web site (unencrypted) open to the internet

[LOW ●] · Where: 198.51.100.20:8081 · Detected: HTTP 1.2.3

What it is: A web site is answering on the plain, unencrypted web port.

Why it matters: Anything typed there, including passwords, can be read on the network path. Old web software is a common way in.

What to do:

1. Send visitors to the encrypted site and close plain HTTP if you do not need it.
2. Remove version details from the banner, and install updates when a possible issue is listed.

Who: IT provider. Effort: Moderate.

Technical detail

Banner: Acme Widget 1.2.3

No CVE was matched from the banner. That does not prove the service is safe.

What we checked and what we didn't

What we checked

• We tried TCP connections to the authorized addresses (203.0.113.10, 198.51.100.20) and recorded which ports answered. The scan record says the target was 203.0.113.10,198.51.100.20.
• When the scan grabbed banners, we recorded the text the service sent and the name nullscan gave that service.
• When the scan checked the vulnerability database, CVE ids were inferred from that banner text. A match means the service may be affected and needs confirming. We did not prove the issue is present, and we did not try to exploit anything.
• Scanner version: 1.8.0. CVE database date: 2026-10-30.

What we didn't

• This is an external exposure check. It is not a penetration test, a compliance certification, or a guarantee of security.
• We did not guess passwords, log in, or run exploits.
• nullscan looks at TCP. UDP, internal-only ports, and hosts that drop our packets are outside this check. A closed result can mean filtered rather than absent.
• End-of-life software is flagged only when the banner matches a short editable list in the scanner. A service can be out of date without that list saying so.
• "Known mail host" means the address was listed in the report config. The scanner does not know who a company's mail provider is. It also does not log into mail servers, so it cannot tell whether SMTP login on ports 25 and 587 is encrypted. Plain POP (110) and IMAP (143) are treated as unencrypted mail login.
• "SSH world-open" means port 22, or a service named SSH, accepted a connection during this external scan. We cannot see a firewall that we did not pass.

Disclaimers

• Point-in-time snapshot of internet-facing services within the authorized scope as of October 28, 2026 at 12:30:00 PM MDT. Your exposure can change at any time.
• This is an external exposure check, not a penetration test, compliance certification, or guarantee of security. No exploitation was attempted.
• Possible vulnerabilities are inferred from software version information and may include false positives or miss issues.
• Performed under written authorization AUTH-DEMO-2026-0142 signed 2026-10-20. Only the listed assets were scanned.
• Confidential: prepared solely for Documentation Range Holdings LLC. Scan data is deleted 14 days after report delivery, or within 3 business days on request.
• Not legal advice.

Next steps

Rescan: Fixed something? We'll rescan the same scope once within 60 days so you can see the grade improve.
Monitoring: Want us to keep watch? Monthly monitoring checks the same public IPs and alerts you if something new opens up.
Help fixing: Noah Weeks, noah@weeksitsolutions.com, (000) 000-0000. weeksitsolutions.com
Do the fix-first list, then scan the same authorized addresses again so the grade can be compared.

Appendix A — open ports

Every open port from the scan export, including informational items. Protocol is TCP because that is what nullscan connects to. CVE rows use the wording "may be affected, needs confirming".

Host	Port	Proto	Service	Banner	CVEs
203.0.113.10	445	TCP	SMB/NetBIOS	SMB negotiation	none matched
203.0.113.10	3306	TCP	MySQL	MySQL 5.7.33	none matched
203.0.113.10	3389	TCP	RDP	Remote Desktop Protocol	none matched
198.51.100.20	21	TCP	FTP	220 vsftpd 2.0.8	none matched

Host	Port	Proto	Service	Banner	CVEs
203.0.113.10	22	TCP	SSH	SSH-2.0-OpenSSH_7.4	CVE-2018-15473 CVSS 5.3 https://nvd.nist.gov/vuln/detail/CVE-2018-15473 — may be affected, needs confirming
203.0.113.10	80	TCP	HTTP	Apache/2.2.34	none matched
198.51.100.20	8080	TCP	HTTP	Admin console	none matched
198.51.100.20	8081	TCP	HTTP	Acme Widget 1.2.3	none matched
198.51.100.20	25	TCP	SMTP	220 mail.example.test ESMTP	none matched
203.0.113.10	443	TCP	TLS/SSL	TLS handshake successful	none matched

Appendix B — glossary

Port — A numbered door on a computer. Web sites usually use 80 and 443. Remote Desktop uses 3389.

Service — The program listening on a port, such as a web site, mail, or a remote login.

Banner — The text a service sends when you connect. It often includes the software name and version.

CVE — A public id for a known security issue, such as CVE-2018-15473. A match on this report means the service may be affected and needs confirming.

CVSS — A score from 0 to 10 for how serious a known issue is. On this report, 9.0 and above is critical.

Firewall — A filter that allows or blocks traffic. Closing a port usually means adding a firewall rule.

Patch — A vendor update that fixes a known issue. Confirm the installed version before assuming one is needed.

RDP — Remote Desktop. It lets someone control a Windows computer from somewhere else. The usual port is 3389.

VPN — A private tunnel into a network. A safer way to reach remote login than leaving it on the open internet.

MFA — Multi-factor login. A second check, such as a phone prompt, so a stolen password is not enough.

Appendix C — insurance evidence letter

Weeks IT Solutions

nullps1 | systems builder
2026-11-02

Re: External exposure check for Documentation Range Holdings LLC

To whom it may concern: Weeks IT Solutions performed an external exposure check of the assets listed below for Documentation Range Holdings LLC. The work was done under written authorization AUTH-DEMO-2026-0142 signed 2026-10-20.

Scan window (America/Denver): October 28, 2026 at 12:29:55 PM MDT to October 28, 2026 at 12:30:00 PM MDT. nullscan 1.8.0, CVE database date 2026-10-30.
Scope: 203.0.113.10, 198.51.100.20

Overall grade: F Act now ✖. A critical exposure is reachable from the internet. Act now. [CRITICAL ✖] 3 [HIGH ■] 3 [MEDIUM ▲] 1 [LOW ●] 1 [INFO ○] 2

This letter records the scope, the date, and the grade of that check. It is not a penetration test, a compliance certification, or a guarantee of security. No exploitation was attempted. Possible issues were inferred from service banners and may be wrong or incomplete.

Not legal advice.

Authorized signature

_____

Noah Weeks, Weeks IT Solutions
Weeks IT Solutions
weeksitsolutions.com
Date: 2026-11-02