NULLVEIL

RECON REPORT

example.com · Scanned: 2026-10-19T07:10:49 · Duration: 105.9s · Modules: dns, sub, ports, http, ssl, content, robots, paths, users, api, waf, email, audit, ext, cve, crawl, tls, supply, crit, anom, intel, breach, comp, graph, correlate, shot, nuclei · Version 3.2.0

EXPOSURE LEVEL

36/100 — CAUTION

Risk: MEDIUM · Secrets: 0 · Missing headers: 9 · Flagged paths: 0

DNS RECORDS

- A: 172.66.147.243
- AAAA: 2606:4700:10::6814:179a
- AAAA: 2606:4700:10::ac42:93f3

SUBDOMAINS

- SSL SAN: *.example.com
- SSL SAN: example.com
- www.example.com -> 104.20.23.154
- www.example.com -> 172.66.147.243

OPEN PORTS

443 8080 8443

HTTP OVERVIEW

KEY	VALUE
ssl_issuer	SSL Corporation
ssl_subject	example.com
ssl_not_after	Dec 25 22:56:35 2026 GMT
ssl_not_before	Sep 26 22:49:11 2026 GMT
ssl_san	['example.com', '*.example.com']
ssl_serial	01EEE6AABB521D5E14FC315FD9985690
ssl_days_left	67
final_url	https://example.com
http_status	200
server	cloudflare

SECURITY HEADERS

HEADER	VALUE
content-encoding	br

MISSING SECURITY HEADERS

strict-transport-security content-security-policy x-frame-options x-content-type-options x-xss-protection referrer-policy permissions-policy cross-origin-opener-policy cross-origin-resource-policy

SSL CERTIFICATE

KEY	VALUE
issuer	SSL Corporation
subject	example.com
not after	Dec 25 22:56:35 2026 GMT
not before	Sep 26 22:49:11 2026 GMT

KEY	VALUE
san	['example.com', '*.example.com']
serial	01EEE6AABB521D5E14FC315FD9985690
days left	67

WAF / CDN DETECTION

Cloudflare

- Cloudflare: header:cf-ray header / challenge page

EMAIL SECURITY

RECORD	VALUE
mx	['. (prio 0)']
spf	v=spf1 -all
dmarc	v=DMARC1;p=reject;sp=reject;adkim=s;aspf=s
dmarc_policy	reject

EMAIL FINDINGS

SEVERITY	FINDING
LOW	DMARC has no 'rua=' aggregate report address — you won't see abuse reports
LOW	No MTA-STS — SMTP TLS downgrade attacks possible
INFO	DMARC policy 'p=reject' — strongest anti-spoofing policy

API SECURITY FINDINGS

SEVERITY	CHECK	DETAIL
MEDIUM	Rate Limiting	No rate limiting observed in 10 rapid requests — credential/endpoint brute-force possible

ENDPOINT CLASSIFICATION

PATH	STATUS	AUTH	CORS	METHODS	FLAGS
/api	404	-	-	-	-
/api/users	404	-	-	-	-
/api/user	404	-	-	-	-
/api/login	404	-	-	-	-
/api/auth	404	-	-	-	-
/api/health	404	-	-	-	-
/graphql	404	-	-	-	-
/api/docs	404	-	-	-	-
/api/v1	404	-	-	-	-
/api/config	404	-	-	-	-

RATE LIMITING TEST

NO LIMIT No 429 in 10 rapid requests (200, 200, 200, 200, 200, 200, 200, 200, 200, 200)

DEEP CRAWLER

URL	STATUS	TITLE
https://example.com/	200	Example Domain

TLS VERSION / CIPHER MATRIX

VERSION	SUPPORTED	CIPHER	BITS
TLS 1.0	yes	ECDHE-RSA-AES128-SHA	128
TLS 1.1	yes	ECDHE-RSA-AES128-SHA	128
TLS 1.2	yes	ECDHE-ECDSA-CHACHA20-POLY1305	256
TLS 1.3	yes	TLS_AES_256_GCM_SHA384	256

CERTIFICATE CHAIN / OCSP

KEY	VALUE
public key bits	256
key type	ECP-256

TLS FINDINGS

SEVERITY	CHECK	DETAIL
HIGH	TLS 1.0 enabled	TLS 1.0 accepted — BEAST/POODLE-class risks (PCI DSS: disable)
MEDIUM	TLS 1.1 enabled	TLS 1.1 accepted — deprecated (RFC 8996), disable it
MEDIUM	No HSTS	Strict-Transport-Security header missing
LOW	Legacy cipher	TLS 1.0 negotiates legacy CBC/SHA1 cipher: ECDHE-RSA-AES128-SHA — prefer AEAD (GCM/CHACHA20)
LOW	Legacy cipher	TLS 1.1 negotiates legacy CBC/SHA1 cipher: ECDHE-RSA-AES128-SHA — prefer AEAD (GCM/CHACHA20)
INFO	Strong EC key	ECP-256 256-bit ✅ (modern)

SITE METADATA

KEY	VALUE
title	Example Domain

TECH STACK

Cloudflare

CRITICALITY TIER SUMMARY

HIGH: 1 MEDIUM: 1

CRITICALITY CLASSIFICATION

ASSET	TYPE	SCORE	TIER	REASONS
example.com	target	60	HIGH	primary target
www.example.com	host	46	MEDIUM	keyword 'www'

RESPONSE SAMPLES (20 PROBED)

PATH	STATUS	SIZE	LATENCY MS	HASH	TITLE
	200	577	514.7	39c0efeab2d6	Example Domain
index.html	404	577	515.5	39c0efeab2d6	Example Domain
about	404	577	516.0	39c0efeab2d6	Example Domain
contact	404	577	516.4	39c0efeab2d6	Example Domain
products	404	577	519.1	39c0efeab2d6	Example Domain
news	404	577	520.9	39c0efeab2d6	Example Domain
login	404	577	521.3	39c0efeab2d6	Example Domain
images/	404	577	521.8	39c0efeab2d6	Example Domain
assets/	404	577	522.8	39c0efeab2d6	Example Domain
css/	404	577	524.5	39c0efeab2d6	Example Domain
js/	404	577	525.9	39c0efeab2d6	Example Domain
api/	404	577	526.3	39c0efeab2d6	Example Domain
robots.txt	404	577	526.8	39c0efeab2d6	Example Domain

PATH	STATUS	SIZE	LATENCY MS	HASH	TITLE
favicon.ico	404	577	528.1	39c0efeab2d6	Example Domain
nv-ab8274d118	404	577	528.9	39c0efeab2d6	Example Domain
nv-a734e11146	404	577	531.5	39c0efeab2d6	Example Domain
nv-a10f955450	404	577	532.5	39c0efeab2d6	Example Domain
nv-a6a96e898b	404	577	533.3	39c0efeab2d6	Example Domain
nv-a405a423b7	404	577	533.4	39c0efeab2d6	Example Domain
nv-acde55741e	404	577	534.1	39c0efeab2d6	Example Domain

ANOMALY FINDINGS

SEVERITY	CHECK	DETAIL
INFO	Clean 404s ✅	random URLs correctly return non-200 (6/6)

THREAT INTEL SOURCES

SOURCE	TARGET	STATUS	DETAIL
AlienVault OTX	example.com	listed	50 pulse(s): Microsoft Phishing Collection; check; Christopher P. Ahmann IS responsible fo
AlienVault OTX	172.66.147.243	clean	0 pulse(s)
OpenPhish	example.com	clean	300 active phishing URLs scanned
SSLBL	172.66.147.243	clean	SSL cert blacklist scan
Spamhaus Zen	172.66.147.243	clean	TXT Error: open resolver; https://check.spam
AbuseIPDB	-	skipped	set ABUSEIPDB_KEY to enable (optional)

BREACH / CREDENTIAL MONITORING

CHECK	STATUS	DETAIL
HIBP API key	NOT CONFIGURED	Set HIBP_API_KEY (free for non-commercial use at haveibeenpwned.com/APIKey) to enable breach + credential monitoring

COMPLIANCE COVERAGE

Coverage: 97% | Pass: 97 | Fail: 5 | Controls: 31

Evidence-based partial technical mapping only. This is NOT a certification, audit, or gap assessment — most controls require organizational evidence (policies, contracts, logs, personnel). Use as input to a real audit program.

COMPLIANCE: PCI-DSS V4.0

REF	TITLE	STATUS	EVIDENCE
2.2.5	System components have only necessary functions enabled	PARTIAL	9 security headers missing
4.2.1	Strong cryptography protects cardholder data in transit	FAIL	legacy TLS 1.0/1.1 accepted
6.2.4	Secure coding techniques mitigate common software attacks	PARTIAL	CSP: missing; reflected params / XSS candidates reported separately
6.3.1	Vulnerabilities are identified and remediated	PASS	no critical/high CVE-class findings
6.5.1	Software engineering techniques prevent code injection	PASS	no exposed source/config
8.4.2	MFA for all access into the CDE	PARTIAL	API auth findings: 0 high/critical (MFA itself not network-testable)
10.2.1	Audit logs capture all access to network resources	EVIDENCE REQUIRED	log pipeline is organizational evidence — not assessable externally

REF	TITLE	STATUS	EVIDENCE
11.3.1	Internal/external vulnerability scans performed	PASS	this scan = technical evidence (cve module run)
12.8.5	Third-party service provider management	PARTIAL	0 third-party executable resources; SRI missing on 0

COMPLIANCE: ISO 27001:2022

REF	TITLE	STATUS	EVIDENCE
A.5.10	Inventory of information and associated assets	PASS	2 assets classified + subdomains/ports inventoried
A.5.15	Access control	PARTIAL	external view only — run -a audit
A.5.16	Identity management	PARTIAL	user/author enumeration results in -a users report
A.5.7	Threat intelligence	FAIL	1 malicious listing(s) on public feeds
A.5.23	Information security for cloud services	PARTIAL	cloud/CDN providers identified in -a supply
A.5.29	Information security during supplier development	PASS	third-party scripts carry integrity checks
A.8.8	Management of technical vulnerabilities	PASS	no critical/high vulnerabilities in scope
A.8.9	Configuration management	PARTIAL	headers baseline only
A.8.16	Monitoring activities	PARTIAL	external monitoring evidence: threat feeds + anomaly module
A.8.19	Installation of software on operational systems	PARTIAL	soft-404 masking absent in probe baseline
A.8.24	Use of cryptography	FAIL	legacy TLS/weak ciphers enabled
A.8.26	Application security requirements	PARTIAL	security headers present: 1, missing: 9

REF	TITLE	STATUS	EVIDENCE
A.5.14	Information transfer	PARTIAL	email transport auth (SPF/DMARC) reviewed

COMPLIANCE: SOC 2 TSC

REF	TITLE	STATUS	EVIDENCE
CC6.1	Logical access security software / infrastructure	PARTIAL	external API posture only
CC6.6	Threats outside system boundaries	FAIL	legacy TLS accepted — boundary encryption weakened
CC6.7	Transmission and movement of data	PASS	no cleartext third-party submission found
CC7.1	Detection of configuration events / vulnerabilities	PARTIAL	feeds checked: listed
CC7.2	Monitoring for anomalies	PASS	anomaly baseline computed (soft-404/latency/size/k-means)
CC8.1	Change management	PASS	no staging/dev hosts flagged
CC9.2	Vendor and business partner risk	PARTIAL	0 third-party resources, SRI gaps: 0
C1.1	Encryption in transit	FAIL	weak/legacy transport crypto
P4.2	Disposal of data / sensitive data exposure	PASS	no secret patterns in public content

ATTACK PATHS

SEVERITY	PATH
HIGH	TLS 1.0 enabled → example.com
HIGH	OTX pulse match → example.com

CHAIN: LEGACY TLS → MITM OF SESSION COOKIES (CONFIDENCE: HIGH (HANDSHAKE OBSERVED))


1. TLS 1.0/1.1 or weak cipher accepted
2. network attacker downgrades/intercepts transport
3. session cookies / credentials captured in transit

Impact: Credential & session interception

CORRELATED TARGETS

DOMAIN	NS	MX	IPS	TITLE	SERVER
example.com					

SCREENSHOTS (1)



https://example.com/

ERRORS / WARNINGS

- CT logs (crt.sh): RuntimeError: crt.sh returned HTTP 502 (try again later)
- Wayback CDX: ReadTimeout

Generated by **NULLVEIL Recon** v3.2.0 · Owner: NULLVEIL · Engine: DeepHat
Authorized testing only. This report may contain sensitive data — handle with care.