





SHOWN ON P&D	ENGINEERING DETAIL	SHOWN ON P&ID	ENGINEERING DETAIL	NOTES:																																								
	EMERGENCY SHUTDOWN VALVE TYPE A - PNEUMATIC WITH LOCAL RESET & WITHOUT PST (POSITION SWITCH TO ESD)		EMERGENCY SHUTDOWN VALVE TYPE Q - (1 SOLENOID UCP, 1 SOLENOID ESD) - WITHOUT PST (POSITION SWITCH TO UCP)	1. FAIL ACTION TO BE SHOWN BENEATH VALVE ON P&D.																																								
	EMERGENCY SHUTDOWN VALVE TYPE C - PNEUMATIC WITHOUT RESET (AUTO RESET) & WITHOUT PST (POSITION SWITCH TO ESD)		EMERGENCY SHUTDOWN VALVE TYPE R - (1 SOLENOID UCP, 1 SOLENOID ESD) - WITHOUT PST (POSITION SWITCH TO ESD)																																									
<table border="1"> <tr> <td>C01</td><td>25.05.16</td><td>ISSUED FOR CONSTRUCTION</td><td>DX</td><td>VU AB SD</td></tr> <tr> <td>D01</td><td>18.02.16</td><td>ISSUED FOR USE (DD)</td><td>DX</td><td>S/JU AB SQ</td></tr> <tr> <td>H01</td><td>09.11.15</td><td>ISSUED FOR HAZOP (DD)</td><td>DX</td><td>S/JU TT SQ</td></tr> <tr> <td>G01</td><td>26.10.15</td><td>ISSUED FOR REVIEW (DD)</td><td>DX</td><td>S/JU TT SQ</td></tr> <tr> <td>B02</td><td>15.07.15</td><td>APPROVED FOR COMPLETION OF FEED</td><td>DX</td><td>S/RS TT SQ</td></tr> <tr> <td>B01</td><td>28.05.15</td><td>ISSUED FOR DESIGN</td><td>DX</td><td>S/RS TT SQ</td></tr> <tr> <td>A01</td><td>10.02.15</td><td>ISSUED FOR COMPANY REVIEW</td><td>DX</td><td>S/RS VM JF</td></tr> <tr> <td>REV</td><td>DATE</td><td>DESCRIPTION</td><td>PREP'D/CHK'D</td><td>APP'D</td></tr> </table> <p style="text-align: right;"><i>✓ Verbalized</i></p> <p>EARLY POWER PLANT RUMAILA OIL FIELD CONTRACT NO. 100478</p> <p>中国石油工程设计公司 CHINA PETROLEUM ENGINEERING & CONSTRUCTION CORP.</p> <p>CH2MHILL</p> <p>DRAWING TITLE: PIPING AND INSTRUMENTATION DIAGRAM LEGEND SHEET VALVE TYPICALS 1</p> <p>PROJECT NO. 100478CP SCALE: NONE DWG SIZE: A1 DRAWING NUMBER: SHT. NO.: REV. 100478CP-N-PC-PP01-PR-PID-0001-007 07/17 CO1 C:\FILENAME100478CP-N-PC-PP01-PR-PID-0001-007-C01.DWG</p>					C01	25.05.16	ISSUED FOR CONSTRUCTION	DX	VU AB SD	D01	18.02.16	ISSUED FOR USE (DD)	DX	S/JU AB SQ	H01	09.11.15	ISSUED FOR HAZOP (DD)	DX	S/JU TT SQ	G01	26.10.15	ISSUED FOR REVIEW (DD)	DX	S/JU TT SQ	B02	15.07.15	APPROVED FOR COMPLETION OF FEED	DX	S/RS TT SQ	B01	28.05.15	ISSUED FOR DESIGN	DX	S/RS TT SQ	A01	10.02.15	ISSUED FOR COMPANY REVIEW	DX	S/RS VM JF	REV	DATE	DESCRIPTION	PREP'D/CHK'D	APP'D
C01	25.05.16	ISSUED FOR CONSTRUCTION	DX	VU AB SD																																								
D01	18.02.16	ISSUED FOR USE (DD)	DX	S/JU AB SQ																																								
H01	09.11.15	ISSUED FOR HAZOP (DD)	DX	S/JU TT SQ																																								
G01	26.10.15	ISSUED FOR REVIEW (DD)	DX	S/JU TT SQ																																								
B02	15.07.15	APPROVED FOR COMPLETION OF FEED	DX	S/RS TT SQ																																								
B01	28.05.15	ISSUED FOR DESIGN	DX	S/RS TT SQ																																								
A01	10.02.15	ISSUED FOR COMPANY REVIEW	DX	S/RS VM JF																																								
REV	DATE	DESCRIPTION	PREP'D/CHK'D	APP'D																																								

SHOWN ON P&ID	ENGINEERING DETAIL	SHOWN ON P&ID	ENGINEERING DETAIL	NOTES:																																																								
	<p>EMERGENCY SHUTDOWN VALVE TYPE A – PNEUMATIC WITH LOCAL RESET & WITHOUT PST (POSITION SWITCH TO ESD)</p> 		<p>EMERGENCY SHUTDOWN VALVE TYPE Q – (1 SOLENOID UCP, 1 SOLENOID ESD) – WITHOUT PST (POSITION SWITCH TO UCP)</p> 	1. FAIL ACTION TO BE SHOWN BENEATH VALVE ON P&ID.																																																								
	<p>EMERGENCY SHUTDOWN VALVE TYPE C – PNEUMATIC WITHOUT RESET (AUTO RESET) & WITHOUT PST (POSITION SWITCH TO ESD)</p> 		<p>EMERGENCY SHUTDOWN VALVE TYPE R – (1 SOLENOID UCP, 1 SOLENOID ESD) – WITHOUT PST (POSITION SWITCH TO ESD)</p> 	<table border="1" data-bbox="2636 1459 3080 1729"> <tr> <td>C01</td><td>25.05.16</td><td>ISSUED FOR CONSTRUCTION</td><td>DX</td><td>VU</td><td>AB</td><td>SQ</td></tr> <tr> <td>D01</td><td>18.02.16</td><td>ISSUED FOR USE (DD)</td><td>DX</td><td>SI/U</td><td>AB</td><td>SQ</td></tr> <tr> <td>H01</td><td>09.11.15</td><td>ISSUED FOR HAZOP (DD)</td><td>DX</td><td>SI/U</td><td>TT</td><td>SQ</td></tr> <tr> <td>G01</td><td>26.10.15</td><td>ISSUED FOR REVIEW (DD)</td><td>DX</td><td>SI/U</td><td>TT</td><td>SQ</td></tr> <tr> <td>B02</td><td>15.07.15</td><td>APPROVED FOR COMPLETION OF FEED</td><td>DX</td><td>SI/RS</td><td>TT</td><td>SQ</td></tr> <tr> <td>B01</td><td>28.05.15</td><td>ISSUED FOR DESIGN</td><td>DX</td><td>SI/RS</td><td>TT</td><td>SQ</td></tr> <tr> <td>A01</td><td>10.02.15</td><td>ISSUED FOR COMPANY REVIEW</td><td>DX</td><td>HM/RS</td><td>VM</td><td>JF</td></tr> <tr> <td>REV</td><td>DATE</td><td>DESCRIPTION</td><td>PREP'D</td><td>CHK'D</td><td>APP'D</td><td></td></tr> </table> <p>EARLY POWER PLANT RUMAILA OIL FIELD CONTRACT NO. 100478</p> <p>中国石油工程建设公司 CHINA PETROLEUM ENGINEERING & CONSTRUCTION CORP.</p> <p>CH2MHILL</p> <p>DRAWING TITLE: PIPING AND INSTRUMENTATION DIAGRAM LEGEND SHEET VALVE TYPICALS 1</p> <p>PROJECT NO. 100478CP SCALE: NONE DWG SIZE: A1 DRAWING NUMBER: SHT. NO.: REV. 100478CP-N-PG-PP01-PR-PID-0001-007 07/17 CO1</p>	C01	25.05.16	ISSUED FOR CONSTRUCTION	DX	VU	AB	SQ	D01	18.02.16	ISSUED FOR USE (DD)	DX	SI/U	AB	SQ	H01	09.11.15	ISSUED FOR HAZOP (DD)	DX	SI/U	TT	SQ	G01	26.10.15	ISSUED FOR REVIEW (DD)	DX	SI/U	TT	SQ	B02	15.07.15	APPROVED FOR COMPLETION OF FEED	DX	SI/RS	TT	SQ	B01	28.05.15	ISSUED FOR DESIGN	DX	SI/RS	TT	SQ	A01	10.02.15	ISSUED FOR COMPANY REVIEW	DX	HM/RS	VM	JF	REV	DATE	DESCRIPTION	PREP'D	CHK'D	APP'D	
C01	25.05.16	ISSUED FOR CONSTRUCTION	DX	VU	AB	SQ																																																						
D01	18.02.16	ISSUED FOR USE (DD)	DX	SI/U	AB	SQ																																																						
H01	09.11.15	ISSUED FOR HAZOP (DD)	DX	SI/U	TT	SQ																																																						
G01	26.10.15	ISSUED FOR REVIEW (DD)	DX	SI/U	TT	SQ																																																						
B02	15.07.15	APPROVED FOR COMPLETION OF FEED	DX	SI/RS	TT	SQ																																																						
B01	28.05.15	ISSUED FOR DESIGN	DX	SI/RS	TT	SQ																																																						
A01	10.02.15	ISSUED FOR COMPANY REVIEW	DX	HM/RS	VM	JF																																																						
REV	DATE	DESCRIPTION	PREP'D	CHK'D	APP'D																																																							