
MONASH University

ETX1100/ETX5900 Business Statistics

Week 8: Integrated business case and revision

29 January 2027



Outline

1. Choosing an analysis
2. Supermarket case: understand the data
3. Explore relationships
4. Build and refine models
5. From analysis to recommendation
6. Business decision revision
7. Statistical misconception clinic

Today's journey

1. Select methods from a business question and variable types.
2. Analyse ETF's supermarket staffing and profit case.
3. Turn output into recommendations and limitations.
4. Correct common statistical misconceptions.
5. Consolidate the six learning outcomes for the examination.

Outline

1 Choosing an analysis

2 Supermarket case: understand the data

3 Explore relationships

4 Build and refine models

5 From analysis to recommendation

6 Business decision revision

7 Statistical misconception clinic

The four purposes

Purpose	Core question	Example method
Describe	What happened in this sample?	tables, charts, summaries
Infer	What does the sample suggest about a population?	intervals, tests
Predict	What outcome is expected for given inputs?	regression
Decide	Which listed	Tool/Rule regression

Watch me: unpack a business question

For “Should stores introduce manager-retention incentives to improve profit?” identify:

1. outcome and candidate explanatory variables;
2. variable types and observational unit;
3. descriptive and relationship methods;
4. whether causal language is justified; and
5. information needed before a decision.

Now you try: method selection

Time allowed: 6 minutes

Choose a purpose and method for each question:

1. What percentage of stores open 24 hours?
2. Is population mean service quality above 80?
3. Which staffing factors predict profit?
4. Which listed price gives the highest predicted profit within a capacity limit?
5. Are loyalty tier and renewal associated in the customer population?

Justify each choice from the variables and claim.

Outline

1 Choosing an analysis

2 Supermarket case: understand the data

3 Explore relationships

4 Build and refine models

5 From analysis to recommendation

6 Business decision revision

7 Statistical misconception clinic

Business context

A supermarket chain is considering incentives intended to improve store performance.

Open `week8-case-data.xlsx`.

Each row represents a store. Variables cover:

- profit and operating context;
- manager and crew tenure;
- manager and crew skill; and
- service quality.

Data dictionary highlights

Variable	Meaning
`Profit`	current-year store profit
`MTenure`, `CTenure`	average manager and crew tenure in months
`MgrSkill`, `CrewSkill`	staffing skill measures
`ServQual`	service-quality score
`Pop`, `Comp`, `Visibility`, `PedCount`, `Res`, `Hours24`	store context

Confirm units and coding in the workbook before analysing.

Watch me: audit before modelling

1. Check row count, headers, and missing values.
2. Classify each variable.
3. Inspect ranges and units.
4. Create descriptive statistics for key numerical variables.
5. Plot `Profit` and `ServQual` for unusual values.

Document—not silently delete—anything suspicious.

Now you try: data-quality brief

Time allowed: 8 minutes

Create a compact audit containing:

1. observational unit and target population;
2. roles and types for five variables;
3. two useful descriptive statistics for `Profit`;
4. one appropriate visualisation; and
5. two data-quality or scope limitations.

Outline

1. Choosing an analysis
2. Supermarket case: understand the data
3. Explore relationships
4. Build and refine models
5. From analysis to recommendation
6. Business decision revision
7. Statistical misconception clinic

Staffing questions

The ETF case asks:

- Are manager and crew skills associated?
- Do crews stay longer where managers stay longer?
- Are skill measures associated with service quality?
- Is service quality associated with profit?

These are observational association questions—not experiments.

Watch me: correlation matrix

Use `Data → Data Analysis → Correlation` for selected numerical variables.

1. Include labels.
2. Confirm the output is symmetric with 1s on the diagonal.
3. Pair strong correlations with scatterplots.
4. Describe direction, strength, form, and unusual points.
5. Avoid ranking variables by correlation alone.

Now you try: prioritise relationships

Time allowed: 8 minutes

From the correlation matrix:

1. identify the strongest positive and negative relationships;
2. create two scatterplots;
3. flag one possible multicollinearity concern;
4. identify one weak relationship that may still matter in a multiple model; and
5. write two cautious business interpretations.

High service-quality stores

ETF defines excellent service as `ServQual >= 90`.

Comparing skill across this threshold can be useful descriptively, but dichotomising a numerical variable discards information. Use it to complement—not replace—the continuous analysis.

Now you try: compare service groups

Time allowed: 7 minutes

Create an `ExcellentService` flag and compare `CrewSkill` and `MgrSkill` across groups.

Use appropriate centre, spread, and plots. State what the comparison suggests and why it does not establish that skill caused service quality.

Outline

1 Choosing an analysis

2 Supermarket case: understand the data

3 Explore relationships

4 Build and refine models

5 From analysis to recommendation

6 Business decision revision

7 Statistical misconception clinic

Model service quality

Begin with a focused explanatory question:

$$ServQual_i = \beta_0 + \beta_1 MTenure_i + \beta_2 CTenure_i + \beta_3 MgrSkill_i + \beta_4 CrewSkill_i + \varepsilon_i$$

The chosen variables should reflect a rationale, not merely every available column.

Watch me: service-quality model

1. Fit the model in Excel.
2. Write the fitted equation.
3. Interpret two partial slopes.
4. Evaluate adjusted R^2 and Significance F.
5. Inspect coefficient p-values and residual plots.
6. Record limitations before considering reduction.

Now you try: refine the service model

Time allowed: 10 minutes

Create one defensible reduced model.

Compare it with the full model using coefficient stability, adjusted R^2, standard error, individual tests, overall evidence, residuals, and interpretability. Recommend one model.

Model profit in context

Profit may depend on staffing and store environment. Candidate predictors include tenure, skills, service quality, population, competition, visibility, pedestrian count, residential context, and 24-hour operation.

Adding controls can change staffing coefficients because store context is not evenly distributed.

Watch me: profit model

Build a full model with a clearly stated rationale.

- Identify dummy-variable coding.
- Interpret staffing slopes conditionally.
- Distinguish statistical from practical significance.
- Check overall fit and residuals.
- Consider whether correlated predictors make individual coefficients unstable.

Now you try: decision model

Time allowed: 12 minutes

Develop a reduced profit model that supports the incentive question.

Your output must include:

1. fitted equation and variable coding;
2. three coefficient interpretations;
3. coefficient and overall tests;
4. adjusted R^2 and diagnostics;
5. a prediction for one observed store; and
6. a comparison with its actual profit.

Outline

1 Choosing an analysis

2 Supermarket case: understand the data

3 Explore relationships

4 Build and refine models

5 From analysis to recommendation

6 Business decision revision

7 Statistical misconception clinic

Evidence chain

A defensible recommendation connects:

question $\rightarrow$ **data** $\rightarrow$ **method** $\rightarrow$ **result** $\rightarrow$ **limitation** $\rightarrow$ **action**

Weak reports jump directly from a significant coefficient to a policy. Strong reports explain the comparison, uncertainty, assumptions, feasible action, and what should be tested next.

ETF case implications

Possible evidence may suggest that tenure and skill are positively associated with performance, but:

- tenure develops over time;
- incentives may affect retention rather than tenure directly;
- omitted store characteristics may confound relationships;
- current data are observational; and
- an incentive programme has costs not represented in the regression.

Now you try: executive recommendation

Time allowed: 9 minutes

Write a five-sentence executive recommendation:

1. decision and strength of recommendation;
2. most relevant quantitative evidence;
3. practical meaning;
4. principal limitation; and
5. a pilot or additional evidence that would reduce uncertainty.

Outline

1 Choosing an analysis

2 Supermarket case: understand the data

3 Explore relationships

4 Build and refine models

5 From analysis to recommendation

6 Business decision revision

7 Statistical misconception clinic

Watch me: carry a ToolPak model into a decision

Suppose a pricing pilot covering AUD 50–105 gives the fitted equation

$$\widehat{Units} = 701 - 5.01 \times Price.$$

Before recommending a price, identify which numbers came from the Analysis ToolPak and which business inputs are still needed. State the observed price range and the production rule you would check.

Now you try: compare feasible prices

Time allowed: 8 minutes

Compare listed prices AUD 80, 90, and 100. Assume unit cost AUD 40, fixed cost AUD 1,200, and capacity 340 units.

For each price calculate predicted units, whole units planned after the capacity rule, revenue, cost, and profit. Recommend one listed price and explain one way the recommendation could change if the assumptions are wrong.

Outline

1 Choosing an analysis

2 Supermarket case: understand the data

3 Explore relationships

4 Build and refine models

5 From analysis to recommendation

6 Business decision revision

7 Statistical misconception clinic

Misconception 1: conditional probability

"Because 70% of app users are highly satisfied, 70% of highly satisfied customers use the app."

The statement reverses the condition:

$$P(\textit{Satisfied} \mid \textit{App}) \neq P(\textit{App} \mid \textit{Satisfied}).$$

The denominators differ.

Now you try: correct the conditional claim

Time allowed: 4 minutes

Rewrite the claim correctly and describe the additional contingency-table information needed to calculate the reversed conditional probability.

Misconception 2: confidence intervals

"There is a 95% probability that this fixed population mean is inside our calculated interval."

Frequentist confidence attaches 95% to the long-run method, not a probability assigned to the fixed parameter after observing the interval.

Now you try: repair the interval statement

Time allowed: 4 minutes

Write a correct contextual interpretation and explain why the interval does not describe where 95% of individual customers lie.

Misconception 3: regression coefficients

“The manager-skill coefficient is the raw difference in profit between high- and low-skill stores.”

In multiple regression it is a conditional comparison, holding other included predictors constant. Its unit and coding must be stated.

Now you try: repair the coefficient claim

Time allowed: 4 minutes

Choose one coefficient from your profit model and provide:

1. a correct interpretation;
2. the base category if relevant; and
3. one reason it should not be described as causal.

Misconception 4: evidence and importance

"Because $p < 0.05$, the effect is large, useful, and the null hypothesis has a less than 5% chance of being true."

A p-value addresses compatibility with H_0 under assumptions. Effect size, uncertainty, costs, and practical thresholds require separate evidence.

Now you try: repair the evidence claim

Time allowed: 4 minutes

Rewrite the claim using the estimate, confidence interval, and business threshold. State what decision would follow if the effect is statistically clear but too small to matter.

Outline

1 Choosing an analysis

2 Supermarket case: understand the data

3 Explore relationships

4 Build and refine models

5 From analysis to recommendation

6 Business decision revision

7 Statistical misconception clinic

Learning-outcome map

1. Classify and visualise data.
2. Calculate and interpret probability.
3. Sample, estimate, and test claims.
4. Analyse relationships.
5. Build simple and multiple regression in Excel.
6. Formulate and solve spreadsheet business models.

The examination can ask you to select, execute, interpret, or critique—not merely recall a formula.

Watch me: decode an exam question

Underline:

- the population or decision target;
- variable types and units;
- claim direction;
- supplied sample information;
- requested method and output; and
- required contextual conclusion.

Then sketch the workflow before calculating.

Now you try: rapid method map

Time allowed: 8 minutes

For eight instructor-provided mini-scenarios, including a categorical independence test, record only:

1. parameter, outcome, or objective;
2. appropriate method;
3. key assumption or constraint;
4. Excel tool or function; and
5. conclusion template.

Compare answers before doing any arithmetic.

Final checklist

- Define symbols and retain units.
- Show the formula or Excel method used.
- Check assumptions before interpreting output.
- Use the correct tail, denominator, or base category.
- Distinguish sample evidence from population claims.
- Avoid causal wording without a causal design.
- State limitations and answer the business question.

Closing reflection

Can you move independently through:

business question $\rightarrow$ **method** $\rightarrow$ **Excel** $\rightarrow$ **validation** $\rightarrow$ **conclusion** $\rightarrow$ **limitation** $\rightarrow$ **recommendation?**

That complete reasoning chain—not an isolated calculation—is the central skill of Business Statistics.