

Parallel and Perpendicular Lines

Geometry Worksheet · Grade 8–10

Name: _____

Date: _____

Learning Objectives

- Apply the Parallel Postulate and Perpendicular Postulate to identify unique parallel and perpendicular lines through a given point
- Use the Perpendicular Transversal Theorem to determine relationships between lines cut by a transversal
- Apply the Two Lines Parallel to a Third Line Theorem to prove lines are parallel

Problems

1. The Parallel Postulate states that through a point not on a line, how many lines can be drawn parallel to that given line?

2. The Perpendicular Postulate states that through a point not on a line, how many lines can be drawn perpendicular to that given line?

3. In algebra, if line a has a slope of 3, what is the slope of any line parallel to line a?

$$m_{\parallel} = 3$$

4. In algebra, if line b has a slope of 4, what is the slope of any line perpendicular to line b?

$$m_{\perp} = -\frac{1}{4}$$

5. If line l is parallel to line m, and transversal t is perpendicular to line l, what is the relationship between transversal t and line m?

$$l \parallel m, t \perp l \Rightarrow t \perp m$$

6. Line a is parallel to line b, and line b is parallel to line c. What can you conclude about lines a and c?



Math is hard. So we made it human.
Labanan ang agwat.

Free to print & share (CC BY 4.0)

Parallel and Perpendicular Lines Worksheet

More free worksheets, video lessons & courses:

numberbender.com/math-worksheets

Page 1 of 4 · Video: youtu.be/J40K92IXL8A



Watch the lesson



More free sheets

$$a \parallel b, b \parallel c \Rightarrow a \parallel c$$

7. Line p has equation $y = -\frac{1}{2}x + 3$. Write the equation of the line parallel to p that passes through the point (0, 7).

$$y = -\frac{1}{2}x + 7$$

8. Line q has equation $y = 3x - 5$. Write the equation of the line perpendicular to q that passes through the point (0, 2).

$$y = -\frac{1}{3}x + 2$$

9. In a two-column proof, given that $l \parallel m$ and $t \perp l$, provide the correct theorem or postulate that justifies the conclusion $t \perp m$ as a reason in the proof.

$$l \parallel m, t \perp l \Rightarrow t \perp m$$

10. Write a two-column proof: Given that line a $\parallel$ line b, line b $\parallel$ line c, and transversal $t \perp$ line a, prove that $t \perp$ line c.

$$a \parallel b \parallel c, t \perp a \Rightarrow t \perp c$$



Parallel and Perpendicular Lines — Answer Key

Geometry Worksheet · Grade 8–10

Answer Key

1. Answer: Exactly one

- Recall the Parallel Postulate: through a point not on a line, there is one and only one line parallel to the given line.
- Therefore, exactly one parallel line can be drawn through the point.

2. Answer: Exactly one

- Recall the Perpendicular Postulate: through a point not on a line, there is one and only one line perpendicular to the given line.
- Therefore, exactly one perpendicular line can be drawn through the point.

3. Answer: 3

- Parallel lines have exactly the same slope.
- Since line a has slope 3, any line parallel to it also has slope 3.

4. Answer: $-\frac{1}{4}$

- Perpendicular lines have slopes that are negative reciprocals of each other.
- The negative reciprocal of 4 is $-\frac{1}{4}$, so the perpendicular slope is $-\frac{1}{4}$.

5. Answer: t is perpendicular to m

- Apply the Perpendicular Transversal Theorem: if a transversal is perpendicular to one of two parallel lines, it is perpendicular to the other.
- Since $t \perp l$ and $l \parallel m$, by the theorem $t \perp m$.

6. Answer: a is parallel to c

- Apply the Two Lines Parallel to a Third Line Theorem.
- If $a \parallel b$ and $b \parallel c$, then $a \parallel c$ — all three lines are parallel to each other.

7. Answer: $y = -\frac{1}{2}x + 7$

- Parallel lines share the same slope, so the new line also has slope $-\frac{1}{2}$.
- Using point-slope form with point $(0, 7)$: $y = -\frac{1}{2}x + 7$.

8. Answer: $y = -\frac{1}{3}x + 2$

- The slope of line q is 3; the perpendicular slope is the negative reciprocal: $-\frac{1}{3}$.
- Using the y -intercept of 2: $y = -\frac{1}{3}x + 2$.

9. Answer: Perpendicular Transversal Theorem

- The given information establishes $l \parallel m$ and $t \perp l$ as statements in the proof.
- The Perpendicular Transversal Theorem justifies that $t \perp m$, since a transversal perpendicular to one of two parallel lines is perpendicular to the other.



- Statement 1: $a \parallel b$ | Reason: Given
 - Statement 2: $t \perp a$ | Reason: Given
 - Statement 3: $t \perp b$ | Reason: Perpendicular Transversal Theorem ($t \perp a$ and $a \parallel b$)
 - Statement 4: $b \parallel c$ | Reason: Given
 - Statement 5: $t \perp c$ | Reason: Perpendicular Transversal Theorem ($t \perp b$ and $b \parallel c$)
-

