



ALFRED UNIVERSITY

SCHOOL OF ENGINEERING AND APPLIED TECHNOLOGY

Department of Applied Electronics and Embedded Technology

Embedded Career Transition Readiness Checklist

Bridge-job evidence inventory aligned to the current 81 Career standards

STUDENT	William A. Green IV
ACADEMIC YEAR	2026-2027 Academic Year
DOCUMENT ID	AU-OAA-ESET301-CAREER-2026-02
REVISION	3.0 / v16.3.64
STATUS	Current Governing Document

DISCERE • AEDIFICARE • SERVIRE

Learn. Build. Serve. | Current runtime: v16.3.64 | Core curriculum release: 16.3

CURRENT WEBSITE USE - v16.3.64

This checklist is an evidence inventory, not an 81/81 barrier. The Week 30 green-light controls the active application campaign: common technician/test core + Project 1 + one role-proof path + a credible professional package. Continue deeper SHOULD/STRETCH growth while applying.

1. Application Green Light

Gate	Green-light standard
Electronics core	Safe low-voltage bench habits; circuits/components; schematics/datasheets; digital basics; practical measurement.
Instrumentation	DMM, bench supply, oscilloscope, and logic analyzer used deliberately with expected-vs-measured reasoning.
MCU + interface proof	Working STM32-class project with GPIO, timer/interrupt behavior, UART, SWD debug, and at least one board-level bus (I2C or SPI).
Programming + automation	Explainable C/embedded C plus Python serial/logging/test automation.
Troubleshooting proof	Multiple reproduce-measure-isolate-root cause-fix-verify stories with real evidence.
Workmanship / role proof	Solder/rework/harness or comparable electronics-lab evidence appropriate to the target role.
Professional package	Targeted resume, portfolio/Git evidence, transition story, technical stories, and realistic role filter.

2. How to Use the 81-Standard Inventory

- Check a standard only when you can explain or demonstrate it without a step-by-step script.
- Foundation Teaching Week tells you when Alfred first teaches the standard; it is not automatically the only week you can prove it.
- Use Project 1, labs, role-proof work, measurements, test reports, and interview explanations as evidence.
- Do not delay applications solely because a deeper role-specific standard remains in progress when the Week 30 green-light is otherwise met.

C1. Bench Safety & Workmanship

Check / ID	Current standard	Teach wk	Evidence anchor
☐ C1.1	Prepare a low-voltage electronics bench using current limits, safe power-up sequencing, and an explicit stop condition.	1	Required semantic task SEM-C1-01-075; required primary lesson gate; v16.3 integrated lesson checks; Week 1 mastery/teach-back.
☐ C1.2	Apply ESD controls appropriate to CMOS/semiconductor handling and explain when straps, mats, grounding, and antistatic storage matter.	1	Required semantic task SEM-C1-01-075; required primary lesson gate; v16.3 integrated lesson checks; Week 1 mastery/teach-back.
☐ C1.3	Distinguish safe low-voltage troubleshooting from work that requires qualified supervision, isolation, or energized-work procedures.	1	Required semantic task SEM-C1-01-075; required primary lesson gate; v16.3 integrated lesson checks; Week 1 mastery/teach-back.
☐ C1.4	Perform a pre-power inspection for polarity, shorts, connector orientation, exposed conductors, and current-limit settings.	1	Required semantic task SEM-C1-01-075; required primary lesson gate; v16.3 integrated lesson checks; Week 1 mastery/teach-back.

Check / ID	Current standard	Teach wk	Evidence anchor
☐ C1.5	Choose ESD controls, PPE, ventilation, and tool practices appropriate to low-voltage bench inspection, measurement, and basic assembly, and identify when soldering, rework, cutting, or crimping requires process-specific controls taught later.	1	Required semantic task SEM-C1-01-075; required primary lesson gate; v16.3 integrated lesson checks; Week 1 mastery/teach-back.
☐ C1.6	Document a safety or setup hazard and the corrective action before continuing a test.	1	Required semantic task SEM-C1-01-075; required primary lesson gate; v16.3 integrated lesson checks; Week 1 mastery/teach-back.

C2. Measurement & Instrument Setup

Check / ID	Current standard	Teach wk	Evidence anchor
☐ C2.1	Read a schematic by following power rails, grounds, signal flow, reference designators, and functional blocks.	2	Required semantic task SEM-C2-13-076; required primary lesson gate; v16.3 integrated lesson checks; Week 13 mastery/teach-back.
☐ C2.2	Use a component datasheet to identify pinout, absolute maximum ratings, recommended operating conditions, and key electrical characteristics.	7	Required semantic task SEM-C2-13-076; required primary lesson gate; v16.3 integrated lesson checks; Week 13 mastery/teach-back.
☐ C2.3	Distinguish a schematic, wiring diagram, block diagram, layout/PCB view, and timing diagram and choose the right artifact for a troubleshooting task.	13	Required semantic task SEM-C2-13-076; required primary lesson gate; v16.3 integrated lesson checks; Week 13 mastery/teach-back.
☐ C2.4	Trace a signal or power path from connector to load and identify useful test points before probing.	2	Required semantic task SEM-C2-13-076; required primary lesson gate; v16.3 integrated lesson checks; Week 13 mastery/teach-back.
☐ C2.5	Interpret pull-ups, pull-downs, decoupling capacitors, current-limiting resistors, protection devices, and common interface support circuitry.	7	Required semantic task SEM-C2-13-076; required primary lesson gate; v16.3 integrated lesson checks; Week 13 mastery/teach-back.
☐ C2.6	Explain design intent from a schematic well enough to predict expected node voltages or signal behavior before measuring.	2	Required semantic task SEM-C2-13-076; required primary lesson gate; v16.3 integrated lesson checks; Week 13 mastery/teach-back.

C3. Schematics, Components & Datasheets

Check / ID	Current standard	Teach wk	Evidence anchor
☐ C3.1	Select the correct DMM function, input jack, and circuit connection for voltage, resistance/continuity, or current; explain how each mode interacts with the circuit; then make the measurement safely.	1	Required semantic task SEM-C3-03-077; required primary lesson gate; v16.3 integrated lesson checks; Week 3 mastery/teach-back.
☐ C3.2	Set bench-supply voltage and a conservative current limit from expected circuit behavior, distinguish CV from current-limit operation, and	1	Required semantic task SEM-C3-03-077; required primary lesson gate; v16.3 integrated lesson checks; Week 3 mastery/teach-back.

Check / ID	Current standard	Teach wk	Evidence anchor
	use current consumption as evidence during bring-up.		
☐ C3.3	Starting with a known waveform, configure probe/reference, attenuation, coupling, vertical scale, timebase, and trigger to obtain a stable oscilloscope display and document the setup.	3	Required semantic task SEM-C3-03-077; required primary lesson gate; v16.3 integrated lesson checks; Week 3 mastery/teach-back.
☐ C3.4	Predict and measure waveform amplitude, frequency, period, duty cycle, DC offset, and rise/fall behavior, while distinguishing resolution, accuracy, loading, bandwidth, and repeatability limits.	3	Required semantic task SEM-C3-03-077; required primary lesson gate; v16.3 integrated lesson checks; Week 3 mastery/teach-back.
☐ C3.5	After a known digital-bus transaction exists, configure a logic analyzer with correct reference, threshold, sample rate, channel mapping, and decoder settings; correlate raw and decoded activity and recognize when an oscilloscope is required for analog signal-quality questions.	18	Required semantic task SEM-C3-03-077; required primary lesson gate; v16.3 integrated lesson checks; Week 3 mastery/teach-back.
☐ C3.6	Translate a troubleshooting question into a measurable hypothesis, then choose the instrument, test point, setup, and expected result that will provide the most useful evidence.	3	Required semantic task SEM-C3-03-077; required primary lesson gate; v16.3 integrated lesson checks; Week 3 mastery/teach-back.

C4. Troubleshooting & Root Cause

Check / ID	Current standard	Teach wk	Evidence anchor
☐ C4.1	Identify acceptable and defective solder joints and explain likely causes of cold joints, bridges, insufficient wetting, and lifted pads.	12	Required semantic task SEM-C4-12-078; required primary lesson gate; v16.3 integrated lesson checks; Week 12 mastery/teach-back.
☐ C4.2	Plan a safe through-hole or basic SMT rework sequence that minimizes heat, mechanical stress, and ESD exposure.	12	Required semantic task SEM-C4-12-078; required primary lesson gate; v16.3 integrated lesson checks; Week 12 mastery/teach-back.
☐ C4.3	Prepare, strip, crimp, strain-relieve, and inspect a low-voltage wire or harness connection using workmanship criteria.	19	Required semantic task SEM-C4-12-078; required primary lesson gate; v16.3 integrated lesson checks; Week 12 mastery/teach-back.
☐ C4.4	Use connector keying, pin numbering, continuity checks, and wire labels to prevent harness miswiring.	19	Required semantic task SEM-C4-12-078; required primary lesson gate; v16.3 integrated lesson checks; Week 12 mastery/teach-back.
☐ C4.5	Document rework with before/after evidence, component orientation, and verification measurements.	12	Required semantic task SEM-C4-12-078; required primary lesson gate; v16.3 integrated lesson checks; Week 12 mastery/teach-back.
☐ C4.6	Explain when a damaged pad, trace, connector, or harness should be repaired, replaced, or escalated rather than improvised.	12	Required semantic task SEM-C4-12-078; required primary lesson gate; v16.3 integrated lesson checks; Week 12 mastery/teach-back.

C5. Digital Electronics & Signal Reasoning

Check / ID	Current standard	Teach wk	Evidence anchor
☐ C5.1	Reproduce a fault reliably and define the observed symptom before attempting a fix.	5	Required semantic task SEM-C5-13-079; required primary lesson gate; v16.3 integrated lesson checks; Week 13 mastery/teach-back.
☐ C5.2	Form a testable hypothesis from expected versus actual behavior and choose the next measurement that best separates competing causes.	2	Required semantic task SEM-C5-13-079; required primary lesson gate; v16.3 integrated lesson checks; Week 13 mastery/teach-back.
☐ C5.3	Use divide-and-conquer, known-good substitution, signal tracing, or rail-by-rail checks appropriately without changing multiple variables at once.	2	Required semantic task SEM-C5-13-079; required primary lesson gate; v16.3 integrated lesson checks; Week 13 mastery/teach-back.
☐ C5.4	Distinguish root cause from symptom and verify that a repair removes the cause without creating a new failure.	5	Required semantic task SEM-C5-13-079; required primary lesson gate; v16.3 integrated lesson checks; Week 13 mastery/teach-back.
☐ C5.5	Use fault injection or controlled perturbation to demonstrate that a diagnostic method can detect an expected failure mode.	28	Required semantic task SEM-C5-13-079; required primary lesson gate; v16.3 integrated lesson checks; Week 13 mastery/teach-back.
☐ C5.6	Write a concise failure report containing symptom, setup, evidence, root cause, corrective action, and verification.	13	Required semantic task SEM-C5-13-079; required primary lesson gate; v16.3 integrated lesson checks; Week 13 mastery/teach-back.

C6. C / Firmware Foundations

Check / ID	Current standard	Teach wk	Evidence anchor
☐ C6.1	Read, write, and trace small C programs using typed variables, expressions, assignments, conditionals, and loops; predict control flow and resulting values before running the code.	14	Required semantic task SEM-C6-14-080; required primary lesson gate; v16.3 integrated lesson checks; Week 14 mastery/teach-back.
☐ C6.2	Use function declarations/prototypes, parameters, return values, and scope to divide C programs into small testable units and explain the data passed into and out of each unit.	14	Required semantic task SEM-C6-14-080; required primary lesson gate; v16.3 integrated lesson checks; Week 14 mastery/teach-back.
☐ C6.3	Use arrays, strings, structs, and enums to represent small embedded/test-program data structures while maintaining bounds, type, and lifetime discipline.	14	Required semantic task SEM-C6-14-080; required primary lesson gate; v16.3 integrated lesson checks; Week 14 mastery/teach-back.
☐ C6.4	Use bitwise AND, OR, XOR, shifts, and masks to inspect or modify specific bits, and explain the before/after bit pattern rather than treating the operation as a memorized formula.	14	Required semantic task SEM-C6-14-080; required primary lesson gate; v16.3 integrated lesson checks; Week 14 mastery/teach-back.
☐ C6.5	Recognize and prevent common C defects including off-by-one errors, uninitialized data, invalid pointer use, out-of-bounds access, integer	14	Required semantic task SEM-C6-14-080; required primary lesson gate; v16.3 integrated lesson checks; Week

Check / ID	Current standard	Teach wk	Evidence anchor
	conversion/overflow problems, and missing validation.		14 mastery/teach-back.
☐ C6.6	Build small C programs with warnings enabled, interpret compiler/runtime diagnostics, reproduce failures with controlled inputs, inspect state, and debug by testing one hypothesis at a time.	14	Required semantic task SEM-C6-14-080; required primary lesson gate; v16.3 integrated lesson checks; Week 14 mastery/teach-back.
☐ C6.7	Explain the difference between a value and an address, use pointers to access valid objects/arrays, and identify invalid, null, out-of-bounds, and lifetime-related pointer risks in small C programs.	14	Required semantic task SEM-C6-14-1640; v16.3.40 integrated lesson checks; changed-context mastery evidence.

C7. MCU Bring-Up & Debug

Check / ID	Current standard	Teach wk	Evidence anchor
☐ C7.1	Explain an embedded microcontroller as CPU + memory + clocks + buses + peripherals + registers, and connect each part to what executing C code can observe or control.	15	Required semantic task SEM-C7-15-081; required primary lesson gate; v16.3 integrated lesson checks; Week 15 mastery/teach-back.
☐ C7.2	Use fixed-width integer types and volatile appropriately for hardware registers or asynchronously changed state, and explain what volatile does and does not guarantee.	15	Required semantic task SEM-C7-15-081; required primary lesson gate; v16.3 integrated lesson checks; Week 15 mastery/teach-back.
☐ C7.3	Apply read-modify-write and bit masks to memory-mapped peripheral registers while preserving unrelated bits and checking the relevant register documentation.	15	Required semantic task SEM-C7-15-081; required primary lesson gate; v16.3 integrated lesson checks; Week 15 mastery/teach-back.
☐ C7.4	Convert a simple blocking embedded behavior into an explicit nonblocking state machine with named states, transitions, events, and bounded timing behavior.	15	Required semantic task SEM-C7-15-081; required primary lesson gate; v16.3 integrated lesson checks; Week 15 mastery/teach-back.
☐ C7.5	Explain polling and interrupts from the CPU/peripheral point of view and choose the simpler correct mechanism for a stated latency, timing, and complexity requirement.	15	Required semantic task SEM-C7-15-081; required primary lesson gate; v16.3 integrated lesson checks; Week 15 mastery/teach-back.
☐ C7.6	Separate hardware-access code, application/state logic, and diagnostic output so each layer can be reasoned about, tested, and troubleshoot independently.	15	Required semantic task SEM-C7-15-081; required primary lesson gate; v16.3 integrated lesson checks; Week 15 mastery/teach-back.

C8. Interfaces, Buses & Protocols

Check / ID	Current standard	Teach wk	Evidence anchor
☐ C8.1	Create an STM32 project by identifying the exact board/MCU, configuring clocks and pins, generating/inspecting	16	Required semantic task SEM-C8-16-082; required primary lesson gate; v16.3 integrated lesson checks; Week

Check / ID	Current standard	Teach wk	Evidence anchor
	initialization, building the project, and identifying the produced firmware image.		16 mastery/teach-back.
☐ C8.2	Bring up one STM32 GPIO path from project configuration through firmware state to physical pin behavior, using an independent measurement to prove the result.	16	Required semantic task SEM-C8-16-082; required primary lesson gate; v16.3 integrated lesson checks; Week 16 mastery/teach-back.
☐ C8.3	Explain the debug-probe/SWD path and use it to connect, halt, step, set breakpoints, and inspect variables/registers so code-flow faults can be separated from hardware faults.	16	Required semantic task SEM-C8-16-082; required primary lesson gate; v16.3 integrated lesson checks; Week 16 mastery/teach-back.
☐ C8.4	After a known-good GPIO baseline, configure and validate one STM32 timer/event or interrupt path while checking peripheral clock, prescaler/period, time units, flags, and observable timing evidence.	16	Required semantic task SEM-C8-16-082; required primary lesson gate; v16.3 integrated lesson checks; Week 16 mastery/teach-back.
☐ C8.5	Use staged evidence—power/current, reset/boot, clock/configuration, debug connectivity, minimal firmware, and I/O—to establish a known-good STM32 bring-up baseline before adding complexity.	16	Required semantic task SEM-C8-16-082; required primary lesson gate; v16.3 integrated lesson checks; Week 16 mastery/teach-back.
☐ C8.6	Capture an STM32 fault reproducibly with board/MCU identity, firmware revision, configuration, measurements/debug evidence, hypothesis, corrective action, and verified retest.	16	Required semantic task SEM-C8-16-082; required primary lesson gate; v16.3 integrated lesson checks; Week 16 mastery/teach-back.
☐ C8.7	After a known-good digital baseline, configure and validate one STM32 ADC channel using a known input while checking reference voltage, channel/pin mode, resolution/sample settings, raw code, engineering-unit conversion, and independent physical measurement.	16	Required semantic task SEM-C8-16-1640; v16.3.40 integrated lesson checks; changed-context mastery evidence.

C9. Python & Hardware Test Automation

Check / ID	Current standard	Teach wk	Evidence anchor
☐ C9.1	Configure UART parameters and diagnose mismatched baud rate, data bits, parity, stop bits, logic level, or crossed TX/RX connections.	17	Required semantic task SEM-C9-18-083; required primary lesson gate; v16.3 integrated lesson checks; Week 18 mastery/teach-back.
☐ C9.2	Explain I ² C addressing, open-drain signaling, pull-up resistors, START/STOP conditions, ACK/NACK, and common stuck-bus faults.	18	Required semantic task SEM-C9-18-083; required primary lesson gate; v16.3 integrated lesson checks; Week 18 mastery/teach-back.
☐ C9.3	Explain SPI clock, MOSI/MISO, chip select, mode/polarity/phase, word length, and common configuration mismatches.	18	Required semantic task SEM-C9-18-083; required primary lesson gate; v16.3 integrated lesson checks; Week 18 mastery/teach-back.

Check / ID	Current standard	Teach wk	Evidence anchor
☐ C9.4	Use a logic analyzer capture to correlate firmware actions with actual UART, I ² C, or SPI bus transactions.	18	Required semantic task SEM-C9-18-083; required primary lesson gate; v16.3 integrated lesson checks; Week 18 mastery/teach-back.
☐ C9.5	Read a sensor/interface datasheet to determine register address, transaction sequence, timing, and expected response.	18	Required semantic task SEM-C9-18-083; required primary lesson gate; v16.3 integrated lesson checks; Week 18 mastery/teach-back.
☐ C9.6	Diagnose whether an interface failure is most likely firmware configuration, electrical connection, signal integrity, device addressing, or protocol sequencing.	18	Required semantic task SEM-C9-18-083; required primary lesson gate; v16.3 integrated lesson checks; Week 18 mastery/teach-back.

C10. Soldering, Rework & Harness Work

Check / ID	Current standard	Teach wk	Evidence anchor
☐ C10.1	Use Python to open, configure, read from, and write to a serial device with explicit timeouts and error handling.	17	Required semantic task SEM-C10-27-084; required primary lesson gate; v16.3 integrated lesson checks; Week 27 mastery/teach-back.
☐ C10.2	Parse incoming measurements into structured values and reject malformed or out-of-range data safely.	17	Required semantic task SEM-C10-27-084; required primary lesson gate; v16.3 integrated lesson checks; Week 27 mastery/teach-back.
☐ C10.3	Log timestamped test data in a reproducible format that preserves units, device identity, and test conditions.	17	Required semantic task SEM-C10-27-084; required primary lesson gate; v16.3 integrated lesson checks; Week 27 mastery/teach-back.
☐ C10.4	Write an automated PASS/FAIL check against explicit limits and report why a failure occurred.	27	Required semantic task SEM-C10-27-084; required primary lesson gate; v16.3 integrated lesson checks; Week 27 mastery/teach-back.
☐ C10.5	Plot or summarize test data to reveal trends, drift, noise, or outliers relevant to a hardware decision.	27	Required semantic task SEM-C10-27-084; required primary lesson gate; v16.3 integrated lesson checks; Week 27 mastery/teach-back.
☐ C10.6	Structure a small hardware-test script so setup, stimulus, measurement, evaluation, cleanup, and reporting are separate steps.	27	Required semantic task SEM-C10-27-084; required primary lesson gate; v16.3 integrated lesson checks; Week 27 mastery/teach-back.

C11. Engineering Documentation & Version Control

Check / ID	Current standard	Teach wk	Evidence anchor
☐ C11.1	Translate a requirement into a measurable verification step with setup, stimulus, expected result, tolerance, and evidence.	22	Required semantic task SEM-C11-28-085; required primary lesson gate; v16.3 integrated lesson checks; Week 28 mastery/teach-back.
☐ C11.2	Distinguish verification, validation, characterization, troubleshooting, and production test.	22	Required semantic task SEM-C11-28-085; required primary lesson gate; v16.3 integrated lesson checks; Week 28 mastery/teach-back.

Check / ID	Current standard	Teach wk	Evidence anchor
☐ C11.3	Design a repeatable test procedure that controls variables and records enough context for another technician to reproduce it.	22	Required semantic task SEM-C11-28-085; required primary lesson gate; v16.3 integrated lesson checks; Week 28 mastery/teach-back.
☐ C11.4	Use boundary, nominal, and fault conditions to expose weaknesses that a single happy-path test would miss.	27	Required semantic task SEM-C11-28-085; required primary lesson gate; v16.3 integrated lesson checks; Week 28 mastery/teach-back.
☐ C11.5	Interpret test results against requirements and identify whether the result is pass, fail, inconclusive, or requires additional data.	27	Required semantic task SEM-C11-28-085; required primary lesson gate; v16.3 integrated lesson checks; Week 28 mastery/teach-back.
☐ C11.6	Maintain traceability between requirement, test case, result, anomaly, corrective action, and retest evidence.	22	Required semantic task SEM-C11-28-085; required primary lesson gate; v16.3 integrated lesson checks; Week 28 mastery/teach-back.

C12. Systems Integration, Validation & Reliability

Check / ID	Current standard	Teach wk	Evidence anchor
☐ C12.1	Use repository status, diff, staging, commits, and history to inspect and preserve meaningful firmware/test-script changes so the project state is reviewable and reproducible.	12	Required semantic task SEM-C12-22-086; required primary lesson gate; v16.3 integrated lesson checks; Week 22 mastery/teach-back.
☐ C12.2	Use basic command-line navigation and a repeatable project structure to build, run, inspect, compare, and archive engineering work without losing configuration or evidence context.	12	Required semantic task SEM-C12-22-086; required primary lesson gate; v16.3 integrated lesson checks; Week 22 mastery/teach-back.
☐ C12.3	Write lab notes with date, objective, configuration, observations, measurements, anomalies, and next actions.	12	Required semantic task SEM-C12-22-086; required primary lesson gate; v16.3 integrated lesson checks; Week 22 mastery/teach-back.
☐ C12.4	Create a concise test report with purpose, setup, method, results, plots/tables, conclusions, and unresolved risks.	12	Required semantic task SEM-C12-22-086; required primary lesson gate; v16.3 integrated lesson checks; Week 22 mastery/teach-back.
☐ C12.5	Communicate a technical problem to an engineer using observed facts, measurements, attempted checks, and a clear question.	12	Required semantic task SEM-C12-22-086; required primary lesson gate; v16.3 integrated lesson checks; Week 22 mastery/teach-back.
☐ C12.6	Keep filenames, versions, units, screenshots, code, schematics, and evidence organized so a future reviewer can reconstruct the work.	12	Required semantic task SEM-C12-22-086; required primary lesson gate; v16.3 integrated lesson checks; Week 22 mastery/teach-back.
☐ C12.7	Use branches and named known-good baselines/tags to isolate work, preserve recoverable project states, and tie firmware/documentation state to bench evidence.	12	Required semantic task SEM-C12-12-1640; v16.3.40 integrated lesson checks; changed-context mastery evidence.

C13. Career Proof, Portfolio & Interview Readiness

Check / ID	Current standard	Teach wk	Evidence anchor
☐ C13.1	Present a project with problem, requirements, architecture, implementation, test evidence, failure/recovery story, and final result.	29	Required semantic task SEM-C13-30-087; required primary lesson gate; v16.3 integrated lesson checks; Week 30 mastery/teach-back.
☐ C13.2	Explain personal contribution precisely without overstating ownership, certification, job title, or engineering authority.	29	Required semantic task SEM-C13-30-087; required primary lesson gate; v16.3 integrated lesson checks; Week 30 mastery/teach-back.
☐ C13.3	Answer a hardware troubleshooting interview question using a hypothesis-and-measurement process rather than guessing components.	30	Required semantic task SEM-C13-30-087; required primary lesson gate; v16.3 integrated lesson checks; Week 30 mastery/teach-back.
☐ C13.4	Tailor a resume bullet to an electronics/test/embedded role using concrete tools, actions, results, and evidence.	30	Required semantic task SEM-C13-30-087; required primary lesson gate; v16.3 integrated lesson checks; Week 30 mastery/teach-back.
☐ C13.5	Evaluate a job description for must-have versus learnable skills and identify a credible bridge-role application strategy.	30	Required semantic task SEM-C13-30-087; required primary lesson gate; v16.3 integrated lesson checks; Week 30 mastery/teach-back.
☐ C13.6	Use interview/application feedback to choose the next technical repair, portfolio improvement, or job-search adjustment.	31	Required semantic task SEM-C13-30-087; required primary lesson gate; v16.3 integrated lesson checks; Week 30 mastery/teach-back.

Final Career-Readiness Sign-Off

Question	Evidence
What permanent/near-permanent bridge roles am I targeting now?	
Which Project 1 evidence maps directly to those postings?	
Which two troubleshooting stories can I explain deeply?	
Which instruments can I use without a tutorial?	
Which interfaces can I debug at the signal/protocol level?	
What is my strongest solder/rework/harness evidence?	
What skill is still yellow but not an application blocker?	
What would make me pause an application because it truly requires a missing core capability?	