

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for homepage.html

### Checker Input

Show  source  outline  image report

[Options...](#)

check error pages

### User-Agent

Validator.nu/LV http://validator.w3.org/services

Accept-Language

Check by   Nenhum ficheiro selecionado

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to display options for hiding/showing particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 13, column 5; to line 13, column 35

```
s -->... <script type="text/javascript">...
```

2. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 40, column 11; to line 40, column 19

```
<article>...
```

3. **Error** Attribute `half-loader` not allowed on element `button` at this point.

From line 67, column 19; to line 67, column 127

```
<button class="btn bg-transparent border-0 my-2" half-loader="true" type="submit" style="margin-left:-40px;">...
```

Attributes for element [button](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — Entry list encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)  
[formnovalidate](#) — Bypass form control validation for [form submission](#)  
[formtarget](#) — [Browsing context](#) for [form submission](#)  
[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API  
[type](#) — Type of button  
[value](#) — Value to be used for [form submission](#)

4. **Warning** Article lacks heading. Consider using [h2 - h6] elements to [add identifying headings to all articles.](#)

From line 87, column 27; to line 87, column 96

```
<article class="dropdown-menu dropdown-menu-right"
style="width:40px">...
```

5. **Warning** Section lacks heading. Consider using [h2 - h6] elements to [add identifying headings to all sections.](#)

From line 46, column 11; to line 46, column 71

```
<section class="collapse navbar-collapse"
id="navbarColor02">...
```

6. **Warning** Section lacks heading. Consider using [h2 - h6] elements to [add identifying headings to all sections.](#)

From line 118, column 7; to line 118, column 75

```
av>... <section class="row col bg-dark mt-1 mx-0 p-0"
style="height:35px; ">...
```

7. **Warning** Section lacks heading. Consider using [h2 - h6] elements to [add identifying headings to all sections.](#)

From line 131, column 19; to line 131, column 90

```
<section id="carousel" class="carousel slide mt-4" data-
ride="carousel">...
```

8. **Warning** Section lacks heading. Consider using [h2 - h6] elements to [add identifying headings to all sections.](#)

From line 129, column 7; to line 129, column 33

```
... ... <section class="container">...
```

9. **Error** Attribute game\_id not allowed on element a at this point.

From line 231, column 13; to line 231, column 195

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="9" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

10. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 231, column 13; to line 231, column 195

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="9" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

11. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 224, column 4; to line 224, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

12. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 255, column 13; to line 255, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="32" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

13. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 255, column 13; to line 255, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="32" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

14. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 248, column 4; to line 248, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

15. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 279, column 13; to line 279, column 195

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="7" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

16. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 279, column 13; to line 279, column 195

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="7" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

17. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 272, column 4; to line 272, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

18. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 305, column 13; to line 305, column 194

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="1" in_wishlist="true">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

19. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 305, column 13; to line 305, column 194

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="1" in_wishlist="true">↔
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

20. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 298, column 4; to line 298, column 48

```
rd -->↔ <article class="card mb-2 mt-2 hover-darken">↔
```

21. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 329, column 13; to line 329, column 195

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="5" in_wishlist="false">↔
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

22. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 329, column 13; to line 329, column 195

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="5" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

23. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 322, column 4; to line 322, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

24. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 353, column 13; to line 353, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="13" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

25. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 353, column 13; to line 353, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="13" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

26. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 346, column 4; to line 346, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

27. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 379, column 13; to line 379, column 195

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="2" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

28. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 379, column 13; to line 379, column 195

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="2" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

29. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 372, column 4; to line 372, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

30. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 403, column 13; to line 403, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="17" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

31. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 403, column 13; to line 403, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="17" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

32. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 396, column 4; to line 396, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

33. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 427, column 13; to line 427, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="34" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

34. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 427, column 13; to line 427, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="34" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

35. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 420, column 4; to line 420, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

36. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 458, column 13; to line 458, column 194

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="3" in_wishlist="true">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

37. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 458, column 13; to line 458, column 194

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="3" in_wishlist="true">↔
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

38. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 451, column 4; to line 451, column 48

```
rd -->↔ <article class="card mb-2 mt-2 hover-darken">↔
```

39. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 482, column 13; to line 482, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="19" in_wishlist="false">↔
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

40. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 482, column 13; to line 482, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="19" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

41. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 475, column 4; to line 475, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

42. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 506, column 13; to line 506, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="29" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

43. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 506, column 13; to line 506, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="29" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

44. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 499, column 4; to line 499, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

45. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 532, column 13; to line 532, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="11" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

46. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 532, column 13; to line 532, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="11" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

47. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 525, column 4; to line 525, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

48. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 556, column 13; to line 556, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="10" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

49. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 556, column 13; to line 556, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="10" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

50. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 549, column 4; to line 549, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

51. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 580, column 13; to line 580, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="37" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

52. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 580, column 13; to line 580, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="37" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

53. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 573, column 4; to line 573, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

54. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 606, column 13; to line 606, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="18" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

55. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 606, column 13; to line 606, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="18" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

56. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 599, column 4; to line 599, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

57. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 630, column 13; to line 630, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="38" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

58. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 630, column 13; to line 630, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="38" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

59. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 623, column 4; to line 623, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

60. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 654, column 13; to line 654, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="36" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

61. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 654, column 13; to line 654, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="36" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

62. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 647, column 4; to line 647, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

63. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 684, column 13; to line 684, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="40" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

64. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 684, column 13; to line 684, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="40" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

65. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 677, column 4; to line 677, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

66. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 708, column 13; to line 708, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="31" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

67. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 708, column 13; to line 708, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="31" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

68. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 701, column 4; to line 701, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

69. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 732, column 13; to line 732, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="30" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

70. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 732, column 13; to line 732, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="30" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

71. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 725, column 4; to line 725, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

72. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 758, column 13; to line 758, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="39" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

73. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 758, column 13; to line 758, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="39" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

74. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 751, column 4; to line 751, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

75. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 782, column 13; to line 782, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="22" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

76. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 782, column 13; to line 782, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="22" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

77. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 775, column 4; to line 775, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

78. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 806, column 13; to line 806, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="15" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

79. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 806, column 13; to line 806, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="15" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

80. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 799, column 4; to line 799, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

81. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 832, column 13; to line 832, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="23" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

82. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 832, column 13; to line 832, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="23" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

83. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 825, column 4; to line 825, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

84. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 856, column 13; to line 856, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="14" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

85. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 856, column 13; to line 856, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="14" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

86. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 849, column 4; to line 849, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

87. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 880, column 13; to line 880, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="12" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

88. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 880, column 13; to line 880, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="12" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

89. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 873, column 4; to line 873, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

90. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 910, column 13; to line 910, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="52" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

91. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 910, column 13; to line 910, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="52" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

92. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 903, column 4; to line 903, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

93. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 934, column 13; to line 934, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="53" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

94. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 934, column 13; to line 934, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="53" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

95. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 927, column 4; to line 927, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

96. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 958, column 13; to line 958, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="44" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

97. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 958, column 13; to line 958, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="44" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

98. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 951, column 4; to line 951, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

99. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 984, column 13; to line 984, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="46" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

100. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 984, column 13; to line 984, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="46" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

101. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 977, column 4; to line 977, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

102. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 1008, column 13; to line 1008, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="54" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

103. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 1008, column 13; to line 1008, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="54" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

104. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 1001, column 4; to line 1001, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

105. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 1032, column 13; to line 1032, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="28" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

106. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 1032, column 13; to line 1032, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="28" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

107. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 1025, column 4; to line 1025, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

108. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 1058, column 13; to line 1058, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="48" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

109. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 1058, column 13; to line 1058, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="48" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

110. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 1051, column 4; to line 1051, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

111. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 1082, column 13; to line 1082, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="50" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

112. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 1082, column 13; to line 1082, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="50" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

113. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 1075, column 4; to line 1075, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

114. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 1106, column 13; to line 1106, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="47" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

115. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 1106, column 13; to line 1106, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="47" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

116. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 1099, column 4; to line 1099, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

117. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 1136, column 13; to line 1136, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="41" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

118. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 1136, column 13; to line 1136, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="41" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

119. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 1129, column 4; to line 1129, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

120. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 1160, column 13; to line 1160, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="45" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

121. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 1160, column 13; to line 1160, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="45" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

122. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 1153, column 4; to line 1153, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

123. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 1184, column 13; to line 1184, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="20" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

124. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 1184, column 13; to line 1184, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="20" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

125. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 1177, column 4; to line 1177, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

126. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 1210, column 13; to line 1210, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="16" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

127. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 1210, column 13; to line 1210, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="16" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

128. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 1203, column 4; to line 1203, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

129. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 1234, column 13; to line 1234, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="43" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

130. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 1234, column 13; to line 1234, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="43" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

131. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 1227, column 4; to line 1227, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

132. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 1258, column 13; to line 1258, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="27" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

133. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 1258, column 13; to line 1258, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="27" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

134. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 1251, column 4; to line 1251, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

135. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 1284, column 13; to line 1284, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="49" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

136. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 1284, column 13; to line 1284, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="49" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

137. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 1277, column 4; to line 1277, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

138. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 1308, column 13; to line 1308, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="33" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

139. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 1308, column 13; to line 1308, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="33" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

140. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 1301, column 4; to line 1301, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

141. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 1332, column 13; to line 1332, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="26" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

142. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 1332, column 13; to line 1332, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="26" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

143. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 1325, column 4; to line 1325, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

144. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 1362, column 13; to line 1362, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="55" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

145. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 1362, column 13; to line 1362, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="55" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

146. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 1355, column 4; to line 1355, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

147. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 1386, column 13; to line 1386, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="57" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

148. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 1386, column 13; to line 1386, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="57" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

149. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 1379, column 4; to line 1379, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

150. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 1410, column 13; to line 1410, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="61" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

151. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 1410, column 13; to line 1410, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="61" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

152. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 1403, column 4; to line 1403, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

153. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 1436, column 13; to line 1436, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"-
onclick="return false;" game_id="56" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

154. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 1436, column 13; to line 1436, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="56" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

155. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 1429, column 4; to line 1429, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

156. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 1460, column 13; to line 1460, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="59" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

157. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 1460, column 13; to line 1460, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="59" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

158. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 1453, column 4; to line 1453, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

159. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 1484, column 13; to line 1484, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="58" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

160. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 1484, column 13; to line 1484, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="58" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

161. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 1477, column 4; to line 1477, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

162. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 1510, column 13; to line 1510, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="60" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

163. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 1510, column 13; to line 1510, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="60" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

164. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 1503, column 4; to line 1503, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

165. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 1534, column 13; to line 1534, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="64" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

166. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 1534, column 13; to line 1534, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="64" in_wishlist="false">...
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

167. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).

From line 1527, column 4; to line 1527, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

168. **Error** Attribute `game_id` not allowed on element `a` at this point.

From line 1558, column 13; to line 1558, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="62" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

169. **Error** Attribute `in_wishlist` not allowed on element `a` at this point.

From line 1558, column 13; to line 1558, column 196

```
<a class="wishlist-indicator fade-in text-shadow" data-
toggle="tooltip" data-placement="left" title="Add to Wishlist" href="#"
onclick="return false;" game_id="62" in_wishlist="false">...
```

Attributes for element :

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

170. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to add identifying headings to all articles.

From line 1551, column 4; to line 1551, column 48

```
rd -->... <article class="card mb-2 mt-2 hover-darken">...
```

171. **Warning** Section lacks heading. Consider using `h2`-`h6` elements to add identifying headings to all sections.

From line 191, column 7; to line 191, column 33

```
-->... <section class="container">...
```

172. **Warning** **Section lacks heading. Consider using [h2-h6] elements to add identifying headings to all sections.**

From line 127, column 3; to line 127, column 29

```
↔      ↔ <section class="container">↔ ←
```

173. **Warning** **Section lacks heading. Consider using [h2-h6] elements to add identifying headings to all sections.**

From line 1585, column 7; to line 1585, column 49

```
t">↔ <section class="container p-4 row mx-auto">↔
```

Document checking completed.

Used the HTML parser.

Total execution time 200 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 21.5.28